Forecast Verification and Reconnaissance Data for Southern Hemisphere Tropical Cyclones (July 1980 through June 1982)


by

John W. Diercks, Col, USAF
Robert C. Weir, Lt, USN
and
Mary K. Kopper, Ens, USN

PREPARED BY

U.S. NAVAL OCEANOGRAPHY COMMAND CENTER '
JOINT TYPHOON WARNING CENTER,
COMNAVMARIANAS BOX 17
F.P.O. SAN FRANCISCO, CA. 96630

PREPARED FOR
COMMANDER,
NAVAL OCEANOGRAPHY COMMAND
NSTL STATION, BAY ST. LOUIS, MS 39529



ERRATA SHEET for NOCC/JTWC Technical Note 8271

Please make the following change to this publication:

Page 16, Table 9,

The labeling of two techniques, CY50 and CY85, is in reverse order along the X- and Y-axes. All values contained within the 24- and 48-hour forecast verification sections are correct, providing the order of techniques is changed to the following:

JTWC	JTWC	TYAN	CY50	CY85	BPAC	CLIM	XTRP	HPAC
TYAN								
CY50								
CY85			This ch	ange	applies	to bo	th	
BPAC		1	the 24-	and	48-hour	secti	ons	
CLIM								
XTRP								
HPAC		-						

CONTENTS

Abst	eact	•	•	•	•	•	•	2
I.	Introduction	•	•	•	•	•	•	3
II.	Summary of Tropical Cyclones	•	•		•	•	•	3
III.	Reconnaissance Data	•	•	•	•	•	•	8
IV.	Forecast Verification	•	•	•	•	•	•	11
Ackno	owledgements	•	•	•	•	•	•	17
Refe	cences	•	•	•	•	•	•	17
A.	Tropical Cyclone Best Track Data	•	•	•	•		•	18
В.	Tropical Cyclone Fix Data	•	•	•	•	•	•	44
C	Contractions							77

ABSTRACT

The Joint Typhoon Warning Center (JTWC) area of responsibility includes the Southern Hemisphere, from 180° longitude westward to the east coast of Africa. This technical note documents forecast verification and reconnaissance data for those Southern Hemisphere tropical cyclones that occurred between 1 July 1980 and 30 June 1982.

FORECAST VERIFICATION AND RECONNAISSANCE DATA SOUTHERN HEMISPHERE TROPICAL CYCLONES

I. INTRODUCTION

The Joint Typhoon Warning Center (JTWC) area of responsibility (AOR) was expanded on 1 October 1980 (on a one-year test basis) to include tropical cyclones in the Southern Hemisphere between 180° longitude westward to the east coast of Africa. The area was officially assigned to JTWC on a permanent basis by the Commander-in-Chief Pacific (CINCPAC) in September 1981.

JTWC's post-analysis programs were expanded to include verification of warnings and permanent storage of best track and reconnaissance data for Southern Hemisphere tropical cyclones. Forecast, best track, and reconnaissance data are transmitted from NAVOCEANCOMCEN Guam to the Fleet Numerical Oceanography Center, Monterey, California (FLENUMOCEANCEN) via the Naval Environmental Data Network (NEDN). These data are stored on mass storage devices at FLENUMOCEANCEN, and, through remote job entries from NAVOCEANCOMCEN Guam, are accessed and processed on computers at FLENUMOCEANCEN. Best track verification, and reconnaissance summaries for each tropical cyclone are then returned to NAVOCEANCOMCEN Guam via the NEDN. These summaries appear in Appendices A and B of this technical note.

The purpose of this technical note is to document best track data, verification statistics, and satellite reconnaissance data for Southern Hemisphere-tropical cyclones which occurred between 1 July 1980 and 30 June 1982. Discussion of verification statistics has been kept to a minimum because comparison statistics do not exist for prior years when warnings were issued by NAVOCEANCOMCEN Guam's Operations Department. The reader is referred to the 1982 Annual Tropical Cyclone Report for a complete discussion of JTWC operating procedures.

II. SUMMARY OF TROPICAL CYCLONES FOR THE WESTERN SOUTH PACIFIC AND SOUTH INDIAN OCEANS

During the period of this report, a total of 49 tropical cyclones reached warning status in the JTWC Southern Hemisphere area of responsibility; 24 were recorded in the 1980-81 and 25 in the 1981-82 seasons (1 July to 30 June). These activity levels appear to be as expected with respect to the total number of tropical cyclones and their source regions. Four major oceanic source regions are identified for this portion of JTWC's area of responsibility (see Figure 1):

Western South Pacific Ocean (SW PAC)
Northern Australian Region (N AUST)
Central South Indian Ocean (SC IO)
Western South Indian Ocean (SW IO)

In general, tropical cyclones developing in a particular area will remain in that region. However, exceptions were noted:

- (1) TC 24-30 developed in the SC IO and moved west into the SW IO, eventually making landfall on Africa's east coast.
- (2) TC 02-82 traveled nearly 3056 nm (5660 km) as it crossed from the SC IO, south of Java, into the SW IO where it dissipated over water nearly 600 nm (1111 km) south of Mauritius.
- (3) TC 19-82 took a southeasterly heading from N AUST and eventually moved into the SW PAC.

Intensity estimates for Southern Hemisphere tropical cyclones are derived from satellite imagery evaluation (Dvorak, 1973), estimates of intensity as reported by other regional warning centers, and, in rare occasions, from surface observational data. Over the period of this report, 24 tropical cyclones remained below a maximum intensity of 64 kt (32 m/sec), the criteria used to designate a cyclone of typhoon intensity in the western North Pacific. Of the remaining 25 tropical cyclones, 10 reached an intensity of at least 100 kt (51 m/sec). It is interesting to note, that of the 14 tropical cyclones which developed in the N AUST region, four of the six in 1980-81 attained at least 100 kt (51 m/sec) while in 1981-82 none of the eight tropical cyclones in this region attained 100 kt (51 m/sec). In fact, only two of the eight exceeded 50 kt (26 m/sec).

Summary data for the tropical cyclones occurring during the period of this report are presented in Table 1 (1980-81) and Table 2 (1981-82). Except for TC 06-81, which had a sufficient amount of synoptic data along its track to determine its intensity and minimum sea level pressure, the estimates of minimum sea level pressure were derived from the Atkinson and Holliday (1977) relationship between maximum sustained one-minute surface wind and minimum sea level pressure (Table 3). This relationship has been shown to be representative for tropical cyclones in the western North Pacific and it is utilized by the Australian region warning centers to provide intensity estimates in their respective areas of responsibility. However, since these pressure estimates were based upon intensities that have been primarily derived from interpretation of satellite imagery, considerable caution should be exercised when using these resultant pressure values in future tropical cyclone work. The distance traveled by each tropical cyclone was calculated from the official JTWC best track data (see Appendix A).




Figure 1. The four major oceanic source regions for the Southern Hemisphere area of responsibility. Although tropical eyclones which form in each of these regions tend to remain within the respective region, there are several examples of tropical cyclones crossing regional boundaries. Climatological data differs greatly between regions.

1980-81 SIGNIFICANT TROPICAL CYCLONES IN THE WESTERN SOUTH PACIFIC AND SOUTH INDIAN OCEANS TABLE 1.

	3	
DISTANCE TRAVELED (nm)	928 1656 2450 1564 1252 1779 1025 1334 629 629 963 1718 1718 1701 1997 1620	1298 972
MINIMUM SEA LEVEL PRESSURE (mb)	99999999999999999999999999999999999999	966 966
MAXIMUM SURFACE WIND (kt)	115 55 65 65 100 100 100 45 75 75 100 100 100 115	40 35
WARNING	E84888 CCVES47HE90100000000000000000000000000000000000	7
PERIOD OF WARNINGS	OCT + 12 NOV - 12 NOV - 12 NOV - 28 NOY - 04 DEC - 18 DEC - 29 JAN - 10 JAN - 10 JAN - 27 JAN - 27 JAN - 02 FEB - 15 FEB - 07 FEB - 07 MAR - 09 MAR - 09 MAR - 05 APR - 05	17 APR - 23 APR 26 MAY - 29 MAY
NUMBER OF WARNINGS	* *	14 1
OCEANIC REGION	SW IO SC IO SW IO SC IO N AUST N AUST SW IO SW PAC N AUST SC IO SW PAC N AUST SW IO N AUST SW PAC SW	SW IO
NAME@	ALICE BERT FELIX FLORINE ARTHUR MABLE CLIFF CLIFF CLIFF CLIFF IADINE NEIL FREDA JOHANNA MAX KLARA OLGA	LISA PADDY
CYCLONE NUMBER	TC 21-80 TC 22-80 TC 24-80 TC 25-80 TC 26-80 TC 28-80 TC 28-81 TC 01-81 TC 03-81 TC 05-81 TC 06-81 TC 06-81 TC 06-81 TC 10-81 TC 10-81 TC 10-81 TC 11-81 TC 11-81 TC 11-81 TC 11-81 TC 11-81 TC 11-81 TC 11-81 TC 11-81 TC 11-81	TC 23-81 TC 24-81
	11.00 8 8	23.

Notes:

- The first nine warnings for TC 08-81 and all warnings for TC 09-81 were issued by the Alternate Joint Typhoon Warning Center (Naval Western Oceanography Center, Pearl Harbor, Hawaii) during a period in which the staff of the Joint Typhoon Warning Center, Guam, was attending the Annual Tropical Cyclone Conference.
- Warning responsibility was passed to the Naval Western Oceanography Center, Pearl Harbor, Hawaii, when TC 15-81 crossed 180 degrees longitude. Data given are for the track west of 180 degrees. +
- Names of tropical cyclones given by regional warning centers (Nandi, Brisbane, Darwin, Perth, and Mauritius) are appended to JTWC warnings, when available. **a**

1981-82 SIGNIFICANT TROPICAL CYCLONES IN THE WESTERN SOUTH PACIFIC AND SOUTH INDIAN OCEANS TABLE 2.

TC 25-81 ALEX SC IO 3 27 JUL - 28 JUL 1 30 999 TC 26-81 BESSI SC IO 13 21 OCT - 27 OCT 6 55 TC 30-81 BESSI SC IO 30 04 NOY - 18 NOY 14 90 952 TC 33-81 BENEDICTE SW IO 8 21 OCC - 07 DEC 1 35 996 TC 33-81 BENEDICTE SW IO 8 21 DEC - 25 DEC 6 105 937 TC 01-82 CHRIS SC IO 26 08 JAN - 21 JAN 13 120 997 TC 01-82 CHRIS SC IO 26 08 JAN - 21 JAN 2 35 996 TC 03-82 DAPHNE SC IO 26 08 JAN - 21 JAN 2 996 TC 04-82 ERROL N AUST 10 13 JAN - 18 JAN 2 996 TC 06-82 BRUNO N AUST 10 13 JAN - 18 JAN 2 996 TC 06-82 BRUNO N AUST 10 13 JAN - 17 JAN 1 999 TC 06-82 ABRCAIL SW PAC 13 26 JAN - 05 FEB 10 65 996 TC 01-82 CHRIS SW IO 10 18 FEB - 18 FEB 2 996 TC 10-82 ELECTRA SW IO 10 18 FEB - 18 FEB 2 996 TC 11-82 BRUNE SW IO 10 18 FEB - 18 FEB 2 996 TC 11-82 BRUNE SW IO 20 17 MAR - 26 JAN 8 9 75 996 TC 11-82 BRUNE SW IO 20 17 MAR - 26 MAR 9 75 996 TC 11-82 BRUNE SW IO 17 MAR - 26 MAR 9 75 996 TC 11-82 BENNIE SW PAC 15 17 MAR - 19 MAR 7 95 997 TC 11-82 BENNIE SW PAC 15 17 MAR - 19 MAR 7 95 997 TC 11-82 BENNIE SW PAC 15 908 TC 11-82 BENNIE SW PAC 16 908 TC 11-82 BENNIE SW PAC 16 908 TC 11-82 BENNIE SW PAC 15 908 TC 11-82 BENNIE SW PAC 16 909 TO 11-82 BENNIE SW PAC 16 9	NAME@	OCEANIC	NUMBER OF WARNINGS	PERIOD OF WARNINGS	WARNING DAYS	MAXIMUM SURFACE WIND (kt)	MINIMUM SEA LEVEL PRESSURE (mb)	DISTANCE TRAVELED (nm)
ALEX SC IO 13 21 OCT - 27 OCT 65 975 AMELIA N AUST 30 04 NOY - 18 NOY 14 90 952 AMELIA N AUST 30 06 DEC - 07 DEC 1 35 996 GYAN SW PAC 14 20 DEC - 6 105 937 BENEDICTE SW IO 8 21 DEC - 25 DEC 4 75 966 CHRIS SC IO 26 08 JAN - 21 JAN 13 45 966 CHRIS SC IO 26 08 JAN - 21 JAN 13 45 966 BRNO N AUST 10 13 JAN - 15 JAN 2 996 BRUNO N AUST 4 19 JAN - 21 JAN 2 996 BRUNO N AUST 4 13 JAN - 21 JAN 2 996 HETTIE SW PAC 13 2AN - 21 JAN 2 35 996		SC IO	۳	JUL = 28		30	666	307
BESSI SC IO 30 04 NOY - 18 NOY 14 90 952 AMELIA N AUST 3 06 DEC - 07 DEC 1 35 996 GAN SW PAC 14 20 DEC - 26 DEC 6 105 996 GENEDICTE SW PAC 14 20 DEC - 26 DEC 6 105 996 CHRIS SC IO 26 08 JAN - 21 JAN 13 45 996 CHRIS SC IO 5 13 JAN - 15 JAN 13 45 996 ERROL N AUST 10 13 JAN - 17 JAN 1 40 997 BRINO N AUST 13 JAN - 17 JAN - 17 JAN 1 40 997 ABIGATIL SW PAC 13 JAN - 17 JAN - 17 JAN 1 40 996 RELCTRA W PAC 12 JAN - 25 JAN - 05 FEB 2 956 ELECTRA SW IO	ALEX	SC IO	13	OCT - 27	9	65	975	1150
AMELIA N AUST 3 06 DEC - 07 DEC 1 35 996 GYAN SW PAC 14 20 DEC - 26 DEC 6 105 937 BENEDICTE SW IO 8 21 DEC - 25 DEC 6 105 996 CHRIS SC IO 7 01 JAN - 15 JAN 3 45 996 CHRIS SC IO 5 13 JAN - 15 JAN 2 996 BRUNO N AUST 10 13 JAN - 17 JAN 996 HETTIE SW PAC 13 JAN - 21 JAN 996 HERTIE SW PAC 13 JAN - 05 FEB 10 65 996 GRAHAM N AUST 4 31 JAN - 05 FEB 996 HARRIET SW IO 10 10 10 10	BESSI	SC IO	30	NOV - 18	14	06	952	2195
GYAN SW PAC 14 20 DEC 26 DEC 6 105 937 BENEDICTE SW IO 8 21 DEC - 25 DEC 4 75 966 CHRIS SC IO 26 08 JAN - 21 JAN 13 45 966 DAPHNE SC IO 26 08 JAN - 21 JAN 13 45 990 ERROL N AUST 10 13 JAN - 15 JAN 1 40 993 BRUNO N AUST 4 19 JAN - 21 JAN 2 35 996 HETTIE SW PAC 22 26 JAN - 21 JAN 5 70 996 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 GRAHAM N AUST 10 01 FEB - 05 FEB 2 35 996 GRAHAM N AUST 11 27 FEB - 18 FEB 2 35 996 HARRIET N AUST 17	AMELIA	N AUST	٣	DEC - 07	Т	35	966	1245
BENEDICTE SW IO 8 21 DEC - 25 DEC - 4 75 966 CHRIS SC IO 7 01 JAN - 04 JAN 3 45 990 DAPHNE SC IO 26 08 JAN - 21 JAN 13 120 920 DAPHNE SC IO 5 13 JAN - 18 JAN 2 35 996 ERROL N AUST 10 JAN - 17 JAN 1 40 993 BRUNO N AUST 4 19 JAN - 17 JAN 2 35 996 HETTIE SW PAC 13 JAN - 17 JAN 2 35 996 HETTIE SW PAC 22 26 JAN - 05 FEB 10 65 975 GRAHAM N AUST 4 31 JAN - 05 FEB 2 35 996 ELECTRA SW IO 10 01 FEB - 05 FEB 2 35 996 HARRIET N AUST 17 27 FEB - 07 MAR 8 65 975 IAN SW IO 20 17 MAR - 26 MAR 9 75 966 BERNIE SW PAC 17 MAR - 1	GYAN	SW PAC	14	DEC - 26	9	105	937	1261
SC IO 7 01 JAN - 04 JAN 3 45 990 DAPHNE SC IO 26 08 JAN - 21 JAN 13 120 920 DAPHNE SC IO 5 13 JAN - 15 JAN 2 35 996 ERROL N AUST 10 13 JAN - 17 JAN 1 40 993 BRUNO N AUST 3 16 JAN - 17 JAN 2 35 996 HETTIE SW PAC 13 26 JAN - 31 JAN 2 70 971 ABIGAIL SW PAC 22 26 JAN - 31 JAN 2 35 996 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 ELECTRA SW IO 10 01 FEB - 05 FEB 2 35 996 HARRIET N AUST 5 16 FEB - 05 FEB 2 35 996 IAN 10 17 MAR 27 FEB	BENEDICTE	OI MS	8	DEC - 25	4	75	996	1781
CHRIS SC IO 26 08 JAN - 21 JAN 13 120 920 DAPHNE SC IO 5 13 JAN - 15 JAN 2 35 996 ERROL N AUST 10 13 JAN - 115 JAN 2 997 BRUNO N AUST 3 16 JAN - 11 JAN 1 40 993 N AUST 13 JAN - 11 JAN 2 35 996 HETTIE SW PAC 13 26 JAN - 21 JAN 5 70 971 ABIGAIL SW PAC 22 26 JAN - 05 FEB 10 65 996 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 HARRIET N AUST 5 16 FEB - 18 FEB 2 35 996 IAN AUST 17 27 FEB - 07 MAR 8 65 997 JUSTINE SW PAC 15 01 APR - 19 MAR 7 95 997 SC IO 5 17 MAR - 26 MAR 9 75 997 BERNIE SW PAC 17 MAR - 19 MAR 7 9 75 997 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 9 70 991 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 9 993			7	JAN - 04	m	45	066	478
DAPHNE SC IO 5 13 JAN - 15 JAN 2 35 996 ERROL N AUST 10 13 JAN - 18 JAN 5 50 987 BRUNO N AUST 4 19 JAN - 21 JAN 2 35 996 HETTIE SW PAC 13 26 JAN - 21 JAN 5 70 971 ABIGAIL SW PAC 22 26 JAN - 05 FEB 10 65 975 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 GRAHAM N AUST 5 16 FEB - 18 FEB 2 35 996 GRAHAM N AUST 5 16 FEB - 18 FEB 2 35 996 HARRIET N AUST 17 27 FEB - 07 MAR 8 65 90 JUSTINE SW PAC 15 17 MAR 2 45 99 BERNIE SC IO 14	CHRIS		26	JAN - 21	13	120	920	3056
ERROL N AUST 10 13 JAN - 18 JAN 5 50 987 BRUNO N AUST 3 16 JAN - 17 JAN 1 40 993 BRUNO N AUST 4 19 JAN - 21 JAN 2 35 996 HETTIE SW PAC 13 26 JAN - 31 JAN 5 70 971 ABIGAIL SW PAC 22 26 JAN - 05 FEB 10 65 975 GRAHAM N AUST 4 31 JAN - 05 FEB 2 35 996 ELECTRA SW IO 10 01 FEB - 18 FEB 2 35 996 HARRIET N AUST 5 16 FEB - 25 FEB 1 45 996 IAN N AUST 17 27 FEB - 26 MAR 9 75 966 JUSTINE SW PAC 15 MAR - 19 MAR 7 95 947 BERNIE SW PAC 17	DAPHNE	SC IO	2	JAN - 15	2	35	966	475
BRUNO N AUST 3 16 JAN - 17 JAN 1 40 993 HETTIE SW PAC 13 26 JAN - 21 JAN 2 35 996 ABIGAIL SW PAC 22 26 JAN - 05 FEB 10 65 975 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 ELECTRA SW IO 10 01 FEB - 05 FEB 4 45 996 HARRIET N AUST 5 16 FEB - 18 FEB 2 35 996 HARRIET N AUST 17 27 FEB - 07 MAR 8 65 975 JUSTINE SW IO 20 17 MAR - 19 MAR 2 45 990 BERNIE SW PAC 15 01 APR - 19 MAR 7 95 947 BOMINIC N AUST 17 05 APR - 13 APR 7 95 942 CLAUDIA SW PAC 5 </td <td>ERROL</td> <td>N AUST</td> <td>10</td> <td>JAN - 18</td> <td>2</td> <td>20</td> <td>987</td> <td>453</td>	ERROL	N AUST	10	JAN - 18	2	20	987	453
HETTIE SW PAC 13 26 JAN - 21 JAN 5 70 971 ABIGAIL SW PAC 22 26 JAN - 05 FEB 10 65 975 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 ELECTRA SW IO 10 01 FEB - 05 FEB 4 45 996 HARRIET N AUST 5 16 FEB - 18 FEB 2 35 996 HARRIET N AUST 17 27 FEB - 07 MAR 8 65 997 JUSTINE SW IO 20 17 MAR - 26 MAR 9 75 996 BERNIE SW PAC 15 01 APR - 19 MAR 7 95 997 BERNIE SW PAC 15 01 APR - 13 APR 8 70 997 KARLA SC IO 14 25 APR - 17 MAY 2 40 993 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993	BRUNO	N AUST	3	JAN - 17	Т	40	993	884
HETTIE SW PAC 13 26 JAN - 31 JAN 5 70 971 ABIGAIL SW PAC 22 26 JAN - 05 FEB 10 65 975 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 ELECTRA SW IO 10 01 FEB - 05 FEB 4 45 990 HARRIET N AUST 5 16 FEB - 18 FEB 2 35 996 HARRIET SW IO 3 24 FEB - 25 FEB 1 45 990 IAN N AUST 17 27 FEB - 07 MAR 8 65 975 JUSTINE SW IO 20 17 MAR - 26 MAR 9 75 966 SC IO 5 17 MAR - 19 MAR 2 45 990 BERNIE SW PAC 15 01 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 13 APR 8 70 993 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993		N AUST	4	JAN - 21	2	35	966	963
ABIGAIL SW PAC 22 26 JAN - 05 FEB 10 65 975 GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 ELECTRA SW IO 10 01 FEB - 05 FEB 4 45 990 HARRIET N AUST 5 16 FEB - 18 FEB 2 35 996 IAN N AUST 17 27 FEB - 07 MAR 8 65 975 JUSTINE SW IO 20 17 MAR - 19 MAR 2 45 990 BERNIE SW PAC 15 01 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 17 MAY 2 40 993 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993	HETTIE	SW PAC	13	JAN - 31	2	70	971	1012
GRAHAM N AUST 4 31 JAN - 02 FEB 2 35 996 ELECTRA SW IO 10 01 FEB - 05 FEB 4 45 996 HARRIET N AUST 5 16 FEB - 18 FEB 2 35 996 HARRIET N AUST 3 24 FEB - 25 FEB 1 45 990 IAN N AUST 17 27 FEB - 07 MAR 8 65 975 JUSTINE SW IO 20 17 MAR - 19 MAR 2 45 990 BERNIE SW PAC 15 01 APR - 108 APR 7 95 947 DOMINIC N AUST 17 05 APR - 13 APR 8 70 942 KARLA SC IO 14 25 APR - 17 MAY 2 40 993	ABIGAIL	SW PAC	22	JAN - 05	10	65	975	1991
ELECTRA SW IO 10 16 FEB - 05 FEB 4 45 990 HARRIET N AUST 5 16 FEB - 18 FEB 2 35 996 IAN N AUST 17 27 FEB - 07 MAR 8 65 975 JUSTINE SW IO 20 17 MAR - 26 MAR 9 75 960 BERNIE SW PAC 15 01 APR - 19 MAR 7 95 990 BERNIE SW PAC 15 01 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 17 MAY 2 40 993	GRAHAM	N AUST	4	JAN - 02	2	35	966	535
HARRIET N AUST 5 16 FEB - 18 FEB 2 35 996 IAN N AUST 17 27 FEB - 07 MAR 8 65 975 JUSTINE SW IO 20 17 MAR - 26 MAR 9 75 966 BERNIE SW PAC 15 01 APR - 19 MAR 7 95 95 947 DOMINIC N AUST 17 05 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 17 MAY 2 40 993	ELECTRA	OI MS	10	FEB - 05	4	45	066	1798
IAN N AUST 17 27 FEB - 25 FEB 1 45 990 JUSTINE SW IO 20 17 MAR - 26 MAR 9 75 966 BERNIE SW PAC 5 17 MAR - 19 MAR 2 45 990 BERNIE SW PAC 15 01 APR - 08 APR 7 95 947 DOMINIC N AUST 17 05 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 02 MAY 7 100 942 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993	HARRIET	N AUST	2	FEB - 18	2	35	966	383
IAN N AUST 17 27 FEB - 07 MAR 8 65 975 JUSTINE SW IO 20 17 MAR - 26 MAR 9 75 966 BERNIE SC IO 5 17 MAR - 19 MAR 2 45 990 BERNIE SW PAC 15 01 APR - 08 APR 7 95 947 DOMINIC N AUST 17 05 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 02 MAY 7 100 942 CLAUDIA SW PAC 5 15 MAY 17 MAY 2 40 993		OI MS	m	FEB - 25	ı	45	. 066	970
JUSTINE SW IO 20 17 MAR - 26 MAR 9 75 966 BERNIE SC IO 5 17 MAR - 19 MAR 2 45 990 BERNIE SW PAC 15 01 APR - 08 APR 7 95 947 DOMINIC N AUST 17 05 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 02 MAY 7 100 942 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993	IAN	N AUST	17	FEB - 07	8		975	1627
SC IO 5 17 MAR - 19 MAR 2 45 990 BERNIE SW PAC 15 01 APR - 08 APR 7 95 947 DOMINIC N AUST 17 05 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 02 MAY 7 100 .942 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993	JUSTINE	OI MS		MAR - 26	6	75	996	2024
BERNIE SW PAC 15 01 APR - 08 APR 7 7 95 947 DOMINIC N AUST 17 05 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 02 MAY 7 7 100 992 CLAUDIA SW PAC 5 5 15 MAY - 17 MAY 2 40 993		SC IO	2	MAR - 19	2		066	822
DOMINIC N AUST 17 05 APR - 13 APR 8 70 971 KARLA SC IO 14 25 APR - 02 MAY 7 100 . 942 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993	BERNIE	SW PAC	15	APR - 08	7	95	947	2530
KARLA SC IO 14 25 APR - 02 MAY 7 100 942 CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993	DOMINIC	N AUST	17	APR - 13	8	7.0	971	1278
CLAUDIA SW PAC 5 15 MAY - 17 MAY 2 40 993	KARLA	SC IO	14	APR - 02	7	100	. 942	1463
	CLAUDIA	SW PAC	2	MAY - 17	2	40	9	889
		ALEX BESSI AMELIA GYAN BENEDICTE CHRIS DAPHNE ERROL BRUNO HETTIE ABIGAIL GRAHAM ELECTRA HARRIET IAN JUSTINE BERNIE DOMINIC KARLA	S S C C C C C C C C C C C C C C C C C C	SC IO SC IO SC IO SC IO SC IO SC IO N AUST SW PAC SC IO SC IO SC IO N AUST SW PAC SW P	SC IO	SC IO	CCEANIC NUMBER OF PERIOD OF WARNING SURFECTION	CCEANIC NUMBER OF PERIOD OF NARNING SURFACE STATEMENT NUMBER OF WARNINGS DAYS WIND (kt) PRESSURE SC IO

Notes:

Names of tropical cyclones given by regional warning centers (Nandi, Brisbane, Darwin, Perth, and Mauritius) are appended to JTWC warnings, when available. e e

TABLE 3. MAXIMUM SUSTAINED SURFACE WIND VERSUS MINIMUM SEA LEVEL PRESSURE (ATKINSON AND HOLLIDAY, 1977).

Maximum S Surface V				_															Minimum Pressure (m	ൻ)_
					_														999	
30	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
35	•	•	٠	٠	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	996	
40		•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	993	
45	•		•	•	•	•	•	•	•	•	•	•	•	•		•	•		990	
50																			987	
55																			983	
60																			979	
65							Ī											_	975	
70	•	•	•	•	•	•	•	i	•	•			•	•	•	Ť	Ĭ	•	971	
75	•	•	•	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	966	
80	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	962	
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
85	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	957	
90	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	٠	٠	•	952	
95	•			•	•	•	•	•	٠		•	•	•	•	٠	•	•	•	947	
100					•	•	•	•											942	
105																			937	
110																			932	
115														•					926	
120	Ĭ.	Ĭ.	Ī		Ī	_		Ī									Ċ		920	
125	•	•	•	•	•	•	٠	•	•	·	•	•	·	•	Ť	•	•	Ť	914	
130	•	•	•	•	•	•	•	•	•	•	•	:	•	•	•	•	•	•	908	
135	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	902	
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	896	
140	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
145	٠	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	890	
150		•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	884	
155	•		•									•	•	•	•	•		•	878	
160								•	•			•	•	•		•	•	•	872	
165																			865	
170																			858	

III. RECONNAISSANCE DATA

Satellite surveillance provided nearly 100 percent of center fixes for tropical cyclones in the western South Pacific and South Indian Oceans. A few synoptic fixes were possible for tropical cyclones north and east of Australia and in the vicinity of Madagascar.

A total of 1816 center fixes were provided to JTWC for Southern Hemisphere tropical cyclones. Appendix B includes individual center fix data for each tropical cyclone. Fix data are divided into two categories: satellite and synoptic. Fixes labelled with an asterisk (*) were determined in the best tracking process to be unrepresentative of the tropical cyclone's surface center and were not used to determine the final best track which appears in Appendix B. For satellite and synoptic fixes, the first three columns are as follows:

FIX NO. - Sequential fix number.

. TIME(Z) - GMT time in day, hours, and minutes.

FIX POSITION - Latitude and longitude to the nearest tenth of a degree.

Depending upon the type of center fix, the remainder of the format varies as follows:

TABLE 4. POSITION CODE NUMBERS (PCN)

PCN	METHOD OF CENTER DETERMINATION/GRIDDING
1 2 3 4 5	EYE/GEOGRAPHY EYE/EPHEMERIS WELL-DEFINED CC/GEOGRAPHY WELL-DEFINED CC/EPHEMERIS POORLY-DEFINED CC/GEOGRAPHY POORLY-DEFINED CC/EPHEMERIS

CC = Circulation Center

a. Satellite

- (1) ACCRY Satellite center fix positions are assigned position code numbers to indicate the accuracy of the center fix. The PCN depends upon the availability of geography for precise gridding and the degree of organization of the cyclone's circulation center. Table 4 lists PCN definitions; a "1" indicates relatively high accuracy and a "6" relatively low accuracy.
- (2) DVORAK CODE A Dvorak intensity estimate and trend evaluation is provided for many position fixes made from visual satellite imagery. An explanation of the code is provided below. The relationship between the Dvorak tropical cyclone current intensity estimate, maximum wind speed, and minimum sea level pressure (MSLP) is shown in Table 5.




TABLE 5. MAXIMUM SUSTAINED WIND SPEED (KT) AS A FUNCTION OF DVORAK CURRENT INTENSITY NUMBER AND MINIMUM SEA LEVEL PRESSURE (MSLP)

TROP	IC	AL C	YC	LOI	ΝE						٠																
CURRENT	I	NTEN	SI	ΓY	((CI)	<u> </u>						W:	ΙŅΙ	D_5	SPEI	ED	(1	(T)	_					I	MSL	P (MB)
																										0	
	T	1.0			•										•	25							•	•			-
	Т	1.5			•			•	•			•	•			25		•		•	•	•	•				-
	\mathbf{T}	2.0														30							•				999
	T	2.5														35											996
	T	3.0														45											990
	\mathbf{T}	3.5														55				•		•					983
	T	4.0														65											975
	T	4.5														77											964
	T	5.0														90											952
	T	5.5														102					•						943
	T	6.0														115											926
	T	6.5														127											912
	\mathbf{T}	7.0														140											896
	T	7.5														155											878
	T	8.0			•					•		•				170	•		•			•	•	•	•		858 .

- (3) COMMENTS See Appendix C for an explanation of abbreviations.
- (4) SITE ICAO call sign of the specific satellite tracking station.

b. Synoptic

- (1) INTENSITY ESTIMATE An estimate of the tropical cyclone's maximum sustained surface wind speed in knots is based on the tropical cyclone forecaster's analysis of low-level synoptic data.
- (2) NEAREST DATA Accuracy of a synoptic fix is based on the distance in nautical miles from the estimated fix position to the nearest synoptic report or to the average distance of reports in data sparse areas.

IV. FORECAST VERIFICATION

Forecast positions at warning times and 24- and 48-hour valid times were verified against corresponding best tracks prepared by tropical cyclone forecasters for each tropical cyclone from 180° longitude west to the east coast of Africa. Mean absolute vector errors and right angle errors for individual tropical cyclones are displayed in Table 6 and Table 7. Annual mean errors for all tropical cyclones are summarized at the bottom of the tables. It is not possible to compare these annual mean errors with performance in past years because verification statistics were not derived prior to the 1980-81 Southern Hemisphere tropical cyclone season.

The verification results in Tables 6 and 7 show considerably larger errors than performance statistics for Northern Hemisphere tropical cyclones. During the last decade, the mean initial position error, the 24-hour forecast error, and the 48-hour forecast error for Northern Hemisphere tropical cyclones were approximately 25 nm (46 km), 124 nm (230 km), and 242 nm (448 km), respectively.

The length of time between the time of the satellite fix and warning time is directly proportional to initial position error. For cyclones west of 80E, this period was as long as eight hours due to the limited satellite coverage in this area. Only two satellite fixes per day, from the polar-orbiting NOAA 6 satellite, were available during the 1980-81 season. Inadequate satellite coverage remains a major contributor to large initial position errors in this area.

The relatively large errors at 24- and 48-hours are attributable to the large initial position error and the lack of upper-air observations west of Australia. In the South Indian Ocean, between Australia and Mauritius, rawinsonde observations are received only from Diego Garcia (WMO 61967) and Cocos Island (WMO 96996). During this two-year period, Southern Hemisphere tropical cyclone tracks were more erratic than typical Northern Hemisphere tracks. This erratic nature, combined with sparse rawinsonde data and large initial position errors, made these Southern Hemisphere tropical cyclones very difficult to forecast.

TABLE 6. FORECAST ERROR SUMMARY FOR 1980-81 SOUTHERN HEMISPHERE TROPICAL CYCLONES (ERRORS IN NAUTICAL MILES)

	NR OF WRNGS	m (10	2	9	7	12	9	9	6	1		m			٣	13	11	ч	9	12	7	10	7	2	140
48 HOUR	LT ANGLE ERROR	173	154	330	262	335	146	178	122	155	106		123			299	210	211	380	233	208	217	237	392	144	216
357	POSIT	190	241	413	454	470	206	228	224	192	106		240			327	340	343	1178	363	295	274	323	549	147	315
	NR OF WRNGS	e (12	9	10	7	14	8	8	14	٣	2		7		4	15		٣	8	14	80	13	13	4	192
24 HOUR	RT ANGLE ERROR	65	68	167	128	176	65	144	98	86	62	09	103	331		153	89	118	159	148	108	119	142	192	77	119
	POSIT	115	138	205	159	237	83	161	124	114	91	09	150	331		182	153	149	478	204	176	183	160	282	92	165
ı	NR OF WRNGS	د د	14	7	13	11	15	10	6	16	4	4	9	3*	*0	5	17	19	c	0	16	6	14	14	2	228
WARNING	RT ANGLE ERROR	24				23		35	16	18	19	27	51	13		41	17	24	74	40	15	28	35	54	15	30
	POSIT ERROR	72	101	65	34	4.5	13	63	24	30	31	61	99	15		52	26	39	102	74	3.0	40	53	93	33	48
	TROPICAL			TC 24-80		TC 26-80	TC 28-80	TC 01-81						TC 08-81*								21-	22	23-	24-	ALL FORECASTS

The first nine warnings issued for TC 08-81 and all warnings issued for TC 69-81 were provided by the Naval Western Oceanography Center, Pearl Harbor, HI. These warnings were not verified against the tropical cyclones' best tracks.

TABLE 7, FORECAST ERROR SUMMARY FOR 1981-82 SOUTHERN HEMISPHERE TROPICAL CYCLONES (ERRORS IN NAUTICAL MILES)

:	NR OF WRNGS		6	26		īΟ	2	4	22	m	9		1	10	16		4	Ħ		©	14	Н		13		n	176
48 HOUR	RT ANGLE ERROR		203	151		148	62	413	103	295	199		214	124	173		307	322		117	181	190	182	213	204	320	174
	POSIT		ď	228		240	86	459	161	427	264		740	293	307		\sim	393	2	341	301	190	268	324	290	473	274
	NR OF WRNGS	0	1 -	29	2	13	7	9	24	4	80	2	٣	12	20	2	7	e	П	15	18	3	14	15	12	2	238
24. HOUR	RT ANGLE ERROR		0	73				140	52	111	92	100	133	82	88	40	122	165	170	103	102	202	87	71	98	183	91
	POSIT	191	133	115	124	123	81	194	85	141	123	125	360	140	140	93	180	228	196	185	180	215	140	146	136	269	144
	NR OF	C	٠ د	30	, m	14	8	7	26	2	10	e	4	13	22	4	6	5	m	17	20	5		17		5	275
WARNING	RT ANGLE ERROR	99	200	26	20	1.9	17	27	18	1.7	23	24	12	13	28	20	26	39	42	15	33	99	23	18	25	43	24
	POSIT	α u	500	47	20	25	28	29	28	61	49	31	25	25	32	32	49	62	47	28	45	79	43	26	43	62	38
	TROPICAL CXCLONE	25.0	26.8	TC 28-81	30-8	32-8	33-8	01-8	02-8	03-8	TC 04-82	05-8	8-90	07-8	08-8	8-60	10-8	11 - 8	12-8	13-8	15-8	16 - 8	17-8	18-8	19-8	21-8	ALL FORECASTS

Tables 8 and 9 present verification statistics for selected objective forecasting techniques for all Southern Hemisphere tropical cyclones in JTWC's area of responsibility for the 1980-81 seasons. In both tables, "X-AXIS" refers to techniques listed vertically. The example in Table 8 compares CY70 to CY50. In the 113 cases available for comparison, the average 24-hour vector error was 216 nm (400 km) for CY70, 299 nm (555 km) for CY50. The difference of 83 nm (154 km) is shown in the lower right corner. Differences are not always exact due to computational round off.

Objective techniques used by JTWC for Southern Hemisphere tropical cyclones are divided into three main categories: (1) climatological and analog techniques; (2) extrapolation; and (3) steering techniques. All objective techniques were run using operational data available at warning time. Specific objective techniques are described below:

- a. EXTRAPOLATION A track from the 12-hour old preliminary best track position through the current warning position which is linearly extrapolated to 24 and 48 hours.
- b. CLIM A climatological aid which provides 24- and 48-hour tropical cyclone forecast positions for initial latitude/longitude positions. The data are arranged by months and are based on approximately 70 years of historical data.
- c. HPAC The 24- and 48-hour HPAC forecast positions are derived from the mid-points of straight lines that connect the 24- and 48-hour positions on the EXTRAPOLATION and CLIM tracks.
- d. CYCLOPS In the Southern Hemisphere the program was run only in the unmodified mode with analysis fields until late in the 1981-82 season. The program advects a point vortex on a preselected analysis field in 6-hour time steps through 48 hours. In 1980-81, the 500 mb (CY50) and 700 mb (CY70) steering levels were verified. In 1981-82, the 500 mb (CY50) and 850 mb (CY85) steering levels were verified.
- e. TYAN78 An analog program which scans history tapes for cyclones within a specified acceptance envelope which are similar to the current cyclone. The program provides 12-hour to 72-hour forecasts.
- f. BPAC A program used with a Texas Instruments (TI-59) calculator system which generates 12 to 72 hour forecast positions. These forecasts are based on blending the past motion of the tropical cyclone with the CLIM forecast positions. The blending routine gives less weight to persistence at each succeeding forecast interval.

TABLE 8. ERROR STATISTICS FOR JTWC AND OBJECTIVE AIDS FOR THE 1980-81 SOUTHERN HEMISPHERE TROPICAL CYCLONE SEASON

STATISTICS FOR YEAR

24 HOUR FORECASTS

	JT	WC	TY	AN	CY	70	CZ	750	CL	IM	XTI	RP	HP.	AC
JTWC	192 165	165 0							1		MBER		 X-AXI CHNIQ	
TYAN	143 140	152 - 11	149 143	143							SES 		ERROR	
CY70	110 209	171 38	84 209	160 49	114 216	216 0	_	/		TECH	AXIS NIQUE ROR	DI	ERROR FFERE Y - X	NCE
CY50	109 294	172 122	83 316	160 155	<u>113</u> 299	2 <u>16</u> 83	113 299	299 0			_ _ _	1 _		
CLIM	184 197	167 30	149 191	143	108 206	209 -2	107 207	304 -96	194 198	198 0				
XTRP	183 162	163 0	147 155	143 12	110 169	213 -43	109 168	301 -132	188 165	197 -31	193 165	165 0		
HPAC	179 156	164 -6	147 154	143 10	106 161	208 -46	105 161	304 -142	188 158	197 -38	188 158	165 -6	188 158	158 0

STATISTICS FOR YEAR

48 HOUR FORECASTS

	JT	WC	TY	AN	CY	70	CY	50	CL	IM	ХT	RP	HP	AC
JTWC	140 315	315 0												
TYAN	97 225	285 -50	117 244	244 0	72	_								
CY70	79 402	324 78	68 401	263 138	95 426	426	·							
CY50	78 546	325 220	6 7 579	265 314	94 577	428 148	94 577	577 0	9.					
CLIM	138 340	318 22	117 332	244	91 337	408 -70	90 340	586 -245	165 344	344				=
XTRP	133 294	307 -11	115 277	244	90 321	414 -92	89 320	580 - 259	158 301	339 -37	160 300	300		
HPAC	132 269	308 -38	115 262	244 17	88 275	405 -128	87 276	585 -307	158 272	339 -66	158 272	301 -28	158 272	272 0

JTWC -- Official JTWC forecast

TYAN -- TYAN78

CY70 -- CYCLOPS 700 mb, analysis mode CY50 -- CYCLOPS 500 mb, analysis mode

CLIM -- Climatology

XTRP -- 12-hour extrapolation HPAC -- Mean of XTRP and CLIM

TABLE 9. ERROR STATISTICS FOR JTWC AND OBJECTIVE AIDS FOR THE 1981-82 SOUTHERN HEMISPHERE TROPICAL CYCLONE SEASON

STATISTICS FOR YEAR

24-HOUR FORECASTS

	JT	WC	TY	AN	CY	85	CY	50	B	PAC	CL	IM	ХT	RP	HP.	AC
JTWC	238 144	144							1		MBER		 X-AXI CHNIQ	,		
TYAN	166 118	131 -12	166 118	118 0					 -		SES 		ERROR			
CY85	207 234	133 100	161 226	115 110	207 234	234	1			TECH	AXIS NIQUE ROR	DI	ERROR FFERE Y - X	NCE		
CY50	204 234	133 50	160 180	115 65	2 <u>04</u> 183	2 <u>33</u> -48	204 183	183 0	i L	 -		<u> </u>				
BPAC	203 136	140 -3	154 127	119	190 132	236 -103	187 132	182 -49	203 136	136 0						
CLIM	223 170	141	166 160	118	206 163	235 - 70	203 163	182 - 18	203 173	136 37	223 170	170 0				
XTRP	211 130	139 -8	158 119	118 2	196 127	234 -106	194 127	180 -52	194 130	134 -3	210 130	168 -37	211 130	130		
HPAC	210 125	139 -13	158 117	118 0	196 120	234 -113	194 120	180 - 59	194 125	134 -8	210 125	168 -42	210 125	130 -4	210 125	125 0

STATISTICS FOR YEAR

48-HOUR FORECASTS

	JT	WC	TY	AN	CZ	785	CY	50	BP	AC	CL	IM	ХT	RP	HP.	AC
JTWC	176 274	274 0							_			-				
TYAN	121 248	257 -8	129 250	250 0												1
CY85	159 479	259 219	127 469	248 220	173 478	478 0										
CY50	157 369	259 109	125 348	248 101	171 361	478 -116	171 361	361 0								
BPAC	158 266	271 -4	119 263	249 14	160 257	480 -222	158 256	359 -103	171 272	272 0						2
CLIM	170 295	273 21	129 278	250 28	172 291	479 -187	170 291	359 -67	171 301	272 29	184 299	299 0				
XTRP	166 246	270 -23	124 241	349 -7	166 251	480 -229	165 250	357 - 106	164 249	255 -6	177 253	295 -40	179 253	253 0		
HPAC	164 227	269 -41	124 220	249 -28	166 227	480 -253	165 227	357 -130	164 229	255 -25	177 232	295 -62	177 232	253 -20	177 232	232

JTWC -- Official JTWC forecast

TYAN -- TYAN78

CY85 -- CYCLOPS 850 mb, analysis mode CY50 -- CYCLOPS 500 mb, analysis mode

BPAC -- Blended Persistence and Climatology
CLIM -- Climatology
XTRP -- 12-hour extrapolation
HPAC -- Mean of XTRP and CLIM

ACKNOWLEDGEMENTS

The authors extend special recognition to Captain Clifford R. Matsumoto who modified JTWC's post-analysis programs to verify Southern Hemisphere tropical cyclones. Sergeants John W. Archambeau, Michael Blomquist and Petty Officer Anne Lackey processed data, compiled statistics, and prepared graphics for this technical note and Mrs. Cindy Blevins for the final typing of the manuscript. All JTWC tropical cyclone forecasters were responsible for preparing best tracks for individual tropical cyclones.

REFERENCES

- Atkinson, G. D., and Holliday, C. R., 1977: Tropical cyclone minimum sea level pressure-maximum sustained wind relationship for western North Pacific.

 Monthly Weather Review, Vol. 105, No. 4, pp. 421-27.
- Dvorak, V. F., 1973: A technique for the analysis and forecasting of tropical cyclone intensities from satellite pictures. NOAA technical Memorandum 45, 19 pp.

APPENDIX A

1. 1980-81 TROPICAL CYCLONE BEST TRACK DATA

TROPICAL CYCLONE 21-80 BEST TRACK DATA

		8EST	TRACK			WARN:	ING			24 HC	UR FO	RECAS	ST.		48 HO	UR FO	RECAS	ST.
							ERF	RORS				ERRO	DRS				ERROF	₹\$
MO/DA/HR	POSI	T	MIND	POS	ΙT	MIND	DST	MIND	FOS	ΙT	WIND	DST	MIND	POS	ΙT	UNIW	DST	WIND
100800Z	6.9	65.6	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
1008122	7.5	63.8	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	٤.	-0.	0.
100900Z	6.9	62.9	30	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
1009122	7.3	64.3	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
101000Z	7.9	65.0	30	7.4	62.3	30.	163.	0.	7.9	60.1	40.	186.	0.	8.3	58.3	50.	238.	10.
1010122	8.9	64.7	35	8.7	63.0	30.	102.	-5.	9.0	59.8	50.	124.	10.	9.4	57.5	60.	243.	25.
1011002	8.8	63.1	48	9.2	63.2	35.	25.	-5.	10.2	61.2	45.	35.	5.	11.6	58.7	55.	90.	20.
1011122	9.6	61.8	40	9.7	62.2	35.	24.	-5.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
101200Z	10.7	61.5	40	10.0	61.2	25.	46.	-15.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
1012122	11.7	60.9	35	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
101 3 00Z	12.2	69.1	35	0.0	0.0	0.	-0.	0.	0.0	0.0	Θ.	-0.	0.	0.0	0.0	0.	-0.	0.
101312Z	12.9	59.0	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
101400Z	13.5	57.6	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	Θ.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	72.	I15.	190.	0.
AVG RIGHT ANGLE ERROR	24.	97.	173.	0.
AVG INTENSITY MAGNITUDE ERROR	6.	5.	18.	0.
AVG INTENSITY BIAS	-6.	5.	18.	0.
NUMBER OF FORECASTS	5	3	3	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 928. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 13. KNOTS

TROPICAL CYCLONE 22-80 BEST TRACK DATA

	BEST TRACK	WARNI		24 HOUR FOR		48 HOUR FORECAST
			ERROR5		EP.ROR5	• ERROR5
MO/DA/HR	POSIT WIND	POSIT WIND	DST WIND	POSIT WIND	DST WIND PO	SIT WIND DST WIND
110400Z	7.0 102.3 20	0.0 0.0 0.	-0. 0.	0.0 0.0 0.	-0. 0. 0.0	0.0 00. 0.
110412Z	6.9 101.4 25	0.0 0.0 0.	-0. 0.	0.0 0.0 0.	-0. 0. 0.8	0.0 00. 0.
110500Z	6.7 100.2 35	0.0 0.0 0.	-0. 0.	0.0 0.0 0.	-0. 0. 0.0	0.0 00. 0.
110512Z	6.8 98.9 45	0.0 0.0 0.	-0. 0.	0.0 0.0 0.	-0. 0. 0.8	0.0 00. 0.
110600Z	7.3 97.1 55	7.3 96.9 55.	12. 0.	8.8 93.3 75.	1315. 10.8	90.8 85. 17720.
110612Z	8.0 95.0 70	8.1 95.1 55.	815.	10.2 91.7 75.	6120. 12.6	89.6 85. 25225.
110780Z	8.7 93.1 90	9.0 92.6 70.	3520.	12.0 88.3 95.	8310. 14.8	86.1 110. 2355.
II0712Z	9.7 90.8 95	10.0 90.6 90.	225.	13.4 87.0 115. 1	161. 5. 17.0	85.0 115. 355. 15.
I 10800Z	10.7 87.8 105	11.0 88.2 95.	3010.	14.2 83.6 110. 1	171. - 5. 19.0	79.5 115. 401. 25.
110812Z	II.I 85.6 110	11.1 85.0 100.	3510.	12.4 79.3 115. 1	168. IS. 14.8	75.0 110. 278. 30.
110900Z	11.4 84.1 115	11.7 83.1 95.	6120.	13.1 78.6 110. 1	124. 20. 16.9	74.8 95. 308. 30.
1109122	11.8 82.1 100	11.9 82.2 100.	8. 0.	13.0 79.1 115.	32. 35. 15.8	75.6 100. 145. 45.
I11000Z	12.4 80.6 90	12.5 81.0 100.	24. 10.	13.8 76.2 100. 1	148. 35. 15.0	74.2 90. 160. 60.
111012Z	12.8 79.6 80	13.2 80.0 100.	34. 20.	13.8 78.9 100.	70. 45. 15.4	1 74.2 90. 105. 70.
I11100Z	13.4 78.7 65	14.3 79.3 90.	64. 25.	16.4 78.5 80. 1	183. 50. 0.0	0.0 00. 0.
II1112Z	13.7 77.7 55	15.8 79.4 75.	160. 20.	18.4 81.9 55. 4	438. 35. 0.0	0.0 00. 0.
111200Z	13.9 76.7 30	14.8 82.4 50.	336. 20.	0.0 0.0 0.	-0. 0. 0.0	0.0 00. 0.
111212Z	14.3 75.6 20	17.5 85.2 30.	586. 10.	0.0 0.0 0.	-0. 0. 0.0	0.0 00. 0.

ALL FORECASTS 24-HR 48-HR 72-HR WRNG 138. 241. AVG FORECAST POSIT ERROR 101. Ø. AVG RIGHT ANGLE ERROR AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY 81A5 154. 65. 89. 8. 33. 13. 24. ø. 23. 2. 16. ø. 14 10 0 NUMBER OF FORECASTS 12

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1656. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

16. KNOT5

TROPICAL CYCLONE 24-80 BEST TRACK DATA

																		_
		8EST	TRACK			WARN:				24 HC	JUR F	DRECA!			48 HO	UR FU	DRECAS	
							ER	ROR5				ERP	3R5				ERROF	
MO/DA/HR	POSI	Tι	JIND	POS	1T	MIND	DST	WIND	POS	1 T	WIND	DST	WIND	POS		WIND		WIND
112212Z	8.1	79.5	20	0.0	0.0	Ø.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.
1123002	9.0	77.9	25	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
1123122	10.0	76.4	25	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.
I 12400Z	10.5	74.6	25	0.0	0.0	ø.	-0.	Ø.	0.0	0.0	Ø.	-0.	Ø.	0.8	0.0	0.	-0.	ø.
1124122	10.9	72.8	25	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-8.	8.
112500Z	11.2	71.0	25	0.0	0.0	0.	-0.	ø.	0.0	8.8	ø.	-0.	ø.	0.0	0.0	0.	- 8.	ø.
112512Z	11.5	68.8	30	11.1	69.0	30.	27.	ø.	12.1	65.3	40.	16ē.	5.	13.8	61.7	50.	371.	10.
I12600Z	11.8	66.0	35	11.0	65.0	30.	76.	-5.	12.0	60.0	40.	53.	5.	13.3	55.1	50.	192.	-5.
112612Z	11.7	62.5	35	11.5	62.4	35.	13.	0.	13.2	55.5	45.	66.	5.	17.0	52.0	55.	352.	15.
112799Z	12.0	59.1	35	11.9	58.8	40.	19.	5.	15.1	51.3	50.	248.	-5.	19.0	51.3	55.	539.	30.
112712Z	12.1	55.6	40	13.3	56.4	35.	86.	-5.	16.7	51.8	35.	333.	-5.	21.3	49.3	35.	610.	5.
112800Z	11.5	53.4	55	13.4	53.3	35.	114.	-20.	17.5	48.0	15.	365.	-10.	0.0	0.0	e.	~9.	Ο.
112812Z	11.2	51.1	40	13.2	50.8	40.	121.	8.	0.0	0.0	Ð.	-0.	3.	0.0	0.0	8.	-0.	0.
I 12900Z	11.4	48.9	25	0.0	0.0	0.	-0.	ø.	0.0	0.0	е.	-0.	0.	0.0	0.0	0.	-8.	ø.
112912Z	12.0	45.6	30	0.0	0.0	0.	-0.	a.	0.0	0.0	0.	-0.	ø.	0.0	0.0	Ø.	-8.	8.
113000Z	12.3	43.8	40	0.0	0.0	8.	-0.	0.	0.0	0.0	0.	-0.	8.	0.0	0.0	€.	-0.	ø.
113012Z	12.6	42.3	45	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-Ø.	0.
120100Z	12.9	40.9	55	0.9	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	6.	-0.	8.
120112Z	132	39.4	25	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	a.	0.0	0.0	0.	-⊌.	0.

ALL FORECASTS WRNG 24-HR 48-HR 72-HR AVG FORECAST POSIT ERROR 65. 205. 413. 0. AVG RIGHT ANGLE ERROR 59. 167. 330. Ø. AVG INTENSITY MAGHITUDE ERROR AVG INTENSITY BIAS 5. 6. 13. 0. 11. €.

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 2420. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 22. KNOTS

TROPICAL CYCLONE 25-80 8EST TRACK DATA

		8EST 1	TRACK			WARNI	NG			24 HB	UR F	DRECAS	5 T		48 HC	UR F	RECAS	ST.
							ERF	RORS				ERRO	ORS				ERROR	25
MS/DA/HR	POS I	Τt	JIND	POS	ΙT	WIND	DST	WIND	POS	ΙT	WIND	DST	WIND	POS	IT	WIND	DST	MIND
112500Z	6.7	93.6	20	0.0	0.0	0.	-0.	Ø.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	Θ.	-0.	0.
112512Z	5.8	92.4	20	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-Ø.	0.	0.0	0.0	0.	-0.	0.
112600Z	5.8	91.1	20	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
112612Z	6.3	89.8	25	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-8.	0.
1127002	6.8	38.4	30	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
112712Z	7.5	86.7	35	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	Θ.	-0.	0.
112800Z	0.0	85.7	40	8.6	85.5	40.	38.	0.	10.8	82.0	60.	219.	10.	13.5	77.0	70.	580.	5.
112812Z	8.8	85.4	45	8.8	84.3	50.	65.	5.	10.2	81.6	65.	270.	0.	11.7	78.8	75.	516.	15.
112900Z	9.9	85.6	50	9.7	85.2	50.	27.	0.	11.8	83.8	60.	177.	-5.	13.0	80.0	70.	38 3 .	25.
112912Z	11.0	86.1	65	10.9	85.9	65.	13.	0.	13.3	88.1	70.	39.	10.	15.8	92.2	6C.	434.	15.
1130 0 0Z	12.0	ଥ6.8	65	12.1	86.8	65.	6.	0.	14.7	88.9	60.	140.	15.	17.8	92.7	50.	581.	5.
1130122	13.0	87.5	60	13.0	87.8	50.	18.	-10.	15.1	90.0	25.	301.	-20.	0.0	0.0	0.	-0.	0.
120100Z	13.9	86.5	45	14.0	03.0	40.	08.	-5.	0.0	0.0	0.	-0.	Ø.	0.0	0.0	Θ.	-0.	Θ.
1201122	14.2	84.9	45	14.4	84.6	45.	21.	0.	16.1	81.0	30.	39.	-15.	0.0	0.0	0.	-0.	Ø.
1202902	15.1	83.0	45	15.5	82.6	40.	33.	-5.	17.0	79.3	20.	83.	-20.	0.0	0.0	0.	-0.	0.
120212Z	15.8	81.6	45	15.7	81.7	45.	8.	0.	17.7	78.2	50.	99.	10.	20.0	75.4	35.	233.	15.
120300Z	16.4	30.6	40	16.7	81.0	55.	29.	15.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
1203122	16.2	78.9	40	17.1	79.8	50.	75.	10.	19.2	78.3	35.	216.	15.	0.0	0.0	Ø.	-0.	0.
120400Z	16.0	77.3	30	16.0	77.0	30.	17.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	0.
120412Z	16.2	76.2	20	0.0	0.0	Θ.	-0.	0.	0.0	0.9	0.	-0.	0.	0.0	0.0	ø.	-0.	0.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FØRECAST POSIT ERROR	34.	159.	454.	0.
AVG RIGHT ANGLE ERROR	21.	128.	262.	0.
AVG INTENSITY MAGNITUDE ERROR	4.	12.	13.	0.
AVG INTENSITY 81AS	1.	ø.	13.	0.
NUMBER OF FORECASTS	13	10	6	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1564. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

14. KNOTS

TROPICAL CYCLONE 26-80 8FST TRACK DATA

	8EST	TRACK			WARN	ING			24 H	OUR FO	DRECAS	5T		48 HE	OUR FO	DRECAS	ST.
						ERF	RORS				ERRO	DRS				ERROR	RS
MO/DA/HR	POSIT	WIND	P09	1T	MIND	DST	MIND	P09	TI	WIND	DST	WIND	P09	TI	MIHD	DST	MIND
121306Z	12.6 117.5	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	Ø.	0.0	0.0	Θ.	-0.	0.
121318Z	13.1 I16.2	35	13.2	116.2	30.	6.	-5.	15.9	114.3	45.	151.	0.	18.3	113.8	55.	328.	- 5.
I21406Z	13.3 116.3	3 40	13.2	116.8	35.	30.	-5.	15.9	115.7	50.	212.	0.	19.1	115.3	60.	487.	-10.
121418Z	13.5 115.	45	13.8	115.5	50.	29.	5.	16.2	114.5	70.	261.	10.	19.5	114.5	80.	525.	ø.
121506Z	14.2 112.5	5 50	14.2	112.7	60.	12.	10.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-Ø.	Ø.
1215182	14.4 110.4	4 60	14.5	110.6	70.	13.	10.	0.0	0.0	0.	-0.	e.	0.0	0.0	Ø.	-6.	Ø.
121606Z	15.1 107.9	70	14.9	108.0	75.	13.	5.	15.5	103.7	80.	117.	10.	17.2	29.9	75.	184.	30.
121618Z	16.4 105.9	9 80	16.3	105.1	80.	46.	0.	18.5	102.0	85.	82.	ჳმ.	20.4	98.7	75.	285.	35.
1217062	17.3 104.5	70	17.9	104.4	00.	36.	10.	22.2	104.5	25.	358.	40.	25.3	109.4	80.	632.	50.
121718Z	17.3 102.7	55	19.5	104.6	80.	171.	25.	22.4	103.8	55.	477.	15.	23.4	114.8	35.	3-14.	10.
121866Z	16.4 103.6	3 43	16.5	103.2	30.	1,7.	-15.	0.0	0.0	9.	-0.	υ.	0.0	0.0	Θ.	-6.	0
121810Z	17.2 102.4	1 49	0.0	0.0	Ø.	-0.	0.	0.0	0.0	Ø.	-Ø.	ß.	0.0	0.0	0.	-B.	fl.
121906Z	17.5 101.6	30	0.0	0.0	0.	-0.	Θ.	0.0	0.0	Ø.	-Ø.	Ø.	0.0	0.0	Ø.	-0.	0.
1219182	17.8 101.6	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-Ø.	0.	0.0	0.0	ย.	-0.	Ø.
122006Z	17.9 100.4	4 20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	Ø.	-0.	0.
122018Z	18.5 99.2	2 20	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	Ø.	0.0	0.6	Ø.	-Ø.	Θ.

ALL FORECASTS

	WRHG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	45.	237.	470.	0.
AVG RIGHT ANGLE ERROR	28.	176.	335.	Θ.
AVG INTENSITY MAGNITUDE ERROR	9.	15.	20.	ο.
AVG INTENSITY BIAS	3.	15.	16.	0.
NUMBER OF FORECASTS	11	7	7	Ø

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1252. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

14. KHØTS

TROPICAL CYCLOME 28-80 8EST TRACK DATA

	8EST	TRACK			WARN I	ING			24 HB	UR FO	RECAS	T		48 H	UR FO	RECAS	5T
						ERF	RØR5				ERRO	185				ERRØF	RS
MØ/DA/HR	PØ5IT	WIND	PØ51	Τ	MIND	DST	WIND	P05	ΙT	WIND	DST	MIND	P09	TI	MIND	DS T	MIND
122206Z	10.6 126.	0 25	0.0	0.0	0.	-0.	Ø.	0.0	0.0	ø.	-0.	Ø.	0.0	0.0	ø.	-0.	0.
1222182	10.7 124.5	5 25	10.6 1	24.4	30.	8.	5.	11.4	121.3	45.	42.	10.	12.7	118.3	55.	93.	0.
1223062	10.9 122.	6 30	10.8 1	22.8	25.	13.	-5.	11.5	119.6	30.	54.	-15.	13.5	116.8	40.	112.	-25.
1223192	11.3 120.	6 35	11.2 1	20.6	25.	6.	-10.	12.4	117.5	ø.	43.	-55.	14.8	115.1	ø.	124.	-65.
122496Z	11.7 118.	7 45	11.7 1	18.4	45.	18.	ø.	14.2	115.2	65.	62.	0.	17.1	113.3	90.	181.	20.
122418Z	12.2 116.	8 55	12.2 1	16.3	55.	29.	ø.	13.2	112.2	70.	75.	5.	14.5	108.7	70.	89.	- 5.
122506Z	13.2 114.	9 65	13.2 1	15.0	70.	6.	5.	.15.8	112.5	95.	92.	25.	17.7	111.0	95.	207.	5.
1225182	14.1 113.	1 65	14.2 1	13.0	90.	8.	15.	15.8	110.1	90.	42.	15.	17.7	107.8	85.	109.	-15.
122606Z	14.7 111.	4 70	15.0 1	11.3	75.	19.	5.	16.7	108.0	70.	54.	-20.	19.3	106.0	60.	80.	-40.
122618Z	15.1 110.	1 75	15.1 1	10.0	75.	6.	0.	16.0	106.9	65.	71.	-35.	17.5	104.0	55.	200.	-40.
1227062	15.8 108.	0 90	15.6 1	08.2	75.	17.	-15.	16.6	104.6	65.	121.	~35.	17.7	101.4	55.	372.	-15.
1227182	16.9 106.	1 100	17.0 1	95.9	70.	13.	-30.	19.6	101.9	50.	163.	-45.	20.3	97.0	35.	572.	-10.
1228062	18.6 104.	8 199	18.9 1	04.5	100.	25.	Ø.	22.6	102.4	90.	161.	20.	26.2	101.9	88.	337.	50.
1228182	20.8 104.	5 95	20.7 1	04.4	95.	8.	Ø.	24.7	105.9	80.	71.	35.	0.0	0.0	0.	-0.	0.
122906Z	22.7 105.	3 70	22.6 1	05.2	80.	8.	10.	25.5	109.0	40.	105.	10.	0.0	0.0	ø.	-0.	Ø.
1229182	23.7 106.	6 45	24.4 1	08.4	60.	107.	15.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.
123006Z	24.2 107.	7 30	0.0	0.0	Ø.	-0.	Ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	Ø.

ALL FØRECASTS

	URING	24-HK	48-HK	(Z-11P.
AVG FØRECAST POSIT ERRØR	19.	83.	206.	0.
AVG RIGHT ANGLE ERRØR	13.	65.	146.	0.
AVG INTENSITY MAGNITUDE ERROR	8.	23.	24.	Ø.
AVG INTENSITY BIAS	-0.	-6.	-12.	Ø.
NUMBER OF FØRECASTS	15	14	12	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1779. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 19. KNOTS

TROPICAL CYCLONE 01-81 8EST TRACK DATA

		BEST T	TRACK			WARN:	ING			24 H	OUR F	RECAS	ST		48 HC	UR F	BRECAS	Τ
							ER	RØR5				ERRE	3R5				ERROR	25
MØ/DA/HR	PØ5 I	Τt	JIND	PØ5	IT	WIND	D5T	WIND	PØS	ΙT	WIND	DST	MIND	PØ5	ΙΤ	MIND	DST	MIND
010400Z	10.6	60.2	25	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	Θ.	0.0	0.0	0.	-0.	Ø.
010412Z	11.0	60.2	25	0.0	0.0	Ø.	-0.	Ø.	0.0	0.0	Ø.	-0.	Ø.	0.0	0.0	ø.	-0.	ø.
010500Z	12.5	61.3	30	0.0	0.0	Ø.	-0.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	Ο.	-0.	Ø.
010512Z	14.5	61.2	40	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	ø.
010600Z	16.1	59.7	55	16.1	59.9	55.	12.	0.	19.0	56.2	85.	21.	-15.	21.5	54.0	80.	134.	Ø.
010612Z	17.5	58.1	80	17.7	57.8	70.	21.	-10.	21.2	54.8	90.	76.	-10.	24.3	53.3	95.	225.	20.
010700Z	19.2	56.5	100	19.1	56.2	80.	18.	-20.	22.0	54.0	90.	125.	10.	25.9	54.4	85.	189.	25.
0107122	20.6	56.0	100	21.4	55.5	100.	56.	0.	25.3	55.2	90.	143.	15.	29.8	59.0	80.	150.	25.
010800Z	22.4	56.2	80	22.5	55.8	95.	23.	15.	26.5	57.8	75.	49.	15.	30.8	65.0	5 5.	346.	10.
010812Z	24.0	57.4	75	23.3	56.5	80.	65.	5.	26.8	59.3	60.	81.	5.	30.1	66.5	35.	321.	5.
010900Z	25.7	57.9	60	25.5	60.0	65.	114.	5.	28.2	68.5	55.	539.	10.	0.0	0.0	0.	-61.	ø.
0109122	27.3	57.9	55	28.0	59.0	55.	72.	0.	36.2	64.8	35.	254.	5.	0.0	0.0	ø.	-0.	ø.
011000Z	29.9	58.4	45	30.5	60.0	50.	90.	5.	.0.0	0.0	Ø.	-0.	€.	0.0	0.0	0.	-0.	0.
011012Z	33.1	61.3	30	31.2	59.2	45.	156.	15.	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERRØR	63.	161.	223.	ย.
AVG RIGHT ANGLE ERROR	Z5.	144.	178.	0.
AVG INTENSITY MAGNITUDE ERROR	8.	11.	14.	9.
AVG INTENSITY BIAS	2.	4.	14.	Ø.
NUMBER OF FØRECASTS	10	8	6	อ

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1570. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 20. KNOTS

TROPICAL CYCLONE 02-81 8EST TRACK DATA

	8EST	TRACK		WARNI	NG	24 H	OUR FORECAST	48 HO	UR FORECAST			
					ERRORS		ERRORS		ERRORS			
					LICKONS	•	LICKORS		LINKONS			
MO/DA/HR	POSIT	MIND	POSIT	MIND	DST WIND	POSIT	WIND DST WIND	POSIT	WIND DST WIND			
011118Z	12.5 180.5	5 20	0.0 0.0	ø.	-0. 0.	0.0 0.0	00. 0.	0.0 0.0	00. 0.			
0112062	13.2 179.	3 30	13.8 179.0	30.	40. 0.	17.8 175.7	50, 189, 5,	21.6 179.6	60. 2815.			
OTIEGGE	10.2 110.	5 50	10.0 110.0	50.								
011218Z	13.9 178.0	0 35	14.0 178.2	30.	13. - 5.	16.2 177.0	45. 1310.	19.8 178.2	55. 4320.			
011306Z	14.9 177.0	0 45	15.4 177.0	45.	30. 0.	18.9 177.2	65. 84. 0.	21.8 180.8	60. 1175.			
0113182	16.0 176.9	9 55	15.8 176.8	55.	13. 0.	18.3 177.1	65. 7010.	20.9 179.4	60. 90. 5.			
0.10105	40.0 110.			55.								
011406Z	17.5 177.3	2 65	17.1 177.2	60.	245.	19.9 179.8	50. 7015.	21.7 183.2	45. 341. 10.			
0114182	19.1 178.0	0 75	19.5 178.7	60.	4615.	22.8 181.5	45. 11310.	26.0 186.0	40. 470. 10.			
0115062	20.8 179.0	0 65	20.7 179.2	60.	135.	24.0 182.5	45, 237, 10,	0.0 0.0	00. 0.			
					177				1 1 1			
011518Z	22.4 179.	5 55	22.4 179.3	40.	1115.	26.4 181.3	25. 2165.	0.0 0.0	00. 0.			
011606Z	25.3 178.	4 35	25.4 178.9	30.	285.	0.0 0.0	00. 0.	0.0 0.0	00. 0.			
011618Z	26.8 177.3	3 30	0.0 0.0	0.	-0. 0.	0.0 0.0	00. 0.	0.0 0.0	00. 0.			

ALL FORECASTS
LIRNG 24-HR 48-HR 72-HR

	WKNG	24-HK	48-HK	12-11K
AVG FORECAST POSIT ERROR	24.	124.	224.	0.
AVG RIGHT ANGLE ERROR	16.	86.	122.	0.
AVG INTENSITY MAGNITUDE ERROR	6.	8.	9.	ø.
AVG INTENSITY BIAS	-6.	-4.	-1.	ø.
NUMBER OF FORECASTS	9	8	6	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1025. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

17. KNOTS

TROPICAL CYCLONE 03-81 8EST TRACK DATA

	8EST	TRACK WARNING					24 HOUR FORECAST					48 HOUR FORECAST				
					ERF	RORS				ERRO	DRS				ERROR	RS
MO/DA/HR	POSIT	MIND	POSIT	WIND	DST	MIND	P09	IT	MIND	DST	MIHD	P09	IT	MIND	DST	MIND
011206Z	12.3 110.4	4 20	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0112182	12.8 112.3	3 25	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	Θ.	0.0	0.0	ø.	-0.	0.
011306Z	13.3 114.2	2 30	0.0 0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.
011318Z	14.0 115.0	B 30	14.0 116.1	30.	17.	0.	15.5	118.2	40.	65.	-10.	17.9	120.0	40.	162.	-10.
011406Z	14.5 116.0	6 45	14.6 116.5	45.	8.	0.	16.0	118.2	65.	53.	15.	17.8	I19.9	70.	166.	20.
011418Z	15.3 117.	1 50	14.8 117.4	45.	35.	-5.	16.5	119.0	65.	104.	15.	19.7	119.8	65.	170.	5.
011506Z	16.2 117.3	3 50	16.2 I17.6	50.	17.	ø.	18.7	I17.8	50.	66.	0.	21.2	117.1	40.	200.	-30.
011518Z	17.1 117.3	3 50	17.2 117.6	45.	18.	-5.	19.5	117.8	40.	80.	-20.	0.0	0.0	ø.	-0.	0.
011606Z	17.9 117.0	0 50	17.2 117.2	60.	44.	10.	20.6	116.4	75.	154.	5.	0.0	0.0	0.	-0.	Ο.
01161SZ	18.3 I16.	4 60	18.9 117.0	60.	50.	0.	21.6	116.2	-60.	192.	-25.	0.0	0.0	0.	-0.	0.
011706Z	18.I 115.	8 70	17.8 116.1	70.	25.	0.	19.1	115.4	95.	82.	8.	21.3	114.7	100.	200.	10.
0117182	18.6 115.	0 85	19.3 114.3	95.	58.	10.	21.2	113.5	100.	40.	٥.	23.8	114.8	25.	171.	-40.
011896Z	19.7 114.	1 95	20.6 113.6	95.	61.	0.	23.0	113.0	90.	63.	ο.	25.7	114.0	45.	174.	-10.
0118182	21.3 112.	8 100	21.2 112.8	100.	6.	Ø.	24.4	112.4	89.	35.	15.	26.5	114.8	30.	270.	-10.
011906Z	23.5 112.	0 90	23.8 112.1	90.	19.	ø.	30.1	114.9	60.	356.	5.	០.១	0.8	O.	~მ.	0.
011918Z	24.6 111.	0 65	25.2 112.8	65.	65.	0.	0.0	9.0	0.	−ũ.	ο.	0.0	0.3	ø.	-0.	0.
012006Z	25.4 110.	8 55	25.4 111.3	55.	27.	ø.	28.5	111.7	30.	228.	٥.	0.0	0.0	ø.	-0.	Ο.
012018Z	25.6 139.	9 49	25.8 110.2	40.	20.	0.	0.0	0.0	Ø.	~Ū.	0.	0.0	0.0	Đ.	-0.	0.
0121867	25.7 108.	0 30	0.0 0.0	0.	-0.	0.	ପ.ପ	0.0	8.	-0.	0.	0.0	0.0	ο.	-0.	0.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	30.	114.	192.	ο.
AVG RIGHT ANGLE ERROR	18.	98.	155.	0.
AVG INTERSITY MAGNITUDE ERROR	5.	s.	16.	Ø.
AVG INTENSITY BIRS	G.	-0.	-8.	0.
NUMBER OF ERRECOSTS	16	1.4	Q	រា

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1330. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 12. KNOTS

TROPICAL CYCLONE 04-81 BEST TRACK DATA

	BEST TRACK WARNING						24 HOUR FORECAST					48 HOUR FORECAST						
							ER	RORS				ERRO	DRS				ERROR	!5
MO/DA/HR	POSI	T W	IIND	POS	IT	WIND	DST	WIND	POS	ΙT	WIND	DST	MIMD	POS	!T	MIND	DST	WIND
0114122	9.2	77.9	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ο.	-0.	0.
011500Z	10.7	79.0	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0115122	11.9	79.4	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
011600Z	13.1	79.7	45	6.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.
011612Z	14.3	79.8	45	14.3	79.6	35.	12.	-10.	17.1	7B.B	50.	33.	15.	19.6	76.1	55.	106.	35.
011700Z	15.6	79.5	45	16.3	78.3	35.	81.	-10.	19.0	75.4	35.	193.	10.	0.0	0.0	0.	-0.	0.
011712Z	16.7	79.2	35	16.9	79.1	35.	13.	0.	18.8	76.9	30.	46.	10.	0.0	0.0	0.	-0.	0.
011B00Z	17.7	78.5	25	17.9	78.3	30.	17.	5.	0.0	0.0	0.	-0.	9.	0.0	0.0	0.	-0.	0.
011B12Z	18.7	77.7	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-8.	0.

ALL FORECASTS WRNG 24~HR 4B-HR 72-HR AVG FORECAST POSIT ERROR 31. 91. 106. 0. AVG RIGHT ANGLE ERROR 19. 62. 106. 0. AVG INTENSITY MAGNITUDE ERROR 6. 12. 35. 0. AVG INTENSITY BIAS -4. 12. 35. Ο. NUMBER OF FORECASTS 4 3 1

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 629. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

13. KNOTS

TROPICAL CYCLONE 05-81 BEST TRACK DATA

	BEST TRACK					NG		24 HOUR FORECAST					48 HOUR FORECAST				
						ERF	2088				ERRO	DRS .				ERROF	25
MO/DA/HR	POSIT	WIND	P09	SIT	WIND	DST	WIND	P09	IT	WIND	DST	MIND	POS:	ΙT	WIND	DST	WIND
012118Z	12.8 154.	7 15	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	а.	0.	0.
012206Z	13.1 155.3	3 15	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
01221BZ	13.5 156.	1 20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
012306Z	13.9 156.8	8 20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	Θ.	9.0	0.0	Ø.	-0.	0.
01231BZ	14.3 157.0	6 20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-6.	Ø.	0.0	0.0	Ø.	-0.	Ο.
012406Z	14.8 158.	4 20	0.0	0.0	0.	-0.	0.	0.0	0.0	Ο.	-0.	0.	0.0	0.0	Ø.	-0.	0.
01241BZ	15.3 159.0	5 20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-8.	Ø.
012506Z	15.7 160.5	9 28	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	Ø.	0.0	0.0	Ø.	-0.	Ø.
012518Z	16.2 162.	6 25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.9	0.0	0.	-0.	ø.
0126062	16.9 164.	1 25	17.2	164.7	35.	39.	10.	19.3	166.7	50.	6.	25.	9.0	0.0	0.	-0.	0.
0126182	18.0 165.	4 25	18.0	167.0	35.	91.	10.	20.2	170.5	45.	115.	25.	ପ.ମ	0.0	Ø.	-9.	Ø.
012706Z	19.3 166.	8 25	19.3	167.4	ଅପ.	34.	5.	0.0	0.0	3.	-0.	0.	0.0	0.0	0.	-8.	Ο.
0127182	21.1 168.	7 20	20.2	167.7	25.	7B.	5.	0.0	0.0	в.	-0.	0.	0.0	0.0	0.	-0.	Ø.

ALL FORECASTS WRNG 24-HR 49-HR 72-HR AVG FORECAST POSIT ERROR 61. Sa. 0. Ο. AVG RIGHT ANGLE ERROR 60. Ο. Ο. AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY BIAS а. 25. 0. 0. s. 25. 0. 0. NUMBER OF FORECASTS 2 0 0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 963. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

13. KNOTS

TROPICAL CYCLONE 06-81 BEST TRACK DATA

	8EST TRACK WARNING								24 HOUR FORECAST					48 HOUR FORECAST				
							ERF	RORS				ERRO	DRS				ERRO	₹5
MO/DA/HR	P0S1	T L	JIND	P03	IT	WIND	DST	WIND	P0S	1 T	WIND	DST	MIND	POS	ΙT	MIND	DST	MIND
012800Z	11.7	69.0	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.8	0.	-0.	0.
Ø12812Z	12.6	69.2	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
212900Z	13.8	69.6	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-a.	0.	0.0	0.0	0.	-0.	0.
0129127	15.I	69.4	35	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.8	0.	-0.	0.
013000Z	15.8	68.8	45	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
013012Z	18.2	66.7	45	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
013100Z	18.8	64.3	35	19.1	65.0	45.	44.	10.	21.0	61.4	55.	186.	25.	22.6	58.2	65.	322.	30.
013112Z	19.5	61.2	30	19.4	62.1	35.	51.	5.	20.9	57.8	40.	107.	10.	23.6	54.€	45.	220.	18.
020100Z	20.2	58.2	30	20.4	59.4	35.	69.	5.	21.9	53.1	30.	77.	-5.	26.1	50.4	25.	179.	-15.
020112Z	21.1	35.9	30	20.4	55.5	35.	48.	5.	23.9	51.1	0.	30.	-35.	0.0	0.0	Ø.	-0.	0.
0202002	23.0	52.4	35	23.8	52.5	30.	48.	-5.	29.2	50.8	0.	351.	-40.	0.0	0.0	0.	-0.	Ю.
020212Z	23.7	50.6	35	25.8	51.5	30.	135.	-5.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
029300Z	23.8	48.3	40	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	9.	0.0	0.0	0.	-0.	Ð.
0203122	24.0	45.0	49	0.0	0.0	ø.	-B.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
020400Z	24.9	43.5	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.
020412Z	26.0	42.0	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

ALL FORECASTS

WRNG	24-HR	48-HR	72-HR
66.	150.	240.	0.
51.	103.	123.	0.
6.	23.	18.	0.
3.	-9.	8.	0.
6	5	3	0
	66. 51. 6.	66. 150. 51. 103. 6. 23.	66. 150. 248. 51. 103. 123. 6. 23. 18. 39. 8.

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1944. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 22. KNOTS

TRØP1CAL CYCLØNE 08-81 8EST TRACK DATA

	8EST TRACK WARNING						24 HOUR FORECAST					48 HOUR FORECAST				
					ERF	RORS				ERRE	3RS				ERROR	S
MØ/DA/HR	POSIT &	JIHD	PØSIT	WIND	DST	WIND	PØS	IT	WIND	DST	WIND	POS	l T	WIND	DST	WIND
0208062	8.5 176.9	20	0.0 0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	0.
020818Z	9.9 174.0	25	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-Ø.	0.
020906Z	11.5 171.5	30	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	9.0	ø.	-0.	Ø.
020918Z	13.4 169.6	35	0.0	0.	-0.	0.	6.0	9.0	Ø.	-Ø.	9.	0.0	0.0	ø.	-0.	0.
021006Z	13.9 168.4	35	0.0 0.0	მ.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	Θ.	-0.	0.
021018Z	14.3 168.7	40	6.0 0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.8	Θ.	-0.	0.
021106Z	16.2 168.7	55	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	٥.	0.0	0.0	ø.	-0.	0.
021118Z	17.7 168.0	65	0.6 0.0	0.	-0.	Θ.	0.0	0.0	9.	-0.	Ð.	0.0	0.0	0.	-0.	G.
821206Z	20.0 166.8	75	0.0 0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	φ.	0.0	0.9	0.	-0.	0.
021218Z	22.4 165.0	70	0.0 9.0	0.	-0.	0.	0.0	0.0	0.	-0.	٥.	0.0	0.0	o.	-0.	0.
021306Z	24.6 152.2	69	0.0 0.9	0.	-0.	0.	9.0	0.0	0.	-0.	Ю.	0.0	0.0	0.	-e1.	O.
621 3 18Z	25.7 158.7	50	0.0 0.0	Ø.	-0.	9.	0.0	0.0	0.	-0.	0.	0.0	0.0	θ.	- Fi .	0.
021406Z	26.0 155.2	48 2	26.0 155.2	40.	0.	0.	30.7	149.0	25.	331.	5.	0.0	0.0	o.	-O.	G.
02141SZ	25.2 152.2	35 2	24.9 152.8	35.	37.	0.	0.0	0.0	0.	-0.	0.	0.0	0.6	Ð.	-0.	ø.
021506Z	25.3 147.7	20 2	25.2 147.8	25.	8.	·5.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

ALL FORECASTS UENG 24-HP 49-HR 72-NR

	Wrai its	24-HR	45±HK	(Z=1 lis
AVG FORECAST POSIT ERROR	15.	331.	Ø.	0.
AVG PIGHT ANGLE ERROR	13.	331.	0.	С.
AVG INTENSITY MAGNITUDE ERROR	2.	5.	0.	Ø.
AVG INTENSITY BIAS	2.	5.	0.	0.
NUMBER OF FORECHSTS	3	1	0	Ø

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 2179. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 26. KNOTS

TRØPICAL CYCLØNE Ø9-81 8EST TRACK DATA

	BEST TRACK WARNING							24 HOUR FØRECAST					48 HOUR FORECAST				
						ERF	RØRS				ERF	RORS				ERR	ORS
MØ/DA/HR	PØSIT U	JIND	POSI	Т	WIND	DST	MIND	PØS:	T	MIND	DST	MIND	PØS:	T	WIND	DST	MIND
020818Z	13.0 149.6	20	0.0	0.0	0.	-0.	8.	0.8	0.0	8.	-8.	0.	8.0	8.0	Ø.	-0.	8.
02 0 906Z	13.7 147.7	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	8.0	0.	-0.	0.
Ø20918Z	13.8 145.6	35	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	8.	-0.	0.
021006Z	14.5 142.8	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
021018Z	15.9 140.0	35	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
021106Z	16.7 137.8	40	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0211182	18.0 134.3	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
021206Z	19.8 130.5	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0212182	20.6 128.2	20	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	0.
0213062	21.3 125.1	15	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.
021318Z	22.1 124.2	15	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
021406Z	22.7 122.6	15	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	0.
021418 Z	23.3 121.3	15	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
021 50 6Z	23.9 120.5	10	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

	ALL	FORECAS	15	
	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	0.	0.	0.	0.
AVG RIGHT ANGLE ERRØR	0.	0.	0.	0.
AVG INTENSITY MAGNITUDE ERROR	0.	0.	0.	0.
AVG INTENSITY BIAS	0.	ø.	0.	Ø.
NUMBER OF FORECASTS	0	0	0	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1796. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

23. KNØTS

TROPICAL CYCLONE 10-81 BEST TRACK DATA

	BEST TRACK U						NC		24 HØUR FØRECAST					48 HOUR FORECAST				
		0001	r.ner			WARNI		RORS		24 110	JOK 1-1	ERRI			40 110	011	ERROR	
MO/DA/HR	POS 1	T L	JIND	PØS	1T	WIND	DST	MIND	POS	IT	MIND	DST	WIND	POS	ΙT	WIND	DST	WIND
021612Z	12.4	54.8	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.
021700Z	12.4	52.6	38	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	8.	-0.	0.
0217122	12.5	50.9	30	0.0	0.0	0.	-0.	0.	0.0	0.0	Θ.	-0.	0.	0.0	0.0	0.	-Ð.	Θ.
621800Z	12.9	48.1	40	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	9.0	0.0	္စ.	-0.	0.
021812Z	13.4	45.5	45	0.0	0.0	0.	-9.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
921900Z	14.2	45.0	45	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0219122	15.0	44.2	45	15.2	45.2	45.	59.	0.	18.4	40.3	40.	231.	-10.	23.1	39.6	30.	389.	Θ.
022000Z	15.9	43.8	55	15.5	43.4	40.	33.	-15.	17.4	41.8	40.	168.	0.	21.3	413.8	35.	347.	15.
0220122	17.1	44.1	50	17.8	43.0	45.	76.	-5.	21.0	43.8	35.	163.	5.	24.7	44.6	20.	245.	-5.
022100Z	17.8	44.7	40	18.3	44.0	35.	50.	-5.	20.4	44.2	30.	170.	10.	0.0	0.0	Э.	-8.	อ.
0221127	19.8	45.5	30	19.2	45.2	15.	43.	-15.	0.0	0.0	0.	-⊌.	0.	0.0	0.0	9.	-0.	0.
022290Z	21.5	47.0	20	0.0	0.0	0.	-8.	Ø.	0.0	0.0	Θ.	-Ø.	0.	9.0	0.0	S.	-0.	0.
022212Z	23.1	40.7	25	0.0	0.0	0.	-0.	0.	А.8	0.8	9.	-0.	0.	0.0	0.0	0.	-9.	U.
022300Ż	25.0	51.5	30	0.6	0.0	Ð.	-0.	Ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0223122	27.7	55.9	35	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

ALL FORECASTS 24-HR 48-HR 183. 327. 72-HR WRITE AVG FORECAST POSIT ERROR AVG RIGHT ANGLE ERROR 52. 0. 153. 41. 0. AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY BIAS 6. ٥. 1. NUMBER OF FORECASTS 5 0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1718. NM

AVERAGE SPEED OF TROFICAL CYCLOME IS 20. KNOTS

TROPICAL CYCLONE 13-81 8EST TRACK DATA

	8EST TI	RACK		WARN ING			24 HOUR FORECAST				5T	48 HOUR FORECAST				
					ERR	OR5				ERRI	DR5				ERROR	?5
MO/DA/HR	POSIT W	IHD	PO5IT	MIND	D5T	WIND	P05	1T	WIND	D5T	MIND	POS	IT	MIND	D5T	WIND
022418Z	18.8 115.7	25	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.9	0.0	0.	-0.	0.
022506Z	18.3 114.1	30	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-Ø.	Ο.	0.0	0.0	Ø.	-0.	ø.
022518Z	17.7 112.4	35	18.2 112.4	30.	30.	-5.	18.5	108.7	40.	154.	-5.	20.3	105.0	45.	350.	-15.
022606Z	17.0 110.9	40	17.6 111.1	35.	38.	-5.	18.1	107.9	45.	142.	-5.	20.5	104.8	45.	300.	-30.
0226182	16.2 109.9	45	16.5 109.9	35.	18.	-10.	16.2	107.0	45.	96.	-15.	16.6	104.1	45.	115.	-45.
0227062	16.3 109.5	50	16.2 110.1	55.	35.	5.	13.1	108.0	65.	127.	-10.	21.0	106.7	65.	257.	-35.
022718 Z	15.5 108.5	60	15.1 107.8	65.	47.	5.	13.8	103.2	65.	242.	~25.	13.6	99.1	60.	384.	-40.
022806Z	16.1 107.3	75	16.2 107.3	70.	6.	-5.	17.2	103.9	90.	70.	-10.	18.0	100.6	90.	219.	-5.
0228182	16.7 106.1	90	16.8 105.9	80.	13.	-10.	18.4	103.0	95.	116.	-5.	20.5	100.2	80.	289.	-10.
030106Z	17.0 105.1	100	17.0 105.0	95.	6.	-5.	18.0	102.8	90.	96.	-5.	20.3	100.1	75.	305.	-10.
030118Z	17.2 104.6	100	17.3 103.8	100.	46.	ø.	18.1	101.2	85.	189.	-5.	20.0	98.8	70.	405.	-10.
0302062	17.5'104.4	95	17.5 104.3	90.	6.	-5.	18.2	102.8	30.	125.	-5.	19.5	101.2	75.	311.	ø.
030218Z	17.9 104.5	90	18.2 104.2	85.	25.	-5.	19.4	102.8	75.	177.	-5.	20.8	100.9	60.	449.	-5.
030306Z	18.2 105.0	85	18.2 104.6	75.	23.	-10.	18.8	184.4	65.	135.	-10.	21.2	103.4	55.	449.	0.
0303182	18.6 105.8	80	18.8 105.4	70.	26.	-10.	20.3	105.8	60.	175.	-5.	21.8	104.8	55.	587.	15.
030406Z	19.4 106.7	75	19.5 106.4	70.	18.	-5.	20.7	108.1	60.	200.	5.	0.0	0.0	ø.	-0.	ø.
030418Z	20.5 108.9	65	20.2 107.8	65.	64.	0.	22.0	110.8	55.	257.	15.	0.0	0.0	0.	-0.	ø.
030506Z	22.0 111.4	55	21.9 111.3	65.	8.	10.	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	ø.
0305182	23.0 115.3	40	22.8 114.9	45.	2 5 .	5.	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-Ø.	ø.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	26.	153.	340.	Ø.
AVG RIGHT ANGLE ERROR	17.	89.	210.	ø.
AVG INTENSITY MAGNITUDE ERROR	6.	9.	17.	ø.
AVG INTENSITY 81A5	-3.	-6.	-15.	Ø.
NUMBER OF FORECASTS	17	15	13	9

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1448. NM

AVERAGE SPEED OF TROPICAL CYCLONE 15

TROPICAL CYCLONE 14-81 8EST TRACK DATA

	8E5T	TRACK		WARN II	NG			24 HC	OUR FO	DRECAS	ST		48 H	UR FO	RECAS	ST.
					ERI	ROR5				ERF	RORS				ERF	ROR5
MO/DA/HR	PO5IT	MIND	PO5IT	MIND	D5T	WIND	POS	TIC	MIND	D5T	WIND	POS	TI	MIND	D5T	WIND
0225182	15.0 145.0		0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	ø.
0 22606Z	15.6 146.9		0.0 0.8		-Ø.	Ø.	0.0	0.0	ø.	-0.	Ø.	0.0	0.0	Ø.	-ø.	ø.
022618Z	16.8 148.2		16.8 148.1	35.	6.	-5.	19.5	152.3	55.	29.	0.	21.3	156.2	70.	78.	20.
0227062	18.4 151.8		18.4 151.6		34.	5.	20.9	156.7	65.	141.	5.	22.3	161.6	70.	316.	25.
022718Z	19.8 152.7		20.0 152.2		31.	5.	23.2	154.4	80.	75.	30.	25.8	156.7	75.	271.	35.
022806Z	21.2 154.2		22.1 153.9		57.	10.	25.2	157.3	95.	190.	50.	27.2	160.2	75.	424.	35.
0228182	22.2 155.2		21.6 155.2		36.	15.	23.2	158.8	50.	175.	10.	0.0	0.0	Ø.	-0.	0.
030106Z	22.3 155.9		22.7 156.5		41.	10.	23.8	159.5	30.	231.	-10.	0.0	0.0	Ο.	-0.	0.
030118Z	21.3 156.4	_	21.8 157.2		54.	5.	20.9	158.9	30.	86.	-15.	0.0	0.0	0.	-Ø.	0.
030206Z	20.8 156.9		21.1 157.2		25.	5.	21.6	159.8	40.	168.	-5.	23.7	161.2	30.	360.	-25.
0302182	20.3 157.5	-	20.0 153.2	•	43.	-5.	19.8	160.5	30.	121.	-20.	0.0	0.0	ο.	-0.	0.
030306Z	19.0 158.7	_	18.5 159.5		54.	-5.	17.1	163.6	25.	148.	-30.	0.9	0.0	0.	-0.	0.
0303182	17.9 159.8		17.5 160.0		27.	-5.	15.7	162.7	45.	130.	-20.	15.0	166.7	45.	315.	-20.
639496Z	17.7 161.		17.3 161.3		27.	Ø.	17.1	163.6	€5.	100.	Ο.	17.0	166.0	55.	214.	-20.
638418Z	17.8 161.7		17.8 161.9	65.	11.	Ø.	17.8	164.5	70.	111.	5.	17.8	167.0	65.	268.	Ю.
030506Z	18.1 162.2		17.8 162.7	65.	34.	ø.	17.9	164.6	70.	128.	-5.	18.1	166.6	80.	441.	20.
030518Z	18.7 162.9		18.6 163.0		13.	0.	19.6	164.8	75.	126.	10.	20.3	167.1	70.	510.	25.
930606Z	19.9 163.8		19.8 163.8		6.	-10.	21.9	166.3	ସେ.	213.	0.	22.2	179.5	50.	573.	20.
030 6 18Z	21.7 164.7		21.8 164.8	65.	8.	0.	25.0	169.4	50.	279.	5.	0.9	0.0	0.	-0.	0.
030706Z	25.4 165.7		29.0 167.5		236.	-10.	34.0	171.0	30.	232.	ο.	0.0	6.0	0.	-0.	0.
030718Z	23.0 156.7	_	0.0 9.0	_	-0.	ο.	0.0	0.0	0.	0	Ο.	0.0	0.0	0.	-A.	0.
0398032	31.4 167.6	50	0.0 0.0	e.	-9.	o.	9.9	0.0	Э.	-9.	F].	0.0	0.0	0.	-0.	£1.

13. KNOT5

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	39.	149.	343.	ø.
AVG RIGHT ANGLE ERROR	24.	118.	211.	ø.
AVG INTENSITY MAGNITUDE ERROR	6.	12.	22.	ø.
AVG INTENSITY 81A5	0.	1.	10.	ø.
NUMBER OF FORECASTS	19	18	1.1	a.

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 2122. NM

AVERAGE SPEED OF TROPICAL CYCLONE 15

17. KNOT5

TROPICAL CYCLONE 15-81 BEST TRACK DATA

	BEST TRA	CK	WARNING		24 H	OUR FORE	ECAST	48 HOUR FORECAST				
			EF	RORS			ERRORS		ERRO			
MO/DA/H	R POSIT WIN	D POSIT	WIND DST	WIND	POSIT	WIND 1	DST WIND	POSIT L	JIND DST	WIND		
030106Z	6.2 176.1 2	0.0 0.	0 00.	0.	0.0 0.0	0.	-0. 0.	0.0 0.0	00.	0.		
030118Z	9.5 178.2 3	5 12.0 177.	5 35, 156.	0.	12.5 175.4	45. 65	52. - 5.	13.5 173.1	55.1178.	10.		
030206Z	11.0 182.4 4	0 11.2 180.	2 40. 130.	0.	12.8 180.8	50. 59	53. 0.	0.0 0.0	00.	0.		
0302192	11.8 186.5 5	0 12.0 186.	2 40. 21.	-10.	12.9 191.6	50. 23	30. 5.	0.0 0.0	00.	0.		
030306Z	13.9 190.2 5	0.0 0.	00.	0.	0.0 0.0	0.	-0. 0 .	0.0 0.0	00.	0.		
0303182	16.4 193.2 4	5 ค.ค ค.	A AA.	P.	0.0 0.0	ρ	-0. 0.	A.A A.A	AA.	ρ.		

ALL FORECASTS 72-HR 24~HR 48-HR AVG FORECAST POSIT ERROR AVG RIGHT ANGLE ERROR AVG INTENSITY MACHITUDE ERROR AVG INTENSITY BIAS NUMBER OF FORECASTS 478. 1178. ø. 159. 380. ø. 3. 0. 0. 10. 10. 0. 3 3 0 1

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1224. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

41. KNOTS

TROPICAL CYCLONE 16-81 8EST TRACK DATA

	BEST TRACK					WARN1NG				24 HC	UR F	DRECA	ST	49 HOUR FORECAST				ST.
								RORS				ERR	DRS				ERROR	RS
MO/DA/HR	POS I	T t	JIND	POS	ΙT	WIND	DST	WIND	POS	ΙT	WIND	DST	WIND	POS	ΙT	WIND	DST	WIND
030112Z	22.0	47.1	10	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
030200Z	21.3	47.5	15	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
030212Z	20.5	47.9	15	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
030300Z	19.8	48.5	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.
030312Z	18.9	49.5	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
030400Z	18.0	50.9	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
030412Z	17.4	52.4	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
030500Z	17.9	53.5	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
030512Z	19.3	54.2	35	18.5	54.6	25.	53.	-10.	19.5	57.0	35.	171.	-20.	20.8	59.2	45.	432.	-30.
030600Z	20.7	55.7	48	21.4	55.8	25.	42.		23.3	58.4	30.	158.	-35.	25.2	62.2	40.	312.	-35.
030612Z	22.2	58.0	55	21.9	58.1	40.	19.		23.1	62.9	50.	203.	-25.	23.9	67.2	50.	248.	-10.
030700Z	24.6	60.9	65	23.6	61.0	50.	60.	-15.	26.8	66.4	45.	66.	-30.	30.4	74.6	30.	298.	-15.
030712Z	26.2	64.4	75	25.7	62.3	75.	117.	0.	29.9	67.5	60.	141.	0.	34.1	73.4	50.	360.	20.
030800Z	27.3	67.5	75	27.2	65.5	70.	107.	-5.	30,7	71.5	50.	183.	5.	35.2	78.2	30.	526.	5.
030812Z	27.8	68.7	60	29.0	70.8	65.	132.	5.	32.5	77.9	45.	460.	15.	0.0	0.0	0.	-B.	0.
030900Z	28.2	69.5	45	28.0	71.2	60.	91.	15.	29.3	74.6	0.	248.	-25.	0.0	0.0	0.	-0.	0.
030912Z	28.8	70.1	30	28.7	71.0	45.	48.	15.	0.0	0.0	0.	-0.	Э.	0.0	0.0	0.	-0.	0.
031000Z	29.9	69.9	25	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.

	ALL FORECASTS							
	WRNG	24-HR	48-HR	72+HR				
AVG FORECAST POSIT ERROR	74.	204.		0.				
AVG RIGHT ANGLE ERROR	40.	143.	233.	0.				
AVG INTENSITY MAGNITUDE ERROR	11.	19.	19.	0.				
AVG INTENSITY BIAS	-3.	-14.	-11.	0.				
NUMBER OF FORECASTS	9	8	6	0				

DISTANCE TRAVELED BY TROPICAL CYCLONE IS: 1701. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

17. KNOTS

TROPICAL CYCLONE 17-81 8EST TRACK DATA

	8EST	TRACK		WARN:	ING ERROR5	24 H	OUR F	ORECAST ERRORS	48 HC	OUR FOR	RECAST RRORS
MO/DA/HR	PU5IT	WIND	POSIT	WIND	DST WIND	POSIT	MIND	DST WIND	PØSIT	MIND	DST WIND
031018Z	11.5 133.6	15	9.0 0.0	0.	-0. 0.	0.0 0.0	Ω.	-a. a.	0.0 0.0	9.	-0. a.
Ø311Ø6Z	11.6 132.4	4 20	11.8 131.9	30.	32. 10.	12.8 129.5	45.	17. 0.	13.9 127.6		127. Ø.
0311192	12.0 131.2	2 35	11.8 131.1	35.	13. 0.	13.0 128.4	55.	39. 0.	14.5 125.0		2915.
031206Z	12.6 129.7	7 45	12.7 129.6	40.	85.	14.0 1	2.	91. 0.	15.6 123.3		21030.
Ø31218Z	12.7 127.8	9 55	12.5 127.8	55.	12. Ø.	13.8 I	55	86. 0.	16.3 123.0		69. - 5.
031306Z	12.7 125.8	3 55	13.0 126.1	55.	25. 0.	15.0 1	4	166. 0.	18.0 123.1	50. 4	13435.
0313182	12.4 124.5	5 65	12.5 124.2	60.	195.	13.0 1		425.	14.4 118.1	80. 1	4610.
031496Z	12.3 122.6	5 70	12.4 122.1	50.	3010.	13.0 1		25. 0.	14.2 114.1	85.	615.
0314187	12.3 120.9	75	12.2 120.9	70.	65.	12.7 1		17010.	14.2 113.4	90.	83. 0.
031506Z	12.6 118.	1 85	12.8 118.0	85.	13. 0.	14.4 115.0	JJ.	715.	18.6 108.6	85. 2	299. 5.
031513Z	12.7 116.3	3 90	12.8 116.2	90.	8. 0.	14.5 112.0	95.	145. 5.	19.2 108.4	85. 1	95. 25.
031696Z	14.2 114.2	2 100	14.3 1!4.3	100.	8. Ø.	18.3 111.8	90.	189. 0.	23.6 114.0	45. 7	00. 0.
0316182	15.2 114.4	4 90	15.0 114.4	90.	12. 0.	18.4 112.2	70.	195. 10.	24.7 115.2	45. 9	941. 20.
031706Z	15.2 112.4	4 30	15.0 113.7	89.	76. 0.	18.0 112.3	65.	470. 20.	0.0 0.0	0.	-0. 0.
0317182	16.2 109.7	7 60	17.1 111.0	50.	9210.	22.6 112.8	30.	765. 5.	0.0	0.	-0. 0.
031806Z	16.3 104.3	3 45	16.4 106.2	45.	110. 0.	0.0 0.0	ø.	-0. 0.	0.0 0.0	0.	-0. 0.
031818Z	16.5 199.9	25	16.6 100.8	30.	8. 5.	0.0 0.0	0.	-0. 0.	0.0 0.0	ø.	-0. 0.

ALL FORECASTS

	MRING	24-HR	48-HR	72-HR
AVG FØRECAST POSIT ERROR	30.	176.	295.	ø.
AVG RIGHT ANGLE ERROR	15.	108.	208.	0.
AVG INTENSITY MAGNITUDE ERROR	3.	4.	13.	0.
AVG INTENSITY BIAS	-1.	1.	-5.	0.
NUMBER OF FORECASTS	16	14	12	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1997. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 21. KNOTS

TROPICAL CYCLONE 21-81 BEST TRACK DATA

		BE5T T			WARN I		ROR5	24 HOUR FORECAST ERRORS					48 HOUR FØRECAST ERRORS					
MO/DA/HR	P051	T ti	IND	POS	t T	WIND	D5T		DOE		LITAIR			505			-	
0328002					-				P05		MIND	D5T	MIND	P05		MIND	D5T	MIND
	6.6	56.9	20	0.0	0.0	Ø.	-0.	ø.	0.0	0.0	ø.	-Ø.	0.	0.0	0.0	0.	-0.	0.
0328122	7.6	56.8	20	0.0	0.0	Ø.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	ο.
032900Z	8.8	56.8	20	0.0	0.0	Ø.	-0.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	0.
0329122	10.1	56.2	25	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	0.	9.0	0.0	ø.	-0.	ø.
033000Z	11.2	55.5	25	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ο.	-0.	6.
0330122	12.4	55.2	30	0.0	0.0	0.	-ø.	0.	0.0	0.0	ø.	-0.	Θ.	0.0	0.0	ø.	-0.	ø.
033100Z	13.4	55.A	30	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	ø.	0.0	0.0	o.	-0.	o.
0331122	14.2	54.8	30	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	е.
040100Z	15.0	54.3	39	15.6	54.4	30.	36.	0.	18.4	54.6	40.	179.	5.	21.0	55.5	45.	371.	10.
040112Z	15.6	53.7	35	15.8	53.8	35.	13.	ø.	18.2	53.5	45.	163.	5.	21.2	54.8	45.	3-11.	19.
040200Z	16.2	52.5	35	16.2	53.6	35.	63.	ø.	17.2	53.3	45.	240.	10.	19.5	53.9	45.	376.	10.
040212Z	17.1	50.9	40	16.8	52.0	40.	66.	ø.	19.0	51.0	45.	185.	10.	21.8	52.5	50.	209.	20.
040300Z	18.7	49.4	35	18.3	49.5	40.	25.	5.	22.4	48.8	40.	99.	5.	25.9	50.7	40.	115.	15.
0403122	21.2	48.7	35	21.6	49.0	35.	29.	ø.	26.3	48.8	40.	142.	10.	30.4	51.2	43.	259.	25.
040400Z	24.0	49.2	35	24.0	48.7	35.	27.	ø.	28.5	49.8	45.	241.	20.	32.1	53.5	Ø.	243.	-20.
040412Z	25.0	51.0	30	26.2	49.8	35.	97.	5.	30.2	52.8	25.	212.	5.	0.0	0.0	ø.	-0.	0.
040500Z	25.5	52.8	25	25.6	52.8	35.	6.	10.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	ø.
040512Z	26.8	53.9	20	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	= -	
040600Z	28.1	54.2	20	0.0	0.0	0.	-0.	٥.									-0.	0.
0-00002	20.1	J.4. Z	20	0.0	0.0	v.	-8.	٤٠.	0.0	0.0	0.	−⊌.	0.	0.0	0.0	0.	-0.	9.

ALL FORECASTS

	WRHG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	40.	183.	274.	ø.
AVG RIGHT ANGLE ERROR	28.	119.	217.	ø.
AVG INTENSITY MAGNITUDE ERROR	2.	9.	16.	ø.
AVG INTENSITY B1A5	2.	9.	10.	0.
NUMBER OF FORECASTS	9	8	7	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1620. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 15. KNOTS

TRØPICAL CYCLØNE 22-81 8EST TRACK DATA

	BEST TRACK WARNING							24 H	UR F	DRECA!	ST		48 H	OUR FO	DRECA!	ST		
							ER	RORS				ERI	RORS				ER	RORS
MO/DA/HR	POSI	Т	MIND	POS	IT	MIND	DST	MIND	POS	IT	MIND	DST	WIND	P09	31T	MIND	DST	WIND
040400Z	5.9	94.0	20	0.0	. 0.0	0.	-0.	0.	8.8	0.0	8.	-0.	8.	0.0	9.9	0.	-0.	8.
0404122	5.3	92.6	20	8.8	8.8	8.	-0.	8.	8.8	8.8	0.	-0.	8.	8.8	8.8	ø.	-8.	8.
0 40500Z	6.6	92.5	25	0.0	8.8	8.	-0.	8.	8.8	8.8	8.	-8.	ø.	0.0	0.0	e.	-0.	0.
0405122	7.7	92.9	30	0.8	8.8	8.	-0.	8.	6.8	8.8	8.	-8.	8.	6.8	8.8	8.	-8.	2.
0 40600Z	8.6	93.2	30	0.0	8.8	Ø.	-0.	8.	8.8	8.8	8.	-8.	0.	8.8	8.8	8.	-8.	0.
0406122	9.4	92.4	30	0.0	8.0	0.	-0.	8.	8.8	8.8	ø.	-0.	8.	0.8	8.0	8.	-0.	8.
949799Z	8.7	92.1	35	9.4	93.1	30.	73.	-5.	11.1	96.7	40.	268.	-5.	12.8	100.4	50.	591.	-28.
0 40712Z	8.2	92.9	45	11.0	94.5	35.	193.	-10.	12.8	96.4	45.	348.	0.	14.0	100.3	50.	624.	-40.
04080 0 Z	9.0	92.7	45	9.7	92.6	35.	42.	-10.	11.2	92.2	50.	101.	-20.	13.5	92.8	60.	199.	-30.
949912Z	9.8	91.5	45	9.7	92.6	45.	6 5.	0.	11.2	92.2	40.	130.	-50.	13.5	92.8	50.	239.	-65.
6409 0 0Z	10.6	90.6	70	11.1	90.6	45.	30.	-25.	12.5	88.7	60.	48.	-30.	14.7	87.7	60.	144.	-55.
0409122	11.3	90.0	90	11.4	89.8	70.	13.	-20.	13.7	87.5	90.	117.	-25.	17.6	86.9	95.	138.	5.
941000Z	12.7	89.5	90	12.5	89.3	80.	17.	-10.	15.6	87.4	95.	92.	-28.	19.3	87.9	65.	173.	0.
0410122	15.0	89.0	115	14.9	89.3	100.	18.	-15.	19.6	91.8	80.	283.	-10.	21.8	98.2	50.	540.	-15.
041100Z	17.1	87.7	115	17.3	88.9	118.	21.	-5.	22.5	88.4	88.	73.	15.	25.2	95.2	50.	226.	-15.
0411122	19.9	86.8	90	20.1	86.7	100.	13.	10.	22.8	88.7	6 5 .	90.	0.	24.9	91.6	40.	3 60.	-15.
041200Z	22.1	87.2	65	22.9	88.4	80.	82.	15.	25.3	95 .3	50.	226.	-15.	0.0	0.0	Ø.	-0.	0.
0412122	24.3	88.8	6 5	24.4	90.0	70.	66.	5.	26.6	96.5	35.	150.	-20.	0.0	0.0	Ø.	-0.	0.
0413002	27.4	91.8	65	26.5	91.6	55.	55.	-10.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0413122	29.1	96.4	5 5	29.3	95.4	50.	54.	-5.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	33.	92.	147.	0.
AVG RIGHT ANGLE ERROR	15.	77.	144.	0.
AVG INTENSITY MAGNITUDE ERROR	1.	153.	218.	0.
AVG INTENSITY BIAS	-1.	1 5 3.	218.	0.
NUMBER OF FORECASTS	5	4 .	2	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 972. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

10. KNOTS

TROPICAL CYCLONE 23-81 ØEST TRACK DATA

		050 7 -	00011			WARNING 24 HOUR						22500			4D 116	NID EG	nrcon	
		BEST T	RACK			MHKN				24 H	JUK F				48 HE	OUR FE	RECAS	
								RORS				ERR					ERROF	
MO/DA/HR	POSI	T L	IND	POS	ΙT	MIND	DST	MIND	PØS	IΤ	MIND	DST	MIND	POS	ΙT	MIND		MIND
040600Z	14.3	58.6	20	0.0	0.0	0.	-a.	₽.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.
0 40612Z	14.7	59.3	20	0.0	0.0	υ.	-0.	Θ.	0.0	0.0	0.	-0.	0.	0.0	0.0	٥.	-0.	0.
040700Z	15.0	60.2	20	0.0	9.0	0.	-0.	0.	9.0	0.0	٥.	÷0.	0.	0.0	0.0	0.	-0.	0.
049712Z	15.0	61.1	25	13.9	68.6	30.	441.	5.	14.8	74.7	30.	768.	Θ.	16.5	30.6	40.1	1447.	5.
040999Z	15.0	62.0	30	16.3	61.2	30.	91.	0.	17.8	60.2	40.	100.	5.	20.3	60.1	50.	310.	15.
040S12Z	16.3	61.5	30	16.4	61.1	30.	24.	Θ.	18.6	60.1	40.	283.	5.	21.2	60.4	40.	291.	5.
0 40900Z	16.8	58.8	35	17.8	60.5	30.	114.	-5.	20.1	60.0	45.	301.	10.	23.2	60.8	40.	308.	5.
0409122	17.1	55.4	35	19.0	56.1	35.	121.	Ø.	21.7	53.3	45.	202.	10.	25.4	54.7	35.	457.	-5.
0410002	18.4	55.0	35	19.8	54.7	35.	86.	Ø.	21.2	52.6	45.	275.	10.	25.0	53.1	35.	526.	-5.
041012Z	19.2	55.7	35	19.0	55.0	40.	41.	5.	20.8	53.0	40.	325.	0.	24.0	54.2	35.	592.	0.
0411002	19.4	57.1	35	19.3	57.4	35.	18.	0.	20.1	61.0	35.	149.	-5.	0.0	0.3	0.	-0.	0.
941112Z	18.5	58.2	40	18.9	59.5	30.	78.	-10.	20.2	62.8	25.	214.	-10.	0.0	0.0	0.	-0.	0.
0 41200Z	18.3	59.2	40	18.3	60.2	30.	57.	-10.	10.6	64.1	25.	261.	-10.	0.0	0.0	0.	· 0.	0.
041212Z	17.7	60.1	35	18.4	60.7	35.	54.	0.	19.0	62.6	35.	259.	9.	0.0	0.0	ø.	-0.	Θ.
041300Z	16.9	59.9	35	18.6	60.7	30.	112.	-5.	19.6	63.0	20.	358.	-10.	0.0	0.0	Θ.	-Ø.	0.
0413122	16.5	58.9	35	17.0	58.5	30.	38.	-5.	17.7	59.2	20.	170.	0.	0.0	0.0	٥.	-0.	Ø.
041400 Z	16.0	59.0	30	16.3	58.3	25.	25.	-5.	0.0	0.0	0.	-0.	O.	0.0	0.0	0.	-{).	0.
041412Z	15.7	57.1	20	0.0	0.0	0.	-0.	€.	0.6	0.0	ย.	-0.	6.	0.0	6.0	٥.	-0.	0.

	ALL FORECASTS											
	WRNG	24-HR	43-HR	72-HR								
AVG FORECAST POSIT ERROR	93.	282.	549.	ម.								
AVG RIGHT HNGLE ERROR	54.	192.	3 92.	Ø.								
AVG INTENSITY MAGNITUDE ERROR	4.	б.	6.	0.								
AVG INTENSITY BIAS	-2.	0.	3.	Ø.								
NUMBER OF EDRECASTS	14	13	7	О								

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1298. HM

AVERAGE SPEED OF TROPICAL CYCLONE IS

13. KNØTS

TROPICAL CYCLONE 24-81 8EST TRACK DATA

	BEST TRACK WAR									24 H	UR F	DRECAS	ST.		48 H	OUR FO	DRECA!	3
							ER	RORS				ERRO	DRS				ERROR	₹\$
MO/DA/HR	POSI	T b	JIND	POS	IT	WIND	DST	WIND	POS	IT	WIND	DST	MIND	POS	IT	MIND	DST	MII4D
052200Z	8.0	90.7	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ك
052212Z	7.5	90.6	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0
052300Z	7.0	90.4	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	0.
052312Z	6.3	89.8	20	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	6
052400Z	7.2	89.I	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	ē
052412Z	8.4	90.1	20	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	9.0	0.0	ø.	-0.	Ē,
052500Z	9.7	90.8	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	8
052512Z	10.8	91.5	25	0.0	0.0	ø.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	ø.	-0.	Ø
052609Z	11.5	91.8	30	0.0	0.0	0.	-0.	Θ.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	Ø.
052612Z	12.3	91.8	39	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	ø.
052700Z	13.1	91.6	35	13.6	91.8	30.	32.	-5.	15.9	91.5	184.	123.	149.	18.2	91.8	253.	162.	223.
052712Z	13.7	91.9	35	13.7	91.4	35.	29.	0.	15.8	91.4	180.	101.	150.	18.2	92.5	238.	131.	213.
052800Z	14.1	92.5	35	14.4	91.8	35.	45.	0.	16.3	92.2	185.	60.	155.	0.0	0.0	ø.	-0.	0.
052812Z	14.8	92.8	30	15.0	92.8	30.	12.	0.	16.8	92.4	183.	84.	158.	0.0	0.0	0.	-0.	ø.
052900Z	15.8	93.1	30	15.0	93.0	30.	48.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.
052912Z	16.4	93.8	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	Ø.
053000Z	17.1	94.8	25	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	
0530122	17.7	95.8	20	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	

	ALL FURECASTS											
	WRNG	24-HR	48-HR	72-HR								
AVG FORECAST POSIT ERROR	33.	92.	147.	0.								
AVG RIGHT ANGLE ERROR	15.	77.	144.	0.								
AVG INTENSITY MAGNITUDE ERROR	1.	153.	218.	8.								
AVG INTENSITY BIAS	-1.	153.	218.	0.								
NUMBER OF FORECASTS	5	4	2	0								

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 972. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 10. KNOTS

2. 1981-82 TROPICAL CYCLONE BEST TRACK DATA

TROPICAL CYCLONE 25-81 BEST TRACK DATA

		8EST	TRACK			WARN	ING		24 HOUR FORECAST						48 H	OUR FO	RECAS	SΤ
							ER	RORS				ERRI	ORS				ERROR	85
MO/DA/HR	POSI	Т	MIND	POS	IT	MIND	DST	MIND	POS	ΙT	MIND	DST	MIND	POS	ΙT	MIND	DST	MIND
072512Z	11.8	86.7	7 20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	Ð.	0.0	0.0	0.	-0.	0.
072600Z	11.3	86.2	2 25	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
072612Z	10.4	86.	1 25	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
072790Z	10.0	85.3	3 30	10.5	83.5	25.	110.	-5.	11.6	81.3	25.	206.	0.	0.0	0.0	0.	-0.	0.
0727122	10.7	84.9	25	10.8	84.4	25.	30.	0.	11.7	82.8	20.	116.	0.	0.0	0.0	0.	-0.	0.
072800Z	11.6	84.8	3 25	12.5	83.1	25.	113.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0728122	12.5	84.6	5 20	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	85.	161.	0.	0.
AVG RIGHT ANGLE ERROR	66.	158.	0.	0.
AVG INTENSITY MAGNITUDE ERROR	2.	ø.	0.	0.
AVG INTENSITY 81AS	-2.	ø.	0.	Ø.
NUMBER OF FORECASTS	3	2	0	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 307. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 9. KNOTS

TROPICAL CYCLONE 26-81 8EST TRACK DATA

									DRECAS	ST		48 H	OUR FO	DRECAS	ST.			
							ERF	RORS				ERRI	DRS				ERROR	RS
MB/DA/HR	POSI	T L	IND	POS	IT	MIND	DST	MIND	POS	ΙT	WIND	DST	MIND	POS	ΙT	MIND	DST	MIND
1020002	7.2	84.3	20	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	Ø.	0.0	0.0	0.	-0.	0.
1020122	8.4	85.0	25	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
102100Z	7.8	85.7	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.
1021122	7.8	84.4	30	8.5	84.9	40.	51.	10.	10.7	82.6	50.	167.	5.	12.2	79.8	50.	336.	~5.
102200Z	8.6	84.3	35	9.0	83.7	45.	43.	10.	10.0	81.1	60.	267.	10.	11.8	78.2	70.	427.	10.
1022122	9.4	85.1	45	9.1	84.9	45.	22.	0.	10.6	84.1	50.	156.	-5.	12.I	82.8	50.	192.	-15.
102300Z	11.4	35.4	59	10.2	84.8	50.	80.	0.	12.4	83.8	60.	139.	0.	14.2	81.8	65.	151.	0.
1023122	12.8	85.5	55	12.7	85.1	60.	24.	5.	14.8	83.1	55.	65.	-10.	17.2	80.8	45.	166.	-20.
102400Z	14.4	85.0	68	14.6	85.1	60.	13.	0.	18.7	85.2	55.	195.	-10.	21.8	87.8	45.	374.	-15.
102412Z	15.0	84.2	65	15.5	84.2	65.	30.	0.	17.4	81.4	65.	140.	0.	18.8	79.1	45.	189.	0.
102500Z	15.7	83.9	65	16.0	33.7	65.	21.	0.	18.2	81.8	65.	80.	5.	19.8	78.8	45.	147.	10.
1025122	16.2	83.5	65	16.4	83.3	65.	17.	Ø.	18.2	83.7	60.	95.	15.	20.4	85.5	45.	332.	20.
102600Z	17.5	83.0	60	17.6	83.2	65.	13.	5.	20.2	84.0	55.	147.	20.	0.0	0.0	0.	-0.	0.
102612Z	19.2	82.4	45	18.8	82.3	60.	25.	15.	20.4	79.8	50.	13.	25.	0.0	0.0	0.	-0.	0.
102700Z	20.0	81.4	35	20.5	81.8	45.	38.	10.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
1027122	20.5	79.6	25	20.7	79.6	35.	12.	10.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	30.	133.	257.	0.
AVG RIGHT ANGLE ERROR	17.	96.	203.	0.
AVG INTENSITY MAGNITUDE ERROR	5.	10.	11.	0.
AVG INTENSITY 81AS	5.	5.	-2.	0.
NUMBER OF EDRECOSTS	17	T 1	Q	a

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1150. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 13. KNOTS

TROPICAL CYCLONE 28-81 8EST TRACK DATA

		8EST T	RACK			WARN		aube	24 HOUR FORECAST PORS ERRORS						48 HO	OUR FO	ORECAS ERROF	
MO/DA/HR	POS 1	T 1.1	1ND	POS	īΤ	WIND		MIND	POS	1 T	WIND	DST		POS	1 T	WIND		WIND
110300Z	7.3	94.0	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.
1103122	7.8	92.8	25	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-0.	а.
110400Z	8.7	91.8	30	8.5	92.5	35.	43.	5.	11.0	90.5	50.	46.	25.	13.7	87.9	65.	138.	35.
1104122	9.6	90.8	30	10.1	90.9	40.	31	10.	12.7	87.8	50.	113.	25.	15.0	84.3	60.	243.	25.
110500Z	10.5	89.9	25	11.4	90.0	40.	54.	15.	14.2	88.0	50.	168.	20.	15.6	84.2	55.	239.	15.
1105122	11.1	88.8	25	11.5	68.5	40.	30.	15.	12.9	85.6	40.	97.	5.	14.1	81.7	35.	208.	-5.
110600Z	11.4	87.8	30	11.8	87.5	40.	30.	10.	13.0	84.8	50.	84.	10.	14.2	81.8	60.	245.	15.
1106122	11.7	86.7	35	11.7	87.3	40.	35.	5.	12.7	84.4	50.	30.	10.	14.8	81.1	60.	299.	15.
1107002	11.9	85.7	40	11.9	86.0	45.	18.	5.	13.7	83.8	55.	126.	10.	16.8	81.5	65.	355.	15.
1107122	12.4	84.8	40	12.7	85.0	45.	21.	5.	14.2	82.4	55.	218.	10.	17.5	80.2	60.	405.	10.
110800Z	12.7	85.7	45	13.6	84.5	50.	88.	5.	15.8	82.8	60.	271.	10.	19.5	81.5	55.	476.	ø.
1108122	11.8	85.2	45	13.7	84.2	55.	128.	10.	14.9	82.6	65.	213.	15.	16.7	80.8	50.	307.	-5.
110900Z	11.5	84.2	50	12.4	84.0	60.	55.	10.	13.0	82.6	65.	67.	10.	14.8	80.8	70.	207.	10.
110912Z	11.4	83.2	50	12.0	83.2	55.	36.	5.	12.4	81.8	45.	60.	-10.	12.8	81.8	35.	180.	-30.
111000Z	11.6	82.2	55	11.9	83.8	50.	96.	-5.	12.1	82.5	40.	141.	-20.	12.4	80.5	35.	162.	-35.
111012Z	11.6	81.2	55	11.7	83.0	45.	106.	-10.	11.8	81.6	35.	146.	-30.	0.0	0.0	0.	-0.	Ø.
111100Z	11.4	80.2	60	11.8	79.6	45.	43.	-15.	12.6	76.4	50.	147.	-20.	13.8	72.4	55.	281.	-25.
1111122	11.2	79.2	65	11.8	78.6	50.	50.	-15.	12.4	75.2	55.	144.	-20.	13.8	71.3	55.	287.	-30.
111200Z	10.9	78.2	70	11.2	77.8	55.	30.	-15.	11.6	74.8	65.	97.	-15.	12.6	70.9	65.	236.	-25.
1112122	11.0	77.2	75	11.3	76.9	65.	25.	-10.	11.6	74.6	75.	65.	-10.	12.4	71.3	80.	164.	-5.
111300Z	11.2	76.4	80	11.4	75.8	75.	37.	-5.	12.1	73.0	90.	111.	0.	12.8	69.8	85.	223.	5.
1113122	11.7	75.7	85	11.8	75.5	85.	13.	0.	12.6	73.6	95.	29.	10.	13.8	70.6	90.	135.	20.
1114002	12.1	74.9	90	11.9	75.1	90.	17.	0.	12.8	73.8	95.	21.	15.	13.6	72.4	90.	47.	25.
111412Z	12.6	74.1	85	12.5	74.2	90.	8.	5.	13.1	72.2	90.	51.	20.	13.6	69.2	80.	61.	25.
111500Z	13.1	73.6	80	12.8	73.2	95.	30.	15.	13.6	71.0	85.	47.	20.	14.6	68.3	75.	57.	30.
1115122	13.6	72.9	70	13.8	72.5	80.	26.	10.	15.4	70.5	60.	92.	5.	16.4	67.1	50.	175.	10.
111600Z	14.0	71.7	65	15.2	72.5	75.	86.	10.	17.2	70.0	65.	225.	20.	19.0	66.2	60.	320.	25.
1116122	13.9	70.2	55	15.0	71.2	60.	88.	5.	16.1	69.0	45.	202.	5.	17.2	66.4	30.	263.	0.
111700Z	13.7	68.6	45	14.1	69.8	50.	74.	5.	14.6	67.5	40.	153.	5.	16.0	65.0	30.	226.	5.
1117122	13.5	66.8	40	13.8	65.4	45.	84.	5.	14.4	61.9	30.	85.	ø.	0.0	0.0	ø.	-0.	ø.
1118002	13.8	65.0	35	14.0	64.7	40.	21.	5.	14.0	60.6	30.	64.	5.	0.0	0.0	ø.	-0.	Ø.
1118122	14.0	63.3	30	13.8	63.2	35.	13.	5.	0.0	0.0	ø.	-0.	0.	0.0	0.0	ø.	-0.	0.
1119002	14.0	61.7	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	0.	0.

ALL FORECASTS

	WKNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	47.	115.	228.	0.
AVG RIGHT ANGLE ERROR	26.	73.	151.	0.
AVG INTENSITY MAGNITUDE ERROR	8.	13.	17.	0.
AVG INTENSITY BIAS	3.	4.	5.	0.
NUMBER OF FORECASTS	30	29	26	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 2195. HM

AVERAGE SPEED OF TROPICAL CYCLONE IS

11. KNOTS

TROP1CAL CYCLONE 30-81 BEST TRACK DATA

	8ES	ST TRAC	WARN 1				24 H	DUR FO	_	48 HOUR FORECAST								
						ERI	RORS				ERRI	ORS		ERROR\$				
MO/DA/HR	POS1T	WINI	PO	SIT	WIND	DST	WIND	POS	51T	WIND	DST	WIND	POS	1 T	WIND	DST	WIND	
1202182	11.6 132	2.3 15	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	
1203062	11.2 131	.2 15	0.0	0.0	Ø.	-0.	0.	0.0	0.0	ø.	-0.	Ø.	0.0	0.0	ø.	-0.	0.	
1203182	11.0 130	0.0 20	0.0	0.0	0.	-0.	Ø.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	0.	
1204962	11.4 128	3.6 20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	
1204182	11.9 126	.8 25	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	
120506Z	12.2 124	4.9 25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.	
1205182	12.5 122	2.6 30	0.0	0.0	Ø.	-0.	ø.	0.0	0.0	Ø.	-0.	Ø.	0.0	0.0	0.	-0.	Ø.	
120606Z	14.4 128	3.5 35	14.5	120.5	35.	6.	0.	18.9	118.5	30.	51.	10.	0.0	0.0	0.	-0.	0.	
120618Z	15.8 119	3.3 25	16.8	119.0	35.	17.	10.	21.2	118.8	25.	198.	10.	0.0	0.0	0.	-0.	Ø.	
1207052	19.0 117	.6 28	19.6	117.8	35.	38.	15.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	Ø.	
1297187	20.8 115	5.3 15	0.0	0.0	ø.	-B.	ø.	0.0	0.0	ø.	-0.	Θ.	0.0	0.0	0.	-0.	0.	

ALL FORECASTS WRNG 72-HR 24-HR 48-HR AVG FORECAST POSIT ERROR AVG RIGHT ANGLE ERROR AVG INTEMSITY MHGNITUDE ERROR AVG INTENSITY BIAS 124. 0. 0. 0. 0. 20. 20. ø. 10. 8. ø. 8. 10. ø. 0. NUMBER OF FORECASTS 2

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1245. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 21. KNOTS

TROPICAL CYCLONE 32-81 BEST TRACK DATA

BEST TRACK					ING		24 HOUR FORECAST ERRORS					48 HOUR FORECAST				
140 -00 -110					_	RORS					JRS				ERRÖ	
MO/DA/HR	POSIT	MIND	POSIT	MIND	DST	MIND	P09	TIE	MIND	DST	WIND	P09	SIT	MIND	DST	WIND
121818Z	9.5 170.0	5 25	0.0 0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.
121906Z	10.3 169.4	4 30	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	ø.
1219182	11.9 167.9	9 40	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	ø.
122006Z	13.4 166.2	2 55	13.6 166.8	30.	37.	-25.	17.5	165.2	50.	150.	-25.	21.2	166.1	60.	305.	-45.
122018Z	14.8 164.5	5 65	15.0 164.9	40.	26.	-25.	18.5	163.6	60.		-30.	22.5	164.2	60.	249.	
122106Z	15.9 163.2	2 75	16.1 163.3	70.	13.	-5.	18.7	161.8	70.	57.	-35.	21.1	163.9	50.	93.	-40.
122118Z	16.8 162.4	4 90	16.8 162.3	80.	6.	-10.	20.0	161.9	75.	74.	-25.	22.0	165.0	50.	79.	-25.
122206Z	17.8 162.	1 105	17.8 162.3	80.	11.	-25.	20.0	162.5	75.	43.	-15.	23.0	164.4	55.	106.	-5.
1222182	18.8 162.2	2 100	19.0 161.8	75.	26.	-25.	21.4	162.5	65.	112.	-10.	24.1	165.2	50.	122.	ø.
122306Z	19.7 163.2	2 90	19.8 163.1	85.	8.	-5.	21.8	165.1	.70.	25.	10.	23.1	168.2	55.	169.	10.
122318Z	20.8 164.4	4 75	20.9 164.2	80.	13.	5.	22.8	167.0	65.	66.	15.	24.0	170.6	50.	291.	10.
122406Z	21.5 165.4	4 60	21.6 165.8	70.	23.	10.	22.8	169.0	55.	205.	10.	23.8	172.8	45.	441.	10.
122418Z	22.2 166.6	3 50	22.2 167.3	55.	72.	5.	24.0	170.2	35.	271.	-5.	25.9	173.6	25.	549.	-5.
122506Z	22.0 165.4	4 45	22.2 165.8	45.	25.	0.	23.1	168.0	30.	175.	-5.	0.0	0.0	0.	-0.	ø.
122518Z	22.2 165.7	7 40	21.8 165.8	40.	25.	0.	23.0	167.3	30.	172.	0.	0.0	0.0	0.	-0.	ø.
122606Z	22.2 165.8	3 35	22.0 165.6	35.	35.	ø.	22.4	165.9	30.	128.	5.	0.0	0.0	ø.	-0.	ø.
122618Z	22.7 164.2	2 30	22.6 164.8	30.	34.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	ø.
122706Z	23.3 163.8	3 25	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	ø.

ALL FORECASTS WRNG 24-HR 48-HR 72-HR

WKIYL	24-nR	48-HR	72-HR
25.	123.	240.	0.
19.	93.	148.	0.
10.	15.	19.	0.
-7.	-8.	-13.	0.
14	13	10	0
	25. 19. 10. -7.	25. 123. 19. 93. 10. 15. -78.	25. 123. 240. 19. 93. 148. 10. 15. 19. -7813.

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1261. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

12. KNOTS

TROPICAL CYCLONE 33-81 BEST TRACK DATA

	BEST TRACK WARNING							24 HOUR FORECAST ERRORS ERRORS							48 HOUR FORECAST ERRORS					
MO/DA/HR	POSI	т і.	I1ND	POS	1 T				pnc	POS1T		DST		POS1T						
121700Z	9.1	60.8	20	0.0	0.0	0.11.0	-0.				MIND		MIND			MIND	DST			
1217122								0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.		
_	10.5	59.2	25	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	ø.		
121800Z	11.2	57.2	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.		
1218122	11.0	55.1	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.		
121900Z	10.5	53.1	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	ø.		
1219122	11.2	50.7	35	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	ø.		
122000Z	11.4	48.2	40	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-0.	ø.		
122012Z	13.5	47.2	40	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-ø.	ø.		
122100Z	13.9	45.2	35	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	ø.		
1221122	14.2	44.3	40	14.5	44.3	35.	18.	-5.	16.6	42.0	50.	32.	-15.	17.0	37.9	40.	85.	-15.		
122200Z	15.2	43.6	50	14.6	43.6	40.	36.	-10.	15.9	41.8	40.	104.	-35.	16.2	38.8	20.	122.	-30.		
1222122	16.1	42.2	65	15.8	42.8	45.	39.	-20.	17.0	40.6	40.	91.	-15.	17.0	38.0	30.	103.	-20.		
122300Z	17.2	40.6	75	16.6	41.2	55.	50.	-20.	17.5	36.5	40.	50.	-10.	17.B	36.0	30.	52.	ø.		
122312Z	17.7	39.2	55	17.9	39.6	60.	26.	5.	18.8	37.0	40.	69.	-10.	18.8	34.5	25.	127.	ø.		
122400Z	18.0	37.8	50	17.8	37.9	60.	13.	10.	18.2	35.8	45.	59.	15.	0.0	0.0	0.	-0.	а.		
1224122	17.8	36.4	50	18.4	36.5	45.	36.	-5.	19.4	34.2	25.	162.	ø.	0.0	0.0	0.	-0.	0.		
122500Z	17.4	35.2	30	17.5	35.2	35.	6.	5.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.			
1225122	16.7	34.2	25	0.0	0.0	0.	-0.	ø.	0.0	0.0	а.							ø.		
	1011	J-7. Z		0.0	0.0	u.	-0.	o.	0.0	0.0	Θ.	-0.	0,	0.0	0.0	0.	-0.	0.		

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	28.	81.	98.	Ø.
AVG RIGHT ANGLE ERROR	17.	42.	62.	0.
AVG INTENSITY MAGNITUDE ERROR	10.	14.	13.	ø.
AVG INTENSITY BIAS	-5.	-10.	-13.	ø.
NUMBER OF FORECASTS	8	7	5	a

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1781. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

17. KNOTS

TROPICAL CYCLONE 01-82 8EST TRACK DATA

	SEST TRACK WARNING								24 HOUR FORECAST 48 HOUR FORECAST										
							ERF	ROR5		ERRORS							ERROR5		
M3/DA/HR	P051	Τ ι	JIND	P05	1 T	WIND	DST	WIND	POS	ΙT	MIND	DST	MIND	POS	IT	MIND	DST	WIND	
122900Z	9.5	78.8	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	
122912Z	9.8	78.4	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	
123000Z	10.1	77.8	25	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.	
123012Z	9.7	77.9	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	
123100Z	10.5	78.2	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	
1231122	11.7	77.8	35	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	
010100Z	12.4	77.7	40	13.1	76.9	35.	63.	-5.	14.2	73.3	55.	254.	15.	15.3	69.0	70.	497.	35.	
010112Z	13.0	77.6	45	14.3	76.8	50.	91.	5.	15.7	73.4	70.	269.	30.	17.0	68.8	75.	508.	45.	
@10200Z	13.5	77.6	40	14.8	76.9	50.	88.	10.	16.4	75.2	60.	183.	25.	17.9	71.4	50.	369.	20.	
010212Z	13.8	77.6	40	15.9	76.5	60.	141.	20.	18.0	73.8	55.	287.	25.	19.2	69.8	50.	461.	25.	
010300Z	14.3	77.5	35	14.6	77.0	50.	34.	15.	15.3	76.9	35.	62.	5.	0.0	0.0	0.	-0.	0.	
919312Z	14.5	77.2	30	14.7	77.2	40.	12.	10.	15.7	76.9	30.	107.	5.	0.0	0.0	0.	-0.	0.	
91949 0 Z	14.3	76.6	30	14.2	77.3	30.	41.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	
010412Z	14.2	75.9	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	

ALL FORECASTS WRNG 24-HR 48-HR 72-HR AVG FORECAST PO51T ERROR 194. 459. 0. 67. AVG RIGHT ANGLE ERROR AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY 81A5 27. 140. 0. 413. 9. 18. 31. ø. 8. 31. ø. 18.

DISTANCE TRAVELED BY TROPICAL CYCLONE 15 478. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

NUMBER OF FORECASTS

6. KNOT5

6

TROPICAL CYCLONE 02-82 8EST TRACK DATA

0

	8EST TRACK					WARNING				24 HOUR FORECAST ERRORS					48 HOUR FORECAST ERRORS				
NO 454 410	2051	- .	. 74.15	000		ERRORS								205					
SHY A COM	P051		JIND	POS		MIND			P05		WIND			P05		MIND		WIND	
0106002		102.9	20	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	
0106122		101.8	25	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	
010700Z		100.4	25	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	
0107122	13.4	97.9	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	
010800Z	13.8	95.5	35	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	
0108122	13.7	93.4	35	13.8	93.4	30.	6.	-5.	14.2	89.8	45.	103.	-10.	15.0	85.7	60.	182.	-15.	
010900Z	13.6	91.0	40	14.0	91.2	40.	27.	0.	14.4	87.2	50.	126.		15.2	83.8	60.	191.	-25.	
0109122	13.3	88.3	55	13.5	88.7	50.	26.	-5.	13.8	83.6	60.	73.		14.2	80.9	65.	92.		
211000Z	12.8	35.8	65	12.9	86.0	65.	13.	0.	12.9	81.1	85.	50.	0.	14.5	77.4	80.	101.	-25.	
011012Z	12.6	83.8	75	12.6	93.3	85.	29.	10.	13.1	78.8	90.	108.	-5.	14.6	75.0	80.	64.	-35.	
011100Z	12.6	81.9	85	12.4	81.8	90.	13.	5.	12.7	77.6	85.	61.	-20.	13.5	73.6	80.	99.	-40.	
311112Z	12.7	80.6	95	12.4	80.6	90.	18.	-5.	12.7	77.3	80.	113.	-35.	13.2	73.4	75.	208.	-35.	
011200Z	13.2	78.5	105	13.2	78.6	100.	6.	-5.	14.6	75.0	115.	65.	-5.	15.3	71.8	105.	171.	-10.	
011212Z	14.0	75.9	115	13.2	76.2	110.	51.	-5.	14.0	72.5	110.	142.	0.	15.6	69.1	100.	152.		
911300Z	15.1	74.0	120	15.2	73.8	115.	13.	-5.	17.4	69.2	110.	25.	-5.	19.0	65.0	85.	93.	-25.	
911312Z	15.2	71.6	110	16.7	71.0	100.	46.	-10.	18.6	66.2	85.	111.	-30.	29.2	62.1	75.	196.	-25.	
911400Z	17.1	69.5	115	17.2	70.0	100.	29.	-15.	19.0	66.4	90.	21.	-20.	20.8	63.2	80.	119.	-10.	
011412Z	17.9	68.0	115	17.8	68.1	95.	8.	-20.	19.2	64.2	85.	68.	-15.	20.7	60.4	75.	179.	-5.	
911500Z	13.7	66.6	110	18.9	66.2	90.	26.	-20.	20.8	62.7	80.	141.	-10.	22.0	58.8	70.	231.	5.	
011512Z	19.2	55.4	100	19.2	55.3	110.	6.	10.	20.8	63.0	90.	70.	10.	22.6	61.0	75.	168.	15.	
9!1500Z	10.4	54.7	90	19.6	64.7	100.	12.	10.	20.8	63.0	80.	83.	15.	22.5	61.3	70.	133.	15.	
911512Z	19.7	63.4	80	19.4	64.0	80.	38.	ø.	19.8	61.7	60.	8.	0.	20.5	59.0	50.	93.	5.	
011700Z	19.7	62.1	65	19.8	62.1	65.	6.	0.	20.8	58.8	55.	62.	0.	22.7	55.0	45.	233.	5.	
011712Z	19.9	61.8	60	19.9	60.8	60.	56.	0.	20.9	58.1	50.	98.	5.	22.7	55.0	40.	228.	5.	
311800Z	20.7	59.9	55	21.0	59.5	55.	29.	0.	22.8	57.0	50.	122.	10.	25.2	54.2	45.	239.	15.	
6118122	22.0	59.4	45	21.3	58.6	55.	61.	10.	23.5	56.8	45.	118.	10.	25.2	55.2	30.	183.	5.	
911900Z	23.0	59.2	40	23.4	59.3	50.	25.	10.	26.8	59.8	40.	116.	10.	30.7	60.2	30.	185.	5.	
111912Z	11.2	53.8	35	24.2	59.2	45.	22.	10.	27.6	59.2	35.	94.	10.	0.0	0.0	0.	-3.	0.	
2303Z	25.2	59.6	30	25.4	57.4	40.	66.	10.	28.9	58.6	30.	54.	5.	0.0	0.0	б.	-0.	ø.	
122	25.2	58.4	25	26.8	56.8	35.	42.	10.	0.0	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-0.	ø.	
312100Z	28.0	58.5	25	27.3	58.0	30.	50.	5.	0.0	0.0	Ø.	-0.	ø.	0.0	0.0	0.	-0.	ø.	

ALL FORECASTS WRNG 24-HR 85. 48~HR 72-HR AVG FORECAST POSIT ERROR 28. 161. 0. AVG RIGHT ANGLE ERROR AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY 8185 18. 52. 103. 17. а., 7. 11. 0. -0. -5. -10. Ø. HUMBER OF FORECASTS 26 22 0

DISTANCE TRAVELED BY TROPICAL CYCLONE 15 3056. NM

HYERAGE EFEED OF TROPICAL CYCLONE 15 17. KNOTS

TROPICAL CYCLONE 03-82 BEST TRACK DATA

В	EST	TRACK		WARHING		24 HOUR FORECAST				ST.		48 HC	JUR FO	RECAS	ōΤ		
						ER	RORS				ERR	DRS				ERROR	RS
P051T		MIND	P05	IT	MIND	D5T	MIND	P05	IT	MIND	DST	WIND	P05	ΙT	WIND	DST	MIND
7.9	93.5	20	0.0	0.0	Ø.	-0.	ø.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.
7.7	94.2	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
8.1	94.8	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
8.7	94.9	30	8.8	94.8	35.	8.	5.	9.9	93.3	55.	124.	20.	10.6	90.0	60.	390.	50.
9.2	95.0	35	9.3	94.2	45.	48.	10.	10.3	91.8	65.	248.	30.	10.6	87.9	85.	593.	60.
9.9	95.4	1 35	9.8	95.2	35.	13.	Ø.	11.1	95.2	40.	82.	10.	12.3	94.2	50.	299.	25.
10.5	96.8	35	10.8	95.9	35.	19.	ø.	12.3	96.1	35.	110.	10.	0.0	0.0	0.	-0.	. 0.
11.1	96.6	30	11.2	96.6	30.	6.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	Ø.
11.8	97.9	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
12.2	99.3	3 25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0:	0.0	0.0	0.	-0.	0.
	P0511 7.9 7.7 8.1 8.7 9.2 9.9 10.5 11.1	P05IT 7.9 93.5 7.7 94.2 8.1 94.8 8.7 94.5 95.6 9.9 95.4 10.5 96.6 11.1 96.6 11.8 97.5	7.9 93.5 20 7.7 94.2 25 8.1 94.8 30 8.7 94.9 30 9.2 95.0 35 9.9 95.4 35 10.5 96.6 35 11.1 96.6 30 11.8 97.9 25	P05IT WIND P05 7.9 93.5 20 0.0 7.7 94.2 25 0.0 8.1 94.8 30 0.0 8.7 94.9 30 8.8 9.2 95.0 35 9.3 9.9 95.4 35 9.8 10.5 96.0 35 10.8 11.1 96.6 30 11.2 11.8 97.9 25 0.0	P05IT WIND P05IT 7.9 93.5 20 0.0 0.0 7.7 94.2 25 0.0 0.0 8.1 94.8 30 0.0 0.0 8.7 94.9 30 8.8 94.8 9.2 95.0 35 9.3 94.2 9.9 95.4 35 9.8 95.2 10.5 96.0 35 10.8 95.9 11.1 96.6 30 11.2 96.6 11.8 97.9 25 0.0 0.0	POSIT WIND POSIT WIND 7.9 93.5 20 0.0 0.0 0. 7.7 94.2 25 0.0 0.0 0.0 0. 8.1 94.8 30 0.0 0.0 0. 8.7 94.9 30 8.8 94.8 35. 9.2 95.0 35 9.3 94.2 45. 9.9 95.4 35 9.8 95.2 35. 10.5 96.0 35 10.8 95.9 35. 11.1 96.6 30 11.2 96.6 30. 11.8 97.9 25 0.0 0.0 0.0	P05IT WIND P05IT WIND D5T 7.9 93.5 20 0.0 0.0 00. 7.7 94.2 25 0.0 0.0 0. 00. 8.1 94.8 30 0.0 0.0 00. 8.7 94.9 30 8.8 94.8 35. 8. 9.2 95.0 35 9.3 94.2 45. 48. 9.9 95.4 35 9.8 95.2 35. 13. 10.5 96.0 35 10.8 95.9 35. 19. 11.1 96.6 30 11.2 96.6 30. 6. 11.8 97.9 25 0.0 0.0 00.	P05IT WIND P05IT WIND D5T WIND 7.9 93.5 20 0.0 0.0 00. 0. 7.7 94.2 25 0.0 0.0 0. 00. 0. 8.1 94.8 30 0.0 0.0 00. 0. 8.7 94.9 30 8.8 94.8 35. 8. 5. 9.2 95.0 35 93. 94.2 45. 48. 10. 9.9 95.4 35 9.8 95.2 35. 13. 0. 10.5 96.0 35 10.8 95.9 35. 19. 0. 11.1 96.6 30 11.2 96.6 30. 6. 0. 11.8 97.9 25 0.0 0.0 00. 0.	P05IT WIND P05IT WIND D5T WIND P05 7.9 93.5 20 0.0 0.0 00. 0. 0.0 7.7 94.2 25 0.0 0.0 00. 0. 0.0 8.1 94.8 30 0.0 0.0 00. 0. 0.0 8.7 94.9 30 8.8 94.8 35. 8. 5. 9.9 9.2 95.0 35 9.3 94.2 45. 48. 10. 10.3 9.9 95.4 35 9.8 95.2 35. 13. 0. 11.1 10.5 96.0 35 10.8 95.9 35. 19. 0. 12.3 11.1 96.6 30 11.2 96.6 30. 6. 0. 0.0	P05IT WIND P05IT WIND D5T WIND P05IT 7.9 93.5 20 0.0 0.0 00. 0. 0.0 0.0 7.7 94.2 25 0.0 0.0 00. 0. 0.0 0.0 8.1 94.8 30 0.0 0.0 00. 0. 0.0 0.0 8.7 94.9 30 8.8 94.8 35. 8. 5. 9.9 93.3 9.2 95.0 35 9.3 94.2 45. 48. 10. 10.3 91.8 9.9 95.4 35 9.8 95.2 35. 13. 0. 11.1 95.2 10.5 96.0 35 10.8 95.9 35. 19. 0. 12.3 96.1 11.1 96.6 30 11.2 96.6 30. 6. 0. 0.0 0.0 11.8 97.9 25 0.0 0.0 00. 0. 0.0	PO51T	PO51T	POSIT	POSIT	POSIT	POSIT	POSIT

ALL FORECASTS

	WKNG	24-HR	48-HK	72-HR
AVG FORECHST POSIT ERROR	19.	141.	427.	0.
AVG RIGHT ANGLE ERROR	17.	I11.	295.	0
AVG INTENSITY MAGNITUDE ERROR	3.	18.	45.	0.
AVG INTENSITY BIAS	3.	18.	45.	0.
NUMBER OF FORECASTS	5	4	3	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 475. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 9. KNOTS

TROPICAL CYCLONE 04-82 8EST TRACK DATA

	8E5T TRACK WARNING					24 HOUR FORECAST						48 HOUR FORECAST					
						ER	ROR5				ERRI	JR5				ERROR	25
MOZDAZHR	POSIT	MIND	P09	IT	MIND	D5T	MIND	P05	TI	MIND	D5T	WIND	P09	TI	MIND	D5T	UIND
811306Z	13.0 114.	1 30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
011318Z	13.1 113.6	5 35	13.8	112.8	35.	63.	0.	15.0	110.0	50.	160.	5.	15.2	106.8	60.	337.	10.
011406Z	13.4 113.0	3 40	13.5	112.8	40.	13.	0.	14.2	111.6	50.	39.	0.	15.3	109.9	55.	197.	10.
011418Z	13.9 112.9	5 45	13.8	112.7	45.	13.	Ø.	14.2	111.2	70.	92.	20.	14.5	109.2	60.	257.	35.
911506Z	14.5 112.2	2 50	13.8	112.5	50.	45.	0.	14.2	111.5	60.	127.	15.	14.5	110.0	65.	237.	25.
911518Z	14.9 112.6	5 50	14.8	111.1	50.	87.	0.	16.2	109.3	55.	237.	10.	18.4	108.2	60.	384.	25.
811606Z	15.4 113.3	3 45	15.3	112.1	45.	70.	ø.	16.7	112.9	50.	44.	10.	18.3	114.0	50.	170.	20.
511518Z	15.9 113.4	4 45	16.2	113.9	45.	34.	Ø.	17.8	115.0	35.	81.	Ø.	0.0	0.0	ø.	-0.	0.
911706Z	16.4 113.6	5 40	17.0	113.8	40.	38.	0.	19.0	113.8	30.	207.	ø.	0.0	0.0	0.	-0.	0.
S11718Z	5.5 114.6	5 35	17.1	113.8	35.	58.	0.	0.0	0.0	0.	-0.	Θ.	0.0	0.0	0.	-0.	0.
911896Z	15.5 116.3	3 30	16.6	115.2	30.	64.	0.	0.0	0.0	ø.	-0.	Θ.	0.0	0.0	Θ.	-0.	Ø.

•	ALL	FORECAS	T5	
	WRNG	24-HR	48-HR	72-HR
AVE FORECAST POSIT ERROR	49.	123.	264.	0.
AVG RIGHT ANGLE ERROR	23.	92.	199.	Ø.
ANS INTO SITY MAGNITUDE ERROR	0.	8.	21.	0.
(S INTERSITY BINE	0.	8.	21.	0.
MULTER UP FORECAUTS	10	8	6	9

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 453. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 8. KNOTS

TROPICAL CYCLONE 05-82 8EST TRACK DATA

8EST	TRACK		WARNI	NG ERRO)RS		24 HC	OUR FO	RECAS ERRI			48 H		RECAS ERROR	
MOZDAZHR POSIT	WIND	POSIT	WIND	DST W	JIND	POS	ΙT	WIND	DST	WIND	POSI	Т	WIND	DST	WIND
011418Z 11.7 132.	3 25	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
011506Z 12.9 132.	1 25	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
811518Z 14.1 130.	4 30	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.
011606Z 15.1 128.2	2 35	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
011618Z 15.9 125.8	B 40	15.6 125.7	30.	19	10. 1	6.5	121.9	45.	127.	10.	0.0	0.0	0.	-0.	0.
011706Z 17.1 123.0	8 40	16.8 123.6	35.	21.	-5. 1	8.2	120.0	45.	123.	15.	0.0	0.0	0.	-0.	0.
311718Z 18.6 122.	1 35	18.5 123.0	30.	52.	-5.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
011806Z 20.2 120.5	5 30	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

	ALL	FORECAS	TS	
	WRNG	24-HR	48-HR	72-HR
AYG FORECAST POSIT ERROR	31.	125.	0.	0.
AVG RIGHT ANGLE ERROR	24.	100.	0.	0.
AVG INTENSITY MAGNITUDE ERROR	7.	13.	0.	0.
AVG INTENSITY BIAS	~7.	13.	0.	0.
NUMBER OF FORECASTS	3	2	0	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 884. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

21. KNOTS

TROPICAL CYCLONE 06-82 8EST TRACK DATA

	8EST	TRACK		WARN I	NG ERRORS	24 H	OUR FO	RECAST ERRORS	48 HOUR FORECAST ERRORS						
MO/DA/HR	POSIT	WIND	POSIT	MIND	DST WIND	POSIT	MIND	DST WIND	P09	SIT	WIND	DST L			
011816Z	20.6 115.	3 20	0.0 0.0	ø.	-0. 0.	0.0 0.0	ø.	-0. 0.	0.0	0.0	0.	-0.	0.		
011906Z	21.5 115.	8 25	0.0 0.0	0.	-0. 0.	0.0 0.0	0.	-0. 0.	0.0	0.0	0.	-0.	0.		
011918Z	21.7 114.	3 35	21.3 114.4	35.	25. 0.	23.0 112.0	45.	224. 15.	24.2	109.2	55.	740.	40.		
0120062	24.1 113.	2 30	23.8 113.1	45.	19. 15.	26.1 110.7	30.	324. 5.	0.0	0.0	0.	-0.	ø.		
612018Z	25.6 113.	1 30	25.8 112.8	30.	51. 0.	28.3 109.8	25.	530. 10.	0.0	0.0	0.	-0.	0.		
912186Z	33.2 114.	7 25	30.2 114.8	20.	5. • -5.	0.0 0.0	0.	-0. 0.	0.0	0.0	0.	-0.	ø.		
6121187	54.2 117.	5 15	A.A A.A	ρ.	-A. A.	0.0 0.0	Я.	-A. 0.	0.0	0.0	ø.	-0.	0.		

ALL FORECASTS WRNG 24-HR 48-HR 72-HR PYG FORECAST POSIT ERROR
PYS RIGHT ANGLE ERROR
PYS INTENSITY MAGNITUDE ERROR
PYS INTENSITY 81AS
HUMBER OF FORECASTS 740. 360. 0. 25. 214. 12. 5. 133. 0. 10. 40. 0. 3. 10. 40. 0.

DISTANCE TRAVELED BY TROPICAL CYCLONE IS

HIVERAGE SPEED OF TROPICAL CYCLONE IS 27. KNOTS

TROPICAL CYCLONE 07-82 8EST TRACK DATA

	8EST	BEST TRACK WARNING					24 HOUR FORECAST				48 HOUR FORECAST ERRORS					
					ERRO	ORS				ERF	RORS				ERF	RORS
MO/DA/HR	POS1T	MIND	POS1T	WIND	DST (WIND	POS 1	lΤ	WIND	DST	MIND	P09	51T	WIND	DST	WIND
012506Z	17.3 173.3	3 30	18.2 172.	8 35.	61.	5.	20.8	71.2	45.	206.	-5.	23.5	169.6	55.	417.	-15.
012618Z	17.9 173.7	7 40	17.9 173.	8 40.	6.	0.	19.1	74.8	50.	33.	-10.	20.8	175.8	60.	129.	-5.
012706Z	18.4 173.8	3 50	18.5 173.	8 40.	6	-10.	19.8	174.0	45.	87.	-25.	21.2	174.4	50.	162.	-15.
ย์ 127 18Z	18.7 174.4	4 60	18.7 174.	8 50.	23.	-10.	20.2	76.2	55.	103.	-10.	22.9	177.4	6 5 .	243.	ø.
012906Z	18,7 175.6	70	18.7 175.	2 70.	11.	0.	19.7	177.4	85.	110.	20.	22.4	179.0	95.	234.	40.
012918Z	18.7 175.3	3 65	18.7 175.	6 75.	17.	10.	19.0	176.7	85.	46.	20.	20.2	177.8	95.	72.	45.
912396Z	18.8 175.7	7 65	18.7 175.	8 65.	8.	0.	18.8	176.9	55.	66.	0.	19.3	177.8	50.	246.	5.
012918Z	19.1 175.9	9 65	19.7 175.	8 60.	36.	-5.	18.8	176.6	50.	120.	0.	19.1	177.2	45.	404.	5.
013006Z	19.6 176.	1 55	19.4 175.	9 55.	16.	0.	20.5	175.5	45.	216.	0.	21.2	174.2	35.	505.	ø.
013018Z	20.8 176.7	7 50	20.6 176.	2 50.	31.	ø.	22.0	175.2	40.	290.	0.	23.6	173.9	35.	519.	10.
913196Z	23.4 177.8	B 45	24.6 178.	2 45.	75.	0.	30.0	173.2	35.	283.	0.	0.0	0.0	Ø.	-0.	0.
913118Z	25.7 178.6	5 40	25.7 178.	8 40.	11.	ø.	31.0	179.2	25.	122.	0.	0.0	0.0	Ø.	-0.	0.
029106Z	28.7, 178.4	4 35	29.0 178.	2 35.	21.	ø.	0.0	0.0	а.	-0.	0.	0.0	0.0	0.	-0.	0.
929118Z	31.8 177.8	25	0.0 0.	0 0.	-0.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.

ALL			
WRNG	24-HR	48-HR	72-HR
25.	140.	293.	0.
13.	82.	124.	0.
3.	8.	14.	0.
-1.	-1.	7.	0.
13	12	10	0
	WRNG 25. 13. 3.	WRNG 24-HR 25. 140. 13. 82. 3. 8. -11.	25. 140. 293. 13. 82. 124. 3. 8. 14. -11. 7.

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1012. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 13. KNOTS

TROPICAL CYCLONE 08-82 8EST TRACK DATA

BEST TRACK				WARNING ERRORS				24 HOUR FORECAST ERRORS				48 HOUR FORECAST				
															ERRO	
MO/DA/HR		WIND	POSIT	MIND		WIND	POS		WIND	DST		POS		WIND		MIND
@12518Z	18.0 154.1	25	0.0 0.0	ø.	-0.	0.	0.0	0.0	Ø.	-0.	ø.	0.0	0.0	0.	-0.	0.
912606Z	19.7 155.7	25 -	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
012618Z	20.1 157.8	35	20.2 157.7	35.	8.	ø.	21.9	159.8	45.	43.	5.	23.6	161.2	50.	159.	10.
012796Z	20.7 159.1	40	21.0 159.2	35.	19.	-5.	22.9	161.7	40.	144.	ø.	25.4	163.3	40.	3 98.	5.
012718Z	21.2 159.6	40	21.2 150.2	40.	34.	ø.	22.8	162.7	50.	216.	10.	24.5	164.9	50.	526.	10.
012806Z	21.8 159.4	40	21.8 160.2	40.	45.	ø.	23.8	160.0	50.	195.	15.	25.4	157.5	55.	344.	15.
@12818Z	32.0 158.9	40	22.3 159.1	45.	21.	5.	23.0	157.5	45.	180.	5.	23.7	155.8	40.	310.	0.
912306Z	21.7 157.3	35	22.1 157.8	40.	37.	5.	22.7	155.2	50.	201.	10.	24.3	152.7	45.	477.	10.
912918Z	20.1 156.7	40	20.5 155.7	45.	61.	5.	20.6	152.0	50.	291.	10.	21.8	148.8	35.	604.	-10.
013006Z	19.7 156.8	40	19.1 157.6	40.	58.	Ø.	20.8	160.1	30.	261.	-5.	0.0	0.0	0.	-0.	0.
913918Z	18.6 156.7	40	18.6 156.3	35.	23.	-5.	16.7	157.5	30.	55.	-15.	0.0	0.0	Ø.	-0.	0.
813106Z	17.5 157.1	35	17.5 156.8	40.	17.	5.	16.1	158.7	45.	88.	-5.	15.8	161.4	35.	205.	-15.
013118Z	17.2 158.3	45	16.9 158.5	40.	21.	-5.	16.8	161.8	35.	80.	-20.	17.4	164.2	30.	218.	-30.
020106Z	17.2 153.7	50	17.8 159.4	45.	40.	-5.	18.7	162.2	55.	38.	5.	19.4	164.9	60.	227.	-5.
020118Z	18.0 151.2	55	17.7 161.4	55.	21.	Ø.	19.1	164.8	65.	169.	5.	21.5	168.2	75.	329.	15.
319206Z	13.2 161.8	50	19.2 162.2	55.	23.	5.	21.4	163.3	55.	78.	-10.	24.8	162.7	55.	70.	10.
∮10218Z	20.5 162.2	60	20.6 162.2	60.	6.	ø.	22.8	161.8	60.	81.	ø.	24.4	160.0	50.	310.	10.
929 386Z	22.3 152.3	65	22.2 162.4	65.	в.	ø.	26.5	163.9	60.	66.	15.	28.5	166.8	50.	178.	15.
929318Z	23.8 162.8	60	23.8 162.7	60.	5.	ø.	26.2	164.5	50.	59.	10.	28.5	167.9	45.	244.	15.
020406Z	25.4 163.8	45	25.2 163.5	50.	20.	5.	28.0	166.8	40.	149.	5.	29.8	170.6	35.	318.	10.
020418Z	25.8 165.5	40	26.9 165.2	45.	68.	5.	30.2	167.9	35.	337.	5.	0.0	0.0	0.	-0.	0.
929506Z	25.6 167.5	35	25.6 167.2	40.	16.	5.	25.2	171.2	30.	62.	5.	0.0	0.0	0.	-0.	ø.
929518Z	24.9 170.0	30	25.2 169.9	35.	19.	5.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	ø.
929686Z	24.7 172.2	25	23.2 173.8	25.	126.	ø.	0.0	0.0	ø.	-0.	ø.	9.0	0.0	ø.	-0.	Ø.

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1991. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 14. KNOTS

TROPICAL CYCLONE 09-82 8EST TRACK DATA

	8EST	TRACK			WARN 1	_	RORS		24 H	OUR FO	DRECA!	-		48 H		RECAS ERROS	
MD/DA/HR	POSIT	WIND	POS 1	Т	WIND	DST	WIND	P09	IT	WIND			POS:	ΙT	WIND	DST	WIND
013018Z	18.8 122.2	2 25	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.
013106Z	19.4 121.9	3 25	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	ø.	-0.	0.
013118Z	20.1 119.8	30	20.3 1	18.5	30.	74.	0.	21.8	115.8	30.	67.	s.	0.0	0.0	0.	-0.	0.
020106Z	20.9 118.9	35	20.8 1	18.1	30.	23.	-5.	22.2	115.8	30.	120.	10.	0.0	0.0	0.	-0.	0.
02 0 118Z	21.9 117.0	3 25	22.1 1	17.0	25.	12.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	Ø.	-Ø.	0.
02 0 206Z	23.8 114.5	5 20	23.7 1	14.2	20.	18.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.

ALL FORECASTS

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	32.	93.	0	0.
AVG RIGHT ANGLE ERROR	20.	40.	0.	0.
AVG INTENSITY MAGNITUDE ERROR	1.	8.	0.	0.
AVG INTENSITY BIAS	-1.	8.	0.	0.
NUMBER OF FORECASTS	4	2	0	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS \$35. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 18. KNOTS

TROPICAL CYCLONE 10-82 8EST TRACK DATA

	BEST TRACK WARNING								24 H	UR FO	RECAS	ST		48 HC	UR FO	RECAS		
							ER	RORS				ER	RORS				ERF	RORS
MO/DA/HR	POSI	Т	WIND	POS	ΙT	WIND	DST	WIND	POS	IT.	WIND	DST	MIND	POS	ΙT	MIND	DST	MIND
013000Z	15.0	65.2	20	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	0.
013012Z	15.3	63.5	25	0.0	0.9	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	8.0	0.0	0.	-0.	0.
013100Z	15.8	60.9	30	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
013112Z	16.2	58.5	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
020100Z	16.8	56.2	35	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
020112Z	17.5	54.8	35	17.3	54.3	35.	31.	0.	20.2	51.2	50.	61.	5.	23.2	48.8	60.	366.	40.
020200Z	18.6	53.1	40	18.0	53.4	40.	40.	ø.	21.1	51.6	50.	175.	10.	23.3.	50.0	60.	476.	35.
020212Z	19.2	51.4	45	20.3	\$1.8	45.	70.	Ø.	23.8	50.3	SS.	431.	35.	26.2	48.4	SØ.	585.	20.
020300Z	18.6	50.0	40	18.9	50.0	45.	18.	S.	18.3	47.2	25.	182.	0.	0.0	0.0	0.	-0.	0.
020312Z	17.4	46.8	20	18.2	48.8	35.	124.	15.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
020400Z	17.6	44.I	25	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
020412Z	18.0	42.7	30	17.9	41.5	35.	69.	s.	19.3	37.3	45.	116.	15.	20.8	34.2	30.	296.	IS.
020S00Z	18.0	40.6	30	18.2	40.6	30.	12.	0.	19.2	36.6	40.	126.	15.	0.0	0.0	0.	-0.	0.
020S12Z	17.8	38.6	30	17.8	38.4	30.	11.	0.	18.8	35.0	30.	168.	15.	0.0	0.0	0.	-0.	0.
020600Z	17.1	36.9	25	18.0	35.3	30.	67.	5.	0.0	0.0	9.	-0.	0.	0.0	0.0	0.	-0.	0.
0 20612Z	16.1	35.8	15	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

	ALL	FORECAS	TS	
	WRNG	24-HR	48-HR	72-HR
AVG FÖRECAST POSIT ERROR	49.	180.	431.	0.
AVG RIGHT ANGLE ERROR .	26.	122.	307.	0.
AVG INTENSITY MAGNITUDE ERROR	3.	14.	28.	0.
AVG INTENSITY 8IAS	3.	14.	28.	0.
NUMBER OF FORECASTS	9	7	4	Ø

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1798. NM

20. KNOTS AVERAGE SPEED OF TROPICAL CYCLONE IS

TROPICAL CYCLONE I1-82 BEST TRACK DATA

	BEST	TRACK			WARNI	_	ROR5		24 H	OUR FO	DRECAS ERRO	_		48 HO	UR FO	DRECAS ERROR	
MO/DA/HR	POSIT	MIND	POSI	T	MIND	DST	WIND	Pos	IT	WIND	DST	WIND	POS	TIE	WIND	DST	WIND
0214062	11.6 108.3	2 20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
021418Z	12.1 109.	4 25	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	0.
0215062	12.5 110.5	5 25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
Ø21518Z	13.1 111.3	3 30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
021606Z	13.9 111.5	5 35	14.0 1	12.0	35.	30.	Ø.	15.8	114.4	40.	244.	10.	17.9	115.3	45.	393.	25.
021618Z	14.4 111.6	Ø 35	14.2 1	12.6	35.	94.	Ø.	15.9	114.7	40.	296.	15.	0.0	0.0	ø.	-0.	ø.
0217062	14.5 110.	4 30	14.2 1	112.1	35.	100.	5.	14.8	112.2	45.	I44.	25.	0.0	0.0	ø.	-0.	0.
Ø21718Z	14.2 109.9	9 25	14.4 1	109.0	30.	54.	5.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
021806Z	13.9 109.9	9 20	14.2 1	109.8	35.	19.	15.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.

ALL FORECASTS WRNG 24-HR 48-HR 72-HR 0. AVG FORECAST POSIT ERROR 59. 228. 393. AVG RIGHT ANGLE ERROR 39. 165. 322. ø. AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY BIAS 25. 25. 5. 17. 0. 5. 0. NUMBER OF FORECASTS 5 3 0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 383. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

8. KNOTS

TROPICAL CYCLONE 12-82 BEST TRACK DATA

		8EST T	RACK			WARNI				24 HQ	OUR FO				48 H	OUR FO		
							ERI	RORS				ERRI	DR5				ERROR	₹5
MO/DA/HR	P051	T L	JIND	POS	ΙT	MIND	DST	WIND	POS	ΙT	WIND	DST	MIND	POS	ΙΤ	MIND	D5T	WIND
022212Z	22.6	36.2	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
022300Z	24.I	37.4	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
022312Z	24.7	40.0	40	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
022400Z	26.5	42.2	45	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.
0224122	29.3	44.4	40	28.I	44.8	40.	75.	0.	30.6	50.0	45.	196.	20.	0.0	0.0	0.	-0.	0.
022500Z	31.3	46.3	30	31.5	46.2	35.	13.	5.	0.0	0.0	0.	-0.	0.	0.0	0.0	.0.	-0.	0.
022512Z	33.7	48.8	25	34.2	49.7	30.	54.	5.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

ALL FORECASTS WRNG 24-HR 48-HR 72-HR AVG FORECAST POSIT ERROR 47. 196. 0. 0. AVG RIGHT ANGLE ERROR 42. 170. 0. 0. AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY 81A5 3. 20. 0. 0. 20. NUMBER OF FORECASTS 3 0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 970. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

27. KNOTS

TROPICAL CYCLONE 13-82 8EST TRACK DATA

	8EST T	RACK	4	-WARN1NG ERROR5				24 H	OUR FO	RECAS			48 H	OUR FO	RECAS	
					EKI	R5				ERR	OR5				ERF	ROR5
MO/DA/HR	P051T W	IND	P051T	WIND	D5T	WIND	POS	1T	WIND	DST	WIND	P05	1T	WIND	D5T	WIND
Ø22618Z	16.6 112.3	25	0.0 0.0	0.	-e.	٥.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.
022706Z	17.0 111.2	30	16.5 111.5	30.	35.	8.	16.0	110.0	40.	151.	5.	15.8	108.0	45.	579.	5.
022718Z	16.4 111.6	35	16.7 110.8	30.	49.	-5.	17.2	109.2	40.	321.	0.	18.1	107.3	50.	712.	15.
0228 0 6Z	17.2 112.3	35	17.2 111.8	35.	29.	Ø.	18.1	112.7	30.	279.	-10.	19.0	113.9	30.	433.	0.
022818Z	19.0 114.5	40	18.8 113.9	35.	36.	-5.	21.8	116.4	25.	267.	-10.	0.0	0.0	0.	-0.	0.
030106Z	19.1 117.5	40	19.3 118.2	45.	41.	5.	21.0	124.5	20.	260.	-10.	0.0	0.0	0.	-0.	0.
030118Z	18.7 119.8	3 5	19.0 119.8	40.	18.	5.	19.8	123.6	25.	175.	-5.	0.0	0.0	0.	-0.	0.
030206Z	17.8 121.4	30	17.6 122.0	35.	36.	5.	17.3	126.7	25.	278.	-10.	0.0	0.0	0.	-0.	0.
030218Z	17.2 122.2	30	17.4 122.1	35.	13.	5.	16.6	124.0	25.	168.	-15.	0.0	0.0	ø.	-0.	0.
0303062	16.7 121.9	3 5	16.8 122.2	35.	18.	0.	16.3	124.3	25.	292.	-25.	0.0	0.0	0.	-0.	0.
030318Z	17.0 121.1	40	17.0 122.0	40.	52.	0.	17.1	122.4	30.	274.	-30.	0.0	0.0	0.	-0.	ø.
0304062	17.9 119.5	50	18.1 119.4	50.	13.	ø.	20.1		60.	59.	-5.	23.0	115.2	25.	109.	-15.
030418Z	18.7 117.9	60	19.2 117.4	55.	41.	-5.	22.2		50.	102.	0.	24.8	112.8	35.	95.	0.
030506Z	19.6 115.9	65	19.9 116.2	65.	25.	0.	22.3	113.9	60.	25.	20.	24.8	112.5	45.	116.	20.
030518Z	20.5 114.3	50	20.5 114.2	65.	6.	15.	23.9		45.	60.	10.	0.0	0.0	0.	-0.	0.
030606Z	22.1 113.5	40	21.8 113.7	55.	21.	15.	25.5	113.6	35.	59.	10.	0.0	0.0	0.	-0.	0.
030 618Z	23.5 113.8	35	23.9 113.4	50.	33.	15.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
030706Z	25.1 114.6	25	25.2 114.5	25.	8.	ø.	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.

ALL FORECASTS WRNG 24-HR 48-HR 72-HR AVG FORECAST POSIT ERROR AVG RIGHT ANGLE ERROR AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY 8145 185. 341. 0. 28. 15. 103. 0. 5. 3. 11. 9. ø. 4. ø.

DISTANCE TRAVELED BY TROPICAL CYCLONE 15 1627. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 16

NUMBER OF FORECASTS

16. KNOTS

0

15

TROPICAL CYCLONE 15-82 8EST TRACK DATA

		BEST TRACK				WARN 1				24 HC	UR FO				48 H	DUR FO	DRECAS	
							ERF	ROR5				ERRI	DR5				ERROR	
MO/DA/HR	POS1	T W	1ND	POS	1T	WIND	D5T	WIND	P05	1T	WIND	D5T	WIND	P05	1T '	WIND	D5T	WIND
031606Z	12.2	54.7	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	0.
Ø31618Z	12.3	53.8	35	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
0317062	12.7	53.0	45	12.8	53.1	35.	8.	-10.	14.1	51.2	45.	45.	-25.	15.8	49.9	35.	136.	0.
031718Z	12.9	52.1	55	14.0	51.8	50.	68.	-5.	16.4	50.1	50.	142.	-10.	18.8	50.0	50.	337.	10.
031806Z	13.4	50.9	70	13.5	51.1	70.	13.	0.	15.0	49.0	35.	71.	0.	0.0	0.0	0.	-0.	0.
031818Z	14.1	49.5	60	14.3	50.0	65.	31.	5.	15.8	47.8	25.	142.	-15.	0.0	0.0	0.	-0.	0.
031906Z	14.8	47.8	35	14.1	48.4	25.	55.	-10.	14.5	45.8	40.	136.	-10.	15.9	42.8	50.	122.	-10.
Ø31918Z	15.3	45.4	40	15.3	45.3	40.	6.	ø.	16.8	41.8	50.	37.	-5.	18.6	39.2	45.	93.	-20.
032006Z	15.8	43.8	50	15.8	42.2	45.	92.	-5.	17.8	38.2	45.	166.	-15.	20.2	35.9	45.	252.	-25.
032018Z	16.4	42.3	55	17.5	41.8	55.	72.	0.	20.3	39.0	60.	193.	-5.	22.6	37.8	55.	293.	-15.
032106Z	16.8	40.9	60	17.6	41.0	55.	48.	-5.	20.1	38.8	65.	164.	-5.	22.7	37.7	55.	259.	-15.
032118Z	17.2	39.9	65	18.1	39.5	65.	59.	ø.	20.7	37.4	70.	191.	0.	23.2	36.6	65.	278.	-5.
032206Z	17.4	39.2	70	18.2	38.0	70.	84.	Ø.	20.3	35.9	65.	196.	-5.	23.4	35.0	45.	334.	-25.
Ø32218Z	17.8	38.8	70	18.1	38.0	70.	49.	8.	20.1	36.1	65.	178.	-5.	22.9	34.8	55.	365.	-20.
032306Z	18.5	33.8	70	18.2	37.9	70.	54.	Ø.	19.9	35.7	70.	181.	Θ.	22.2	35.2	60.	472.	-5.
032318Z	19.2	39.1	70	18.9	38.2	65.	54.	-5.	20.7	38.8	60.	157.	-15.	22.7	39.9	50.	384.	0.
0324062	20.2	39.9	70	19.9	39.5	65.	29.	-5.	22.6	41.2	50.	155.	-15.	25.8	44.0	40.	270.	-5.
032418Z	21.9	41.3	75	22.1	41.2	60.	13.	-15.	24.5	45.2	35.	169.	-15.	24.2	48.8	20.	623.	-10.
032506Z	24.1	43.5	65	24.0	44.2	50.	39.	-15.	25.6	48.1	20.	359.	-25.	0.0	0.0	Ø.	-0.	0.
Ø32518Z	27.3	44.8	50	26.3	45.6	50.	74.	Ø.	28.8	51.9	25.	561.	-5.	0.0	0.0	0.	-0.	0.
032606Z	30.3	43.9	45	30.6	44.7	45.	45.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	Ø.	-0.	0.
032618Z	32.7	42.0	30	32.5	41.9	30.	13.	0.	0.0	0.0	0.	-0.	Θ.	0.0	0.0	0.	-0.	Θ.

ALL FORECASTS WRNG 24-HR 48-HR AVG FORECAST POSIT ERROR 45. 180. 301. ø. AVG RIGHT ANGLE ERROR 33. 102. 0. AVG INTENSITY MAGNITUDE ERROR AVG INTENSITY 8185 4. 10. 12. 0. -4. -10. -10. 0. NUMBER OF FORECASTS 20 18 14 0

D15TANCE TRAVELED BY TROPICAL CYCLONE 15 2024. NM

AVERAGE SPEED OF TROPICAL CYCLONE 15

16. KNOT5

TROPICAL CYCLONE 16-82 BEST TRACK DATA

		8EST T	RACK		W	ARNI	4G			24 HO	UR F	DRECAS			48 HO	UR F	DRECAS	
							ER	RORS				ERRO	JRS				ERROR	?5
MO/DA/HR	POS I	T W	IND	POS	IT W	IND	DST	MIND	POS	IT L	IND	DST	MIND	POS	IT W	IIND	DST	MIND
031512Z	10.8	96.3	20	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	ø.	-0.	0.
031600Z	12.3	95.1	25	0.0	0.0	ø.	-0.	0.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	0.	-0.	ø.
Ø31612Z	13.8	94.2	25	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	Ø.	0.0	0.0	0.	-0.	ø.
031700Z	13.2	93.2	25	0.0	0.0	ø.	-0.	0.	0.0	0.0	Ø.	-0.	ø.	0.0	0.0	Ø.	-0.	ø.
0317122	14.8	92.7	30	0.0	0.0	ø.	-0.	ø.	0.0	0.0	0.	-0.	Ø.	0.0	0.0	0.	-0.	ø.
0318002	16.2	91.2	40	15.9	91.0	35.	21.	-5.	18.0	88.6	45.	130.	15.	20.0	95.8	50.	190.	25.
031812Z	17.8	91.0	40	17.4	90.8	45.	27.	5.	20.2	90.7	45.	72.	20.	0.0	0.0	0.	-0.	e.
03190 8 Z	19.2	90.5	30	21.4	91.6	40.	146.	10.	26.2	94.5	30.	444.	5.	0.0	0.0	ø.	-0.	0.
0319122	19.6	89.6	25	20.5	88.8	35.	70.	10.	0.0	0.0	Ø.	-0.	Ø.	0.0	0.0	0.	-0.	0.
032000Z	20.7	89.1	25	22.8	88.6	30.	129.	5.	0.0	0.0	ō.	-0.	0.	0.0	0.0	ø.	-0.	0.

ALL FORECASTS

	WRNG	24-!{R	48-HR	72-HR
AVG FORECAST POSIT ERROR	79.	215.	190.	0.
AVG RIGHT ANGLE ERROR	6 6.	202.	190.	8.
AVG INTENSITY MAGNITUDE ERROR	7.	13.	25.	8.
AVG INTENSITY BIAS	5.	13.	2 5 .	0.
NUMBER OF FORECASTS	5	3	1	Р

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 822. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

15. KNOTS

TROPICAL CYCLONE 17-82 8EST TRACK DATA

	BEST TE	BEST TRACK						24 H	UR F	RECAS			48 HC	UR FO	RECAS	
					ERF	RORS				ERRO	IRS				ERROR	?5
MO/DA/HR	POSIT W	IND	POSIT	WIND	DST	MIND	POS	TI	WIND	DST	MIND	POS	TI	MIND	DST	MIND
033118Z	3.2 159.2	20	0.0 0.0	ø.	-0.	ø.	0.0	0.0	ø.	-0.	Ø.	0.0	0.0	ø.	-0.	0.
040106Z	5.3 158.0	25	0.0 0.0	Ø.	-0.	ø.	0.0	0.0	Ø,	-0.	Ø.	0.0	0.0	ø.	-0.	ø.
040118Z	7.3 158.2	30	6.2 157.8	30.	70.	ø.	8.2	156.1	40.	182.	ø.	9.2	153.1	50.	313.	-10.
040206Z	9.1 158.6	35	9.8 159.3	30.	59.	-5.	13.3	159.7	40.	169.	-10.	16.3	157.2	50.	180.	-20.
0402182	10.1 158.5	40	10.7 159.0	35.	47.	-5.	13.5	157.8	45.	102.	-15.	16.5	155.0	55.	117.	-25.
040306Z	10.9 158.2	50	11.5 157.2	45.	69.	-5.	13.0	154.3	65.	165.	-5.	15.0	150.5	70.	384.	-20.
0403182	11.8 157.7	60	11.8 157.7	55.	0.	-5.	13.8	156.0	80.	97.	Ø.	15.7	153.5	85.	323.	-10.
040406Z	13.3 157.1	70	13.4 157.0	70.	8.	0.	17.0	156.8	90.	38.	Ø.	20.5	157.8	100.	81.	15.
040418Z	15.3 156.6	80	15.8 156.7	80.	31.	0.	20.8	157.2	100.	80.	5.	26.5	159.0	90.	254.	15.
040506Z	17.6 156.6	90	18.6 155.7	90.	79.	0.	23.2	156.3	100.	200.	15.	28.2	160.2	95.	279.	30.
040518Z	19.5 157.5	95	20.2 157.6	95.	42.	0.	24.8	160.3	90.	135.	15.	29.3	164.0	65.	212.	10.
0406 06 Z	21.1 159.1	85	21.1 158.7	90.	22.	5.	24.8	161.1	70.	117.	5.	29.2	164.7	55.	274.	10.
040618Z	22.6 160.8	75	22.7 160.9	75.	8.	0.	26.6	165.1	55.	57.	0.	29.5	170.5	40.	217.	0.
040706Z	24.4 163.2	65	23.9 162.5	65.	49.	ø.	27.1	166.2	45.	204.	0.	32.2	168.4	30.	586.	Ø.
040718Z	26.3 166.1	55	26.4 167.2	50.	59.	-5.	29.9	175.2	0.	81.	-40.	0.0	0.0	0.	-0.	0.
040806Z	28.3 169.8	45	28.0 168.4	45.	76.	0.	31.3	174.4	30.	339.	ø.	0.0	0.0	0.	-0.	0.
040818Z	31.0 174.3	40	30.5 174.2	40.	30.	Ø.	0.0	0.0	Ø.	-0.	Ø.	0.0	0.0	ø.	-0.	Ø.
040965Z	34.8 179.7	30	0.0 0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.

ALL	FUREURS	15	
WRNG	24-HR	48-HR	72-HR
43.	140.	268.	ø.
23.	87.	182.	Ø.
2.	8.	14.	0.
-1.	-2.	-0.	0.
15	14	12	8
	WRNG 43. 23. 2.	WRNG 24-HR 43. 140. 23. 87. 2. 812.	43. 140. 268. 23. 87. 182. 2. 8. 14. -120.

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 2530. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS

25. KNOTS

TROPICAL CYCLONE 18-82 . 8EST TRACK DATA

	8EST TRACK				HING	RORS		24 H	OUR FO	RECA:			48 H	OUR FO	ORECAS ERROS	
MD/DA/HR	POSIT U	LIND	BOCIT	1.14 61		-	000		WIND		WIND	000		LIAND	DST	
		NIND	POSIT	W1N	_		P09			DST		P09		MIND		
0494122	11.3 138.3	25		.0 0		0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
040500Z	11.0 138.8	35		.0 0		₿.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
040512Z	11.3 139.2	45	11.5 139	.2 45		0.	10.9	138.4	60.	145.	0.	10.4	136.5	75.	390.	5.
040500Z	12.1 139.5	55	11.9 139	.4 55	. 13.	0.	11.9	138.7	65.	149.	0.	11.0	137.0	75.	445.	30.
040612Z	12.9 139.8	60	12.8 139	.6 60	. 13.	0.	14.8	140.2	70.	70.	0.	17.0	141.3	60.	237.	30.
040700Z	13.9 140.2	65	13.8 148	.1 65	. 8.	0.	15.6	142.5	50.	44.	5.	16.1	146.1	45.	76.	15.
840712Z	14.8 141.4	70	15.0 141	.5 75	. 13.	5.	16.2	144.5	49.	54.	10.	16.7	147.6	50.	136.	15.
040809Z	15.3 143.2	45	15.3 143	.0 45	. 12.	0.	15.9	145.4	30.	99.	0.	17.0	148.5	45.	184.	5.
048812Z	15.5 145.1	30	16.5 145	.2 30	. 60.	ø.	19.1	148.2	40.	266.	5.	20.2	153.0	50.	371.	10.
040900Z	15.1 146.9	30	15.6 146	.5 30	. 38.	0.	16.9	150.5	40.	151.	0.	18.8	155.2	50.	322.	10.
040912Z	14.7 148.7	35	15.5 148	.8 35	. 48.	0.	16.1	153.2	45.	154.	5.	17.6	157.8	55.	342.	15.
041000Z	i4.4 150.2	40	14.2 150	.2 35	. 12.	-5.	14.5	154.5	45.	129.	5.	15.0	159.4	55.	383.	15.
041012Z	14.2 151.4	40	14.6 152	.1 40	. 47.	ø.	14.9	155.9	50.	177.	10.	15.5	160.5	60.	491.	25.
041189Z	14.2 152.3	40	14.6 152	.8 40	. 38.	0.	14.6	155.3	40.	146.	0.	14.8	158.2	45.	424.	15.
041112Z	14.4 152.9	40	14.5 153	.0 40	. 8.	0.	14.5	154.6	40.	164.	5.	14.5	156.2	40.	414.	15.
041200Z	14.9 152.8	40	14.5 153	.3 40	. 38.	0.	14.5	154.5	40.	233.	10.	0.0	0.0	0.	-0.	0.
041212Z	15.6 152.0	35	14.7 152	.0 40	. 54.	5.	14.8	151.3	40.	206.	15.	0.0	0.0	0.	-0.	0.
041300Z	16.6 151.1	30	16.6 150			5.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	è.
041312Z	18.0 150.0	25	17.9 149			5.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	ø.

	ALL	FORECAS	TS	
	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	26.	146.	324.	0.
AVG RIGHT ANGLE ERROR	18.	71.	213.	0.
AVG INTENSITY MAGNITUDE ERROR	1.	5.	16.	0.
AVG INTENSITY 81AS	Ι.	5.	16.	ø.
NUMBER OF FORECASTS	17	15	13	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1278. NM

12. KNOTS AVERAGE SPEED OF TROPICAL CYCLONE IS

TROPICAL CYCLONE 19-82 8EST TRACK DATA

	8EST	TRACK			WARN		2000		24 H	OUR F				48 H	OUR F	_	
	_										EKK	פאט				EKKU	RS
POS I	T i	JIND	POS	IT	WIND	DST	MIND	POS	1T	WIND	DST	MIND	POS	IT	WIND	DST	MIND
6.2	85.4	20	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.
6.7		25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
7.3	81.1	25	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	0.
7.7	79.6	30	0.0	0.0	0.	-0.	ø.	0.0	0.0	ø.	-0.	Ø.	0.0	0.0	ø.	-0.	ø.
7.8	78.1	40	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	0.	0.0	0.0	0.	-0.	0.
8.0	77.0	50	8.0	76.0	40.	59.	-10.	8.2	72.8	50.	174.	-20.	9.2	68.8	55.	393.	-30.
8.2	76.2	60	8.2	75.9	60.	18.	0.	8.4	73.2	80.	131.	ø.	8.8	69.6	95.	385.	5.
8.6	75.7	70	8.3	74.9	70.	51.	ø.	8.6	72.8	80.	173.	-5.	9.0	67.7	90.	561.	-5.
9.1	75.3	80	9.5	75.8	80.	38.	0.	10.8	74.8	100.	69.	10.	11.5	72.6	05.	329.	-5.
9.9	75.4	85	9.8	75.3	90.	8.	5.	14.7	75.3	95.	249.	ø.	11.8	75.0	90.	254.	-5.
10.4	75.9	90	10.1	75.6	SØ.	25.	ø.	11.2	75.1	85.	183.	-15.	12.2	74.0	85.	375.	Ø.
10.9		95	10.8	76.5	90.	30.	-5.	13.2	77.2	90.	134.	-5.	15.4	77.8	80.	216.	5
11.4	78.2	100	12.0	77.8	90.	43.	-10.	14.2	79.8	85.	61.	0.	16.5	81.8	75.	51.	10.
	79.3	95	12.3	77.8	95.	88.	0.	14.2	80.2	75.	72.	0.	16.0	82.3	60.	112.	5.
	80.3	85	13.2	80.2	90.	8.	5.	14.5	82.8	75.	83.	10.	16.0	85.8	65.	229.	30.
		75	14.2	81.0	85.	29.	10.	15.8	82.7	75.	113.	20.	0.0	0.0	0.	-0.	0.
		65	15.0	81.8	75.	56.	10.	16.2	83.4	55.	187.	20.	0.0	0.0	ø.	-Ø.	0.
17.6	83.3	55	18.7	85.0	55.	117.	8.	0.0	0.0	ø.	-9.	ø.	0.0	0.0	Ø.	-0.	0.
19.3	03.8	35	19.5	64.3	50.	31.	15.	0.6	0.0	ø.	-0.	ø.	0.0	0.0	ø.	-ø.	ø.
	P0S1 6.2 6.7 7.7 7.8 8.0 8.6 9.1 9.9 10.4 11.4 12.3 13.3 14.5 8 17.6	POSIT (6.2 85.4 6.7 83.3 7.3 81.1 7.7 79.6 78.1 8.0 77.0 8.2 76.2 8.6 75.7 9.1 75.4 10.4 75.9 10.9 77.0 11.4 78.2 12.3 79.3 13.3 80.3 14.5 81.4 15.8 82.3 17.6 83.3	POSIT WIND 6.2 85.4 20 6.7 83.3 25 7.3 81.1 25 7.7 79.6 30 7.8 78.1 40 8.0 77.0 50 8.2 76.2 60 8.6 75.7 70 9.1 75.3 80 9.9 75.4 85 10.4 75.9 90 11.4 78.2 100 12.3 79.3 95 13.3 80.3 85 14.5 81.4 75 15.8 82.3 65 17.6 83.3 55	6.2 85.4 20 0.0 6.7 83.3 25 0.0 7.3 81.1 25 0.0 7.7 79.6 30 0.0 7.8 78.1 40 0.0 8.0 77.0 50 8.0 8.2 76.2 60 8.2 8.6 75.7 70 8.3 9.1 75.3 80 9.5 9.9 75.4 85 9.8 10.4 75.9 90 10.1 10.9 77.0 95 10.8 11.4 75.9 10.8 12.3 79.3 95 12.3 13.3 80.3 85 13.2 14.5 81.4 75 14.2 15.8 82.3 65 15.0 17.6 83.3 55 10.7	POSIT WIND POSIT 6.2 85.4 20 0.0 0.0 6.7 83.3 25 0.0 0.0 7.3 81.1 25 0.0 0.0 7.7 79.6 30 0.0 0.0 8.0 77.0 50 8.0 76.0 8.2 76.2 60 8.2 75.9 8.6 75.7 70 8.3 74.9 9.1 75.3 80 9.5 75.8 9.9 75.4 85 9.8 75.3 10.4 75.9 90 10.1 75.6 10.9 77.0 95 10.8 76.5 11.4 78.2 100 12.0 77.8 12.3 79.3 95 12.3 77.8 12.3 79.3 95 12.3 77.8 13.3 80.3 85 13.2 80.2 14.5 81.4 75 14.2 81.0 15.8 82.3 65 15.0 81.8 17.6 83.3 55 16.7 95.0	POSIT WIND POSIT WIND 6.2 85.4 20 0.0 0.0 0.0 6.7 83.3 25 0.0 0.0 0.0 7.3 81.1 25 0.0 0.0 0.0 7.7 79.6 30 0.0 0.0 0.0 8.0 77.0 50 8.0 76.0 40 8.2 76.2 60 8.2 75.9 60 8.6 75.7 70 8.3 74.9 70 9.1 75.3 80 9.5 75.8 80 9.9 75.4 85 9.8 75.3 90 10.4 75.9 90 10.1 75.6 90 11.4 76.2 100 12.0 77.8 95 10.4 77.9 95 10.8 76.5 90 11.4 78.2 100 12.0 77.8 95 12.3 <	POSIT WIND POSIT WIND DST 6.2 85.4 20 0.0 0.0 0. 00. 6.7 83.3 25 0.0 0.0 0.0 00. 7.3 \$1.1 25 0.0 0.0 0.0 00. 7.8 78.1 40 0.0 0.0 00. 7.8 78.1 40 0.0 0.0 0. 00. 8.0 77.0 50 8.0 76.0 40. 59. 8.2 76.2 60 8.2 75.9 60. 18. 8.6 75.7 70 8.3 74.9 70. 51. 9.1 75.3 80 9.5 75.8 80. 38. 9.9 75.4 85 99.8 75.3 90. 8.0 9.9 75.4 85 99.8 75.3 90. 8.10.4 75.9 90 10.1 75.6 90. 25. 10.9 77.0 95 10.8 76.5 90. 30. 11.4 78.2 100 12.3 77.8 95 88. 13.3 60.3 85 13.2 80.2 90. 8. 14.5 81.4 75 14.2 81.0 85. 29. 15.8 62.3 65 15.0 81.8 75.5 56. 17.6 83.3 55 10.7 95.0 55. 117.	POSIT WIND POSIT WIND DST WIND 6.2 85.4 20 0.0 0.0 00. 0. 6. 6.7 83.3 25 0.0 0.0 0. 00. 0. 6. 7.3 \$1.1 25 0.0 0.0 0. 00. 0. 7.7 79.6 30 0.0 0.0 00. 0. 7.8 78.1 40 0.0 0.0 00. 0. 8. 7.8 78.1 40 0.0 0.0 00. 0. 8. 9. 78.7 70.5 50 8.0 76.0 40. 5910. 8.0 77.0 50 8.0 76.0 40. 5910. 8.2 76.2 60 8.2 75.9 60. 18. 0. 8.6 75.7 70 8.3 74.9 70. 51. 0. 9.1 75.3 80 9.5 75.8 80. 38. 0. 9.9 75.4 85 9.8 75.3 90. 8. 5. 10.4 75.9 90 10.1 75.6 90. 25. 0. 10.9 77.0 95 10.8 76.5 90. 305. 11.4 76.2 100 12.0 77.8 90. 4310. 12.3 79.3 95 12.3 77.8 95. 88. 0. 13.3 60.3 85 13.2 80.2 90. 8. 5. 14.5 81.4 75 14.2 81.0 85. 29. 10. 15.8 82.3 65 15.0 81.8 75. 56. 10. 17.6 83.3 55 18.7 95.0 55. 117. 0.	POSIT WIND POSIT WIND DST WIND FOS 6.2 85.4 20 0.0 0.0 00. 0. 0.0 0. 6.7 83.3 25 0.0 0.0 0. 00. 0. 0.0 0. 7.3 \$1.1 25 0.0 0.0 0. 00. 0. 0.0 0. 7.7 79.6 38 0.0 0.0 00. 0. 0.0 0. 7.8 78.1 40 0.0 0.0 00. 0. 0.0 0.0 0. 0. 0. 0. 0. 0.0 0. 0. 0	POSIT WIND POSIT WIND DST WIND POSIT 6.2 85.4 20 8.0 8.0 8.0 8.0 9.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8	POSIT WIND POSIT WIND DST WIND POSIT WIND 6.2 85.4 28 8.0 8.0 8.0 80. 8. 8.0 8.0 8.0 8.7 8.3 81.1 25 8.0 8.0 8.0 80. 8. 8.0 8.0 8.0 8.7 77 79.6 38 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.	POSIT WIND POSIT WIND DST WIND POSIT WIND DST OF POSIT WIND DST WIND POSIT WIND DST WIND POSIT WIND DST WIND POSIT WIND DST WIND DST WIND POSIT WIND DST WIND DST WIND WIND DST WIND WIND DST WIND POSIT WIND DST WIND WIND WIND WIND WIND WIND WIND WIND	POSIT WIND POSIT WIND DST WIND D	POSIT WIND POSIT WIND DST WIND POSIT WIND DST WIND POSIT WIND DST	POSIT WIND WIND POSIT WIND WIND POSIT WIND WIND WIND WIND WIND WIND WIND WIND	POSIT WIND POSIT WIND 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	POSIT WIND POSIT WIND POSIT WIND DST WIND POSIT WIND DST

	ALL	FORECAS	TS	
	WRNG	24-HR	43-HR	72-HR
AVG FORECAST POSIT ERROR	43.	136.	290.	0.
AVG RIGHT ANGLE ERROR	25.	99.	204.	Ø.
AVG INTENSITY MAGNITUDE ERROR	5.	9.	10.	0.
AVG INTENSITY BIAS .	1.	1.	1.	Ø.
MUMBER OF FORECASTS	14	12	10	Ø

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 1463. NM

AVERAGE SPEED OF TROPICAL CYCLONE IS 14. KNOTS

TROPICAL CYCLONE 21-82 BEST TRACK DATA

BEST T	RACK			WARN:	ING			24 H	OUR FO	DRECA!	ST		48 HC	IUR FO		
					ER	RORS				ERRI	DRS				ERROR	RS .
POSIT W	IND	POS	1T	WIND	DST	WIND	P09	1T	MIND	DST	WIND	P09	1T	MIND	DST	MIND
9.0 157.1	15.	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	Ø.	0.0	0.0	ø.	-0.	Ø.
8.4 157.0	15	0.0	0.0	0.	-0.	0.	0.0	0.0	Ø.	-0.	ø.	0.0	0.0	Ø.	-0.	Ø.
8.8 156.4	20	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	ø.
9.6 156.3	20	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
10.6 156.4	25	0.0	0.0	Ø.	-0.	9.	0.0	0.0	Ø.	-0.	0.	0.0	0.0	ø.	-0.	0.
11.4 156.6	25	0.0	0.0	0.	-0.	ø.	0.0	0.0	0.	-0.	0.	0.0	0.0	ø.	-0.	ø.
12.3 156.8	30	0.0	0.0	0.	-0.	0.	0.0	0.0	3.	-0.	0.	0.0	0.0	0.	-0.	0.
13.2 157.0	30	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.	0.0	0.0	0.	-0.	0.
14.1 157.8	35	14.8	158.2	40.	48.	5.	17.3	159.2	60.	218.	20.	19.8	161.2	65.	474.	35.
14.4 159.9	40	15.0	158.6	45.	43.	5.	16.4	161.0	55.	196.	20.	17.7	164.0	60.	435.	35. •
13.8 160.2	40	15.5	159.6	40.	108.	ø.	16.8	161.3	45.	294.	15.	18.2	163.9	50.	511.	30.
13.2 161.7	35	14.0	161.2	40.	56.	5.	13.9	163.8	50.	254.	25.	0.0	0.0	0.	-0.	0.
	30	11.7	162.4	35.	54.	5.	10.2	165.6	30.	380.	10.	0.0	0.0	0.	-0.	0.
				ø.		Й.	0.0		ø.	-0.	ø.	0.0	0.0	ø.	-0.	0.
	20					ø.	0.0	0.0	ø.			0.0	0.0	ø.	-0.	ø.
	POSIT W 157.1 8.4 157.0 8.8 156.4 9.6 156.4 11.4 156.6 12.3 156.8 13.2 157.0 14.1 157.8 14.4 159.9	9.0 157.1 15 8.4 157.0 15 8.8 156.4 20 9.6 156.3 20 10.6 156.4 25 11.4 156.6 25 12.3 156.8 30 13.2 157.0 30 14.1 157.8 35 14.4 159.9 40 13.8 160.2 40 13.2 161.7 35 11.9 161.5 30 11.4 160.3 25	POS1T WIND POS 9.0 157.1 15 0.0 8.4 157.0 15 0.0 8.8 156.4 20 0.0 9.6 156.3 20 0.0 10.6 156.4 25 0.0 11.4 156.6 25 0.0 12.3 156.8 30 0.0 13.2 157.0 30 0.0 14.1 157.8 35 14.8 14.4 159.0 40 15.0 13.8 160.2 40 15.5 13.2 161.7 35 14.0 11.9 161.5 30 11.7 11.4 160.3 25 0.0	POS1T WIND POS1T 9.0 157.1 15 0.0 0.0 8.4 157.0 15 0.0 0.0 8.8 156.4 20 0.0 0.0 9.6 156.3 20 0.0 0.0 11.4 156.6 25 0.0 0.0 12.3 156.8 30 0.0 0.0 13.2 157.0 30 0.0 0.0 14.1 157.8 35 14.8 158.2 14.4 159.9 40 15.0 158.6 13.8 160.2 40 15.5 159.6 13.8 160.2 40 15.5 159.6 11.9 161.5 30 11.7 162.4 11.4 160.3 25 0.0 0.0	POS1T WIND POS1T WIND 9.0 157.1 15 0.0 0.0 0. 8.4 157.0 15 0.0 0.0 0. 8.8 156.4 20 0.0 0.0 0. 9.6 156.3 20 0.0 0.0 0. 11.4 156.6 25 0.0 0.0 0. 12.3 156.8 30 0.0 0.0 0. 13.2 157.0 30 0.0 0.0 0. 14.1 157.8 35 14.8 158.2 40. 14.4 159.9 40 15.0 158.6 45. 13.8 160.2 40 15.5 159.6 40. 13.9 161.5 30 11.7 162.4 35. 11.4 160.3 25 0.0 0.0 0.0	POS1T WIND POS1T WIND DST 9.0 157.1 15 0.0 0.0 0. 00. 8.4 157.0 15 0.0 0.0 0. 00. 8.8 156.4 20 0.0 0.0 00. 9.6 156.3 20 0.0 0.0 0. 00. 10.6 156.4 25 0.0 0.0 0. 00. 11.4 156.6 25 0.0 0.0 0.0 00. 12.3 156.8 30 0.0 0.0 0. 00. 13.2 157.0 30 0.0 0.0 00. 14.1 157.8 35 14.8 158.2 40. 48. 14.4 159.9 40 15.0 158.6 45. 43. 13.8 160.2 40 15.5 159.6 40. 108. 13.2 161.7 35 14.0 161.2 40. 56. 11.9 161.5 30 11.7 162.4 35. 54. 11.4 160.3 25 0.0 0.0 00.	POS1T WIND POS1T WIND DST WIND 9.0 157.1 15 0.0 0.0 00. 0. 8.4 157.0 15 0.0 0.0 00. 0. 8.8 156.4 20 0.0 0.0 00. 0. 9.6 156.3 20 0.0 0.0 00. 0. 10.6 156.4 25 0.0 0.0 0. 00. 0. 11.4 156.6 25 0.0 0.0 0. 00. 0. 11.4 157.0 30 0.0 0.0 00. 0. 12.3 156.8 30 0.0 0.0 0. 00. 0. 13.2 157.0 30 0.0 0.0 00. 0. 14.1 157.8 35 14.8 158.2 40. 48. 5. 14.4 159.9 40 15.0 158.6 45. 43. 5. 13.8 160.2 40 15.5 159.6 40. 108. 0. 13.2 161.7 35 14.0 161.2 40. 56. 5. 11.9 161.5 30 11.7 162.4 35. 54. 5. 11.4 160.3 25 0.0 0.0 0. 00. 0.	POS1T WIND POS1T WIND DST WIND POS 8.4 157.8 15 8.0 8.0 8.0 80. 8.0 8.0 8.8 156.4 28 8.0 8.0 8.0 80. 8.0 8.0 8.6 156.3 20 8.0 8.0 8.0 8.0 -0. 8.0 8.0 8.6 156.4 25 8.0 8.0 8.0 8.0 -0. 8.0 8.0 8.0 18.6 156.4 25 8.0 8.0 8.0 8.0 -0. 8.0 8.0 18.6 156.4 25 8.0 8.0 8.0 8.0 -0. 8.0 8.0 18.4 156.6 25 8.0 8.0 8.0 8.0 -0. 8.0 8.0 11.4 156.6 25 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0	POS1T WIND POS1T WIND DST WIND POS1T 9.0 157.1 15 0.0 0.0 00. 0. 0.0 0.0 8.4 157.0 15 0.0 0.0 00. 0. 0.0 0.0 8.8 156.4 20 0.0 0.0 00. 0. 0.0 0.0 9.6 156.3 20 0.0 0.0 00. 0. 0.0 0.0 10.6 156.4 25 0.0 0.0 00. 0. 0.0 0.0 11.4 156.6 25 0.0 0.0 00. 0. 0.0 0.0 12.3 156.8 30 0.0 0.0 00. 0. 0.0 0.0 13.2 157.0 30 0.0 0.0 00. 0. 0.0 0.0 14.1 157.8 35 14.8 158.2 40. 48. 5. 17.3 159.2 14.4 159.9 40 15.0 158.6 45. 43. 5. 16.4 161.0 13.8 160.2 40 15.5 159.6 40. 108. 0. 16.8 161.3 13.2 161.7 35 14.0 161.2 40. 56. 5. 13.9 163.8 11.9 161.5 30 11.7 162.4 35. 54. 5. 10.2 165.6 11.4 160.3 25 0.0 0.0 00. 0. 0.0 0.0	POS1T WIND POS1T WIND DST WIND POS1T WIND 9.0 157.1 15 0.0 0.0 00. 0. 0.0 0.0 0.0 0.8 4 157.0 15 0.0 0.0 00. 0. 0.0 0.0 0.0 0.8 156.4 20 0.0 0.0 00. 0. 0.0 0.0 0.0 0.9 6 156.3 20 0.0 0.0 0.0 00. 0. 0.0 0.0 0.0 0.1 0.6 156.4 25 0.0 0.0 0.0 00. 0. 0.0 0.0 0.0 0.1 1.4 156.6 25 0.0 0.0 0.0 00. 0. 0.0 0.0 0.0 0.1 1.4 156.6 25 0.0 0.0 0.0 00. 0. 0.0 0.0 0.1 1.4 157.8 35 14.8 158.2 40. 48. 5. 17.3 159.2 60.1 14.1 157.8 35 14.8 158.2 40. 48. 5. 17.3 159.2 60.1 14.4 159.9 40 15.0 158.6 45. 43. 5. 16.4 161.0 55. 13.8 160.2 40 15.5 159.6 40. 108. 0. 16.8 161.3 45. 13.2 161.7 35 14.0 161.2 40. 56. 5. 13.9 163.8 50. 11.9 161.5 30 11.7 162.4 35. 54. 5. 10.2 165.6 30. 11.4 160.3 25 0.0 0.0 00. 0. 0.0 0.0 0.0 0.	POS1T WIND POS1T WIND DST WIND POS1T WIND DST WI	POS1T WIND POS1T WIND DST WIND DST	POSIT WIND POSIT WIND POSIT WIND DST WIND POSIT WIND DST WIND POSIT WIND POSIT WIND POSIT WIND POSIT WIND POSIT WIND DST WIND POSIT WIND WIND POSIT WIND WIND WIND WIND WIND WIND WIND WIND	POS1T WIND POS1T WIND DST WIND	POSIT WIND POSIT WIND DST WIND POSIT WIND DST WIND POSIT WIND DST WIND POSIT WIND DST WIND DS	POSIT WIND POSIT WIND DST WIND POSIT WIND DST WI

Δ1 I	FORECASTS	

	WRNG	24-HR	48-HR	72-HR
AVG FORECAST POSIT ERROR	62.	269.	473.	0.
AVG RIGHT ANGLE ERROR	43.	183.	320.	0.
AVG INTENSITY MAGNITUDE ERROR	4.	18.	33.	0.
AVG INTENSITY BIAS	4.	18.	33.	0.
NUMBER OF FORECASTS	5	5	3	0

DISTANCE TRAVELED BY TROPICAL CYCLONE IS 889. NM

AVERAGE SPEED OF TROPICAL CYCLONE 1S 11. KNOTS

APPENDIX B

1. 1980-81 TROPICAL CYCLONE FIX DATA

TC21-80
F1X POSITIONS FOR CYCLONE NO. 21

SATELLITE FIXES

FIX	TIME	FI	×				
NO.	(Z)	P051T		ACCRY	DVORAK CODE	COMMENTS	SITE
* 1	050212	7.65	68.4E	PCN 6	T1.0/1.0	INIT OBS	KGWC
* 2	080156	7.05	64.1E	PCN 5	T1.0/1.0	INIT 085	FJDG
3	080246	6.85	65.7E	PCN 5	T2.0/2.0 /S0.0/15HRS		KGWC
4	081112	7.35	63.5E	PCN 5	T1.0/2.0 /D1.0/09HRS		FJDG
5	090224	7.75	66.9E	PCN 4	T3.0/3.0 /D1.0/24HRS		KGWC
6	090315	7.65	63.2E	PCN 5			FJDG
7	091101	7.25	63.0E	PCN 5	T1.0/2.0		FJDG
8	091503	7.35	64.0E	PCN 6			KGWC
9	091504	7.05	62.0E	PCN 6			FJDG
10	092346	7.55	64.8E	PCN 6			FJDG
11	100343	9.05	65.7E	PCN 6	T3.0/3.0 /S0.0/24HR5		KGWC
12	101050	8.65	62.1E	PCN 4	T2.0/2.0 /D0.5/24HR5		FJDG
13	101622	9.05	63.8E	PCN 6			KGWC
14	102334	9.15	66.2E	PCN 6			KGWC
15	102335	8.65	62.3E	PCN 5			FJDG
16	110320	9.05	61.5E	PCN 5	T2.5/2.0 /W0.5/18HRS		FJDG
17	110321	7.95	64.5E	PCN 6	T1.0/1.5 /W2.0/24HR5		KGWC
18	111220	9.75	62.6E	PCN 5	T2.0/1.5 /W0.5		FJDG
19	111600	9.65	61.9E	PCN 4			KGWC
20	111600	9.85	62.4E	PCN 6			FJDG
21	120258	10.85	60.8E	PCN 5	T3.0/3.0 /D1.5/24HRS		KGWC
22	120258	12.05	61.0E	PCN 3	T2.0/2.5 /D0.5/23HR5		FJDG
23	121208	13.85	60.2E	PCH 3	T1.0/2.5 /D0.5		FJDG
24	121537	11.35	50.0E	PCN 6			KGWC
25	121538	14.15	59.2E	PCN 6			FJDG
26	122220	15.95	60.2E	PCN 6			FJDG

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC22-80 FIX POSITIONS FOR CYCLONE NO. 22

F1X NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE		COMMENTS	SITE
							KGWC
* 1	080100	10.75 87.5E		T5.5/6.0-/W0.5/			KGWC
* 2	100200	12.65 80.3E		T6.0/6.0 /D0.5/	25HR5	THE DOE	PGTW
3	040000	- 7.2S 101.8E		T1.0/1.0		INIT 085	FJDG
4	040107	6.95 102.1E		T1.0/1.0		1N1T 085	KGWC
5	040107	6.9S 101.9E		T1.5/1.5		INIT D8S	PGTW
6	040900	7.55 100.5E					PGTW
7	041200	6.65 99.5E					FJDG
8	041347	7.05 99.3E		T1.0/1.5 /D0.5/	12HR5		PGTW
9	041500	6.35 99.3E					KGWC
10	050044	7.25 101.0E					PGTW
1 1	050300	6.65 99.8E		T2.5/2.5 /D1.5/	27HR5		PGTW
12	051200	6.75 98.98				DUDDOK NAO	FJDG
13	051324	7.55 99.3E				DVORAK N/A	PGTW
14	051600	7.15 98.38					PGTW
15	060000	7.5S 96.9E			OF LIGHT		KGWC
15	060203	7.85 96.5E		T3.5/3.5 /D1.5/			PGTW
17	060300	7.35 96.48		T3.5/3.5 /D1.0/	24HR5		PGTW
18	060900	7.85 95.5E					PGTW
19	061200	8.25 95.05					PGTW
20	061600	8.25 94.68					PGTW
21	062100	8.75 93.48		TE 0.5 0 (D) 5.	21406		PGTW
22	070000	8.95 92.98		T5.0/5.0 /D1.5/			FJDG
23	070141	8.55 93.28		T1.5/5.0 /D0.5/			KGWC
24	070141	8.75 92.78		T6.0/6.0 /D2.5/	24fK5		PGTW
25	070300	9.05 92.48					PGTW
26	070900	9.65 91.28					PGTW
27	071200	9.85 90.88					KGWC
28	071420	9.85 90.48					FJDG
* 29	071421	11.65 92.25					PGTW
30	072100	10.65 88.88					PGTW
31	080000	10.75 87.88		TE 0 (5 0	toune	071421Z POSIT IN ERROR	FJDG
32	080119	11.55 87.58		T5.0/5.0	10HR5	8/14212 FUST1 IN ERRUR	PGTW
33	080300	10.75 87.4	PCN 1				, 010

	222522		05 45	5011 4			PGTW
34	080600	10.85	86.4E	PCN 1		DEN GEN ON GROUT EVE	PGTW
35	080900	11.05	85.9E	PCN 3		P5N 85D ON APRNT EYE P5N 85D ON APRNT EYE	PGTW
36	081200	11.15	85.4E	PCN 3		PON BOD UN APRINT ETE	FJDG
37	081358	11.95	85.0E	PCN 4		DOW OCK ON ABOUT EVE	PGTW
38	082100	11.55	83.7E	PCN 3		PSN 8SD ON APRNT EYE P5N 85D ON APRNT EYE	PGTW
39	090000	11.65	83.6E	PCN 3	TT F 45 0 400 F 41310F	PON BOU UN APRNI ETE	FJDG
40	090237	11.55	84.7E	PCN 2	T5.5/6.0 /D0.5/13HR5	1117 005	PGTW
41	090300	11.65	83.2E	PCN 3	T6.0/6.0	1N1T 085	
42	090600	11.65	82.9E	PCN 1		SUPPLEMENTAL 85D ON V15 DATA	PGTW PGTW
*. 43	090600	11.45	82.7E	PCN 3			PGTW
44	090900	11.95	82.6E	PCN 1			
45	091200	12.25	82.1E	PCN 1			PGTW
* 46	091335	12.15	81.5E	PCN 2			KGWC
47	091335	12.15	80.BE	PCN 2			FJDG
48	092100	12.65	81.2E	PCN 3			PGTW
* 49	100000	12.75	81.1E	PCN 3			PGTW
50	100215	12.55	81.8E	PCN 1	TC 0 45 0 450 0 45 105		FJDG PGTW
* 51	100300	12.95	80.9E	PCN 3	T6.0/6.0 /S0.0/24HRS		PGTW
52	100900	13.35	80.5E	PCN 3			KGWC
* 53	101454	13.35	79.7E	PCN 4			PGTW
* 54	102100	13.95	79.2E	PCN 5			PGTW
* 55	110000	14.35	79.0E	PCN 5	T3 544 5 410 540 4105		KGWC
* 56	110152	13.55	78.5E	PCN 4	T3.5/4.5 /W2.5/24HR5		FJDG
57	110153	13.05	80.5E	PCN 5	T3.0		PGTW
* 58	110300	14.55	79.1E	PCN 5	T5.0/6.0 /W1.0/24HRS		PGTW
* 59	110900	15.75	79.5E	PCN 5			PGTW
* 60	111200	15.65	79.9E	PCN 5			PGTW
* 61	111600	15.75	80.7E	PCN 5			PGTW
* 62	112100	15.65	82.1E	PCN 5			PGTW
63	120000	15.95	82.5E	PCN 5	T1 000 0 400 5 00 4100		KGWC
* 64	120151	14.25	76.5E	PCN 4	T1.0/2.0 /W2.5/24HRS		
* 65	120900	17.25	84.5E	PCN 5			PGTW
* 66	121200	18.55	85.5E	PCN 5			PGTW

TC24-80 FIX POSITIONS FOR CYCLONE NO. 24

SATELLITE FIXES

FIX NO.		TIME (Z) POS		FIX POSITION		DVORAK CODE:	COMMENTS	SITE
	1 2	221200 221347	7.6S 9.55	79.3E 78.5E	PCN 5 PCN 6		WELL FRMD CC	PGTW FJDG
*	3	222100	9.25	76.3E	PCN 5			PGTW
*	4	230026	10.05	76.9E	PCN 3	T2.0/3.0	INIT 085 P5N 8SD ON ULAC	FJDG
	5	230116	8.65	77.6E	PCN 4	T1.5/1.5	INIT 085 P5N 8SN ON EX 1F LLCU	KGWC
	6	231505	9.95	76.0E	PCN 4		P5N 8SD ON CONV. FEATURES	KGWC
	7	240203	10.25	75.0E	PCN 4	T1.5/1.5 /S0.0/25HRS	P5N 85D ON EX. OF LLCU LINES	KGWC
	8	240204	10.85	74.0E	PCN 3	T2.0/2.5 /D0.5/24HR5	CNTR 85D ON LLCC	FJDG
	9	241443	10.75	72.4E	PCN 6		P5N 85D ON CONV. FEATURES	KGWC
	10	250332	11.05	70.4E	PCN 6	T1.5/1.5 /50.0/25HR5		KGWC
	11	251601	10.75	66.9E	PCN 6		P5N BSN ON CONV. FEATURES	KGWC
	12	260259	11.85	65.8E	PCN 6	T2.0/2.0 /D0.5/24HRS	P5N 85D ON EX. OF LLCU L1NE5	KGWC
	13	260300	12.15	65.4E	PCN 5	T3.0	COMPLETE DVORAK N/A	FJDG
	14	26 1539	11.75	60.3E	PCN 4			FJDG
	15	261539	11.05	61.1E	PCN 6	T2.0/2.0 /D0.5/24HR5	P5N BSD ON VLAC OUTFLOW	KGWC
	16	270418	12.35	58.0E	PCN 6	T1.5/2.0 /W0.5/25HR5		KGWC
	17	27 1658	12.15	54.BE	PCN 6	T7 0 0 F	DEN OCT ON DODT! Y EMPORT 11 CI	KGWC FJDG
	18	280356	12.15	51.9E	DCN F	T3.0/2.5	P5N 8SD ON PARTLY EXPOSD LLCL	KGWC
	19 20	280356 281635	10.95 10.75	53.0E 49.5E	PCN 5	T2.0/2.0 /D0.5/24HR5	DYDRAK N/A	FJDG
	21	290333	11.25	49.3E	PCN 3	T1.5/1.5 /W0.5/24HRS	P5N BSD ON EX OF ULAC	KGWC
	22	300452	12.85	48.8E	PCN 3	T2.5/2.5-/D1.0/25HR5	PSN BSD ON EX OF LLCU LINES	KGWC
	23	010429	12.75	40.3E	PCN 1	12.3/2.J-/D1.0/23R3	PSN 85D ON BANDING EYE	KGWC

SYNOPTIC FIXES

F1X	TIME	FIX	INTENSITY	NEAREST	
NO.	(Z)	POSITION	ESTIMATE	DATA (NM)	COMMENTS

1 300900 12.55 42.5E 15 6

TC25-80 FIX POSITIONS FOR CYCLONE NO. 25

SATELLITE FIXES

	TIME (Z)	FIX POSIT		ACCRY	DVORAK CODE	COMPEN	ITS	SITE
2 3	250141 251420 260118	5.8S 5.0S	93.4E 92.0E 91.9E		T1.5/1.5 T1.8/1.5 /W0.5/24HRS	INIT OBS		KGWC KGWC KGWC PGTW
5 6 7	260300 261200 261358 262100	6.2S 7.0S 6.4S	91.5E 91.2E 89.9E 90.2E	PCN 5 PCN 4 PCN 5	T1.5/1.5	1411 085		PGTW KGWC PGTW
* 9 10 11	270056 270215 270300 271200	6.75	88.5E 86.0E 88.2E 86.4E	PCN 6 PCN 5 PCN 5 PCN 5	T2.0/2.5 T2.0/2.0 /D0.5/24HRS			KGWC FJDG PGTW PGTW
13 14	271335 272100 280000 280214	8.65	86.8E 86.4E 85.8E 85.5E	PCN 6 PCN 5 PCN 5 PCN 5	T2.5/2.5 /D1.5/49HRS			KGWC PGTW PGTW KGWC
16 17 18	280300 280900 282100	8.2S 8.4S	85.4E 85.4E 85.5E	PCH 5 PCH 5 PCH 5 PCH 5	T3.0/3.0 /D1.0/24HRS			PGTW PGTW PGTW PGTW
20 21 22	290152 290152 290600	11.2S 10.0S 10.1S	86.9E 86.4E	PCH 3 PCH 4 PCH 3 PCH 1				FJDG KGWC PGTW PGTW
24 25 * 26	291200 291431 291432		85.8E 86.4E	PCN 5 PCN 6 PCN 4 PCN 5				PGTW KGWC FJDG PGTW
28 29 * 30	300000 300129	12.7S 12.3S 14.2S 12.0S	86.6E	PCN 5 PCN 4 PCN 1 PCN 3	T2.0/2.0 /W1.0/24HRS T3.0/3.0 T3.0/4.0 /W1.0/24HRS			PGTW KGWC FJDG PGTW
32 33 34	300900 301200 301409		87.2E 87.5E 87.1E	PCN 5 PCN 5 PCN 6 PCN 5				PGTW PGTW FJDG PGTW
36 37 38	302100 010107	13.75		PCN 5 PCN 4 PCN 3 PCN 5	T0.5/1.0-/J1.5/24HRS T2.5/3.0 /J0.5/24HRS			PGTW KGWC PGTW PGTW
* 41 * 42	011200 011600 012100	14.25 14.65 15.15 15.05	84.8E 84.5E 83.3E	PCN 5 PCN 5 PCN 5 PCN 6	T1.0/1.0 /S0.0/24HRS			PGTW PGTW PGTW KGWC
44 45 46	020300	15.2S 15.3S 15.4S 15.7S		PCN 5 PCN 5 PCN 5 PCN 5	T3.0/3.0 /S0.0/21HRS			PGTW PGTW PGTW PGTW
48 49 50	021600 021640 022100	16.3S 17.1S 16.6S 15.9S	81.2E 81.0E 81.3E	PCN 5 PCN 4 PCN 5 PCN 6	T1.5/1.5 /D0.5/24HRS			PGTW FJDG PGTW KGWC
52 53 54		16.55 16.75 17.05 17.45		PCN 5 PCN 5 PCN 5 PCN 5	T3.0/3.0 /S0.0/24HRS			PGTW PGTW PGTW PGTW
		20.05 18.15 19.25 16.25	80.0E 79.9E 80.2E	PCN 6 PCN 5 PCN 5				FJDG PGTW PGTW FJDG
60	040140 040300	16.05	76.7E 76.9E	PCN 4				KGWC PGTW

TC26-80 FIX POSITIONS FOR CYCLONE NO. 26

SATELLITE FIXES

	×I×	TIME	FIX				
1	١0.	(Z)	P051T10N	ACCRY	DVORAK CODE	COMMENTS	51TE
			•				
					m4 - 44 m	1114 T 005	PGTW
	1	130000	12.15 117.8E	PCH 5	T1.5/1.5	1N1T 085	
	2	130300	12.65 117.7E	PCH 5			PGTW
	3	130600	12.75 117.5E	PCH 5			PGTW PGTW
	4	130900	12.95 117.2E	PCH 5			
	5	131200	13.35 116.7E	PCH 5			PGTW
	6	132100	12.95 116.0E	PCH 5			PGTW
	7	140000	13.15 116.0E	PCH 5	T2.5/2.5 /D1.0/24HRS		PGTW
	8	140300	13.05 116.7E	PCH 5			PGTW
	9	140900	13.4S 115.9E	PCH 5			PGTW
	10	141600	13.55 115.3E	PCN 5			PGTW
	11	142100	13.75 114.8E	PCN 5			PGTW
	12	150000	13.25 113.3E	PCH 5	T3.0/3.0 /D0.5/24HRS		PGTW
	13	150300	14.05 113.0E	PCN 5			PGTW
	14	150900	14.35 112.0E	PCN 5			PGTW
	15	151600	14.4S 110.9E	PCN 5			PGTW
	16	160000	14.5S 109.1E	PCH 3	T4.0/4.0 /D1.0/24HRS		PGTW
	17	160032	14.5S 109.2E	PCH 1			KGWC
	18	160300	14.95 108.5E	PCH 3			PGTW
	19	160900	15.4S 107.5E	PCH 1			PGTW
	20	161600	16.15 106.4E	PCN 1			PGTW ⋅
	21	162100	16.75 105.4E	PCH 1			PGTW
	22	162324	16.6S 105.0E	PCH 1			KGWC
	23	170000	17.0S 105.1E	PCH 1			PGTW
	24	170900	17.75 104.3E	PCN 3			PGT₩
	25	171200	18.5S 104.4E	PCN 5			PGT₩
	26	171600	19.15 104.6E	PCN 5			PGT₩
	27	172100	20.25 105.8E	PCH 5			PGT₩
	28	172347	17.05 102.4E	PCN 6			KGWC
	29	180600	16.15 102.9E	PCH 3		EXPOSED 8RD LLC	PGT₩
	30	180900	16.45 103.0E	PCN 3			PGTW
	31	181600	17.0S 102.5E	PCN 3			PGTW

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC28-80 F1X POSITIONS FOR CYCLONE NO. 28

F1X	TIME	F1X					
NO.	(Z)	P051T10N	ACCRY	DVORAK CODE	COMMENTS	\$1	ΤE
1	220000	11.0S 124.1E	PCN 5	T1.5/1.5	1N1T 08S	P	GTW
2	220300	10.75 125.0E	PCH 5			P	GT₩
3	220600	10.6S 125.9E	PCH 5			P	GTW
4	220900	10.75 125.6E	PCH 5				GT₩
5	221200	10.65 125.0E	PCH 5				GTW
б	221600	10.6S 124.7E	PCH 5				GT₩
7	222100	10.95 122.5E	PCH 5				GT₩
8	230000	10.85 122.8E	PCH 5				GTW
9	230300	10.85 122.9E	PCH 5	T1.0/1.5+/W0.5/27HR5			GT₩
10	230600	11.25 122.4E	PCH 5				GT₩
11	230900	11.15 121.9E	PCN 5				GTW
12	231200	11.35 121.4E	PCN 5				GT₩
13	231600	11.25 120.9E	PCH 5				GTW
14	232100	11.65 119.3E	PCN 5				GT₩
15	240300	11.55 118.9E	PCH 5	T3.0/3.0 /D2.0/24HR5			GTW
16	240600	11.75 118.4E	PCN 3				GTW
17	240900	11.9S 118.0E	PCN 5				GTW
18	241200	11.95 117.5E	PCH 1				GTW
19	241600	12.15 117.0E	PCN 5				GTW
20	242100	12.45 115.9E	PCN 5				GTW
21	250000	12.55 116.0E	PCN 5	T4.0/4.0 /D1.0/21HRS			GTW
22	250300	13.15 115.3E	PCN 1				GTW
23	250900	13.6S 114.3E	PCN 1				GTW GTW
24	251600	14.15 113.3E	PCN 1				GTW
25	252100	14.55 112.6E 14.65 112.1E	PCN 1				GTW
26 27	260000 260300		PCN 1	T4 8 /4 8 /68 8 /37UDC			GTW
28	260300	14.7S 111.6E 14.8S 111.0E	PCN 1 PCN 5	T4.0/4.0 /S0.0/27HRS			GTW
28	200900	14.05 111.05	FLN 5			P	310

29 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 47 48 49	261600 262100 270000 271200 271226 271226 271600 280000 280105 280300 281305 281600 281600 281600 290402 290300 290300 290300 290300 291322 291600 300000	15.05 110.4E 15.35 109.4E 15.45 108.9E 16.05 107.0E 16.25 107.0E 16.75 106.3E 17.75 105.3E 18.75 105.0E 19.25 104.6E 20.25 104.5E 20.25 104.5E 22.05 104.5E 22.15 103.8E 22.15 103.8E 22.15 105.6E 23.15 105.6E 23.15 105.6E 23.15 105.6E 23.45 106.9E	55511101501150115541555 PCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	T4.5/4.5 /D8.5/21HRS T4.5/4.5 T3.5/4.8 /W1.8/2SHRS T5.5/5.5 /D1.8/27HRS T2.5/3.8 /W1.8/24HRS T4.8/5.8 /W1.5/24HRS	INIT OBS	PGTW PGTW PGTW PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW RGWC PGTW PGTW RGWC PGTW PGTW RGWC P
49 50	300300	25.45 106.9E 24.05 107.3E	PCN 5			PGTW

TC01-81 F1X POSITIONS FOR CYCLONE NO. 1

SATELLITE FIXES

F1×	T1ME	FI					
NO.	(Z)	POS1T	10N	ACCRY	DVORAK CODE	COMMENTS	SITE
1	030353	10.95	60.9E	PCN S	T1.0/1.0	INIT OBS	KGWC
2	030333	10.15	60.1E	PCN 3	T1.5		FJDG
3	040331	10.75	59.7E	PCN 3	T1.5/1.5 /D0.5/24HRS		KGWC
4	041610	11.15	68.6E	PCN 6	11:371:3 700:37241110		KGWC
	252239	12.75	61.8E	PCN 4	T2.0/2.0 /D0.5/23HRS		KGWC
S 6	050235 050255	14.15	62.6E	PCN 3	T1.5		FJDG
-		13.95	61.2E	PCN 6	,1.5		KGWC
(051547	16.25	59.9E	PCN 3	T1.5/3.5 /D0.5		FJDG
8	060245				T3.5/3.5 /D1.5/24HRS		KGWC
9	060245	16.35	S9.1E	PCN 4			FJDG
18	061525	17.35	57.3E	PCN 4	T3.5/5.5 /D0.5		KGWC
11	061525	17.95	S7.SE	PCN 2	TE 540 0 400 0 400 UDC		KGWC
12	070404	19.95	S6.2E	PCN 1	T5.5/S.S-/D2.0/2SHRS		KGWC
13	071643	21.15	56.0E	PCN 3	TT T .4 0 410 0 0 0 4100		KGWC
14	080341	22.25	S6.2E	PCN S	T3.5/4.0 /W2.0/24HRS		FJDG
15	080342	25.55	56.9E	PCN 3	T5.0/4.5		KGWC
16	081621	24.25	S8.5E	PCN 6			KGWC
17	090319	26.25	S7.2E	PCN S	T3.0/3.0 /W0.5/24HRS		
18	091358	27.95	S7.2E	PCN 4			KGWC
19	091559	28.95	58.9E	PCN 2			FJDG
* 20	100234	38.05	70.0E	PCN 6			KGWC
21	100256	30.35	58.3E	PCN S	T2.0/3.0 /W1.0/24HRS		KGWC
* 22	101536	33.85	62.7E	PCN 4			KGWC

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC02-81 FIX POSITIONS FOR CYCLONE NO. 2

F1X NO.	TIME (Z)	F1X POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1 2 3 4 5	120000 120300 121200 121600 122100	12.9S 179.7W 13.3S 179.7E 13.3S 178.4E 13.4S 178.0E 14.1S 177.7E	PCN S PCN S PCN S PCN S PCN 5	T2.8/2.8		PGTW PGTW PGTW PGTW PGTW
6 7 8 9	130300 130900 131200 131600	14.65 177.1E 15.2S 177.1E 15.3S 177.0E 15.6S 177.0E	PCH 3 PCH 1 PCH 1 PCH 1	T3.8/3.0 /D1.8/27HRS		PGTW PGTW PGTW PGTW
10 11 12	132022 132100 140300	16.2S 177.2E 16.1S 177.1E 17.3S 177.6E	PCN 6 PCN 5 PCN 5	T3.S/3.S /S0.0/2SHRS T4.0/4.0 /D1.0/24HRS		KG⊍C PGTW PGTW

13 14 15 16 17 * 18 19 * 20 * 21 22	141200 141600 141959 142100 150300 150900 151600 151600 152100 1600000	18.75 178.1E 19.1S 178.9E 19.55 178.6E 20.1S 178.6E 20.05 179.2E 20.85 179.2W 20.85 178.3W 21.65 176.1W 22.75 179.5E 24.05 178.9E		T3.0/4.0 /WI.0/24HR5	ULCC 25.4 179.2	PGTW PGTW KGWC PGTW PGTW PGTW PGTW PGTW PGTW PGTW
23	160300	25.15 178.6E	PCN 5	T2.0/3.0 /W1.0/24HR5		PGTW

SYMOPTIC FIXES

FIX NO.	TIME (Z)	FIX POSITION	INTENSITY ESTIMATE		COMMENTS
	141200	16.55 176.5E 18.55 177.5E 20.05 178.5E	50 30 60	25 35 60	

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC03-81 FIX POSITIONS FOR CYCLONE NO. 3

					FIX POSITI		TCØ3-8 CYCLON			
					•		_			
					SA	TELLITE	FIXE5			
FIX	TIME	FIX								
NO.	(Z)	POSITION	ACCRY	DVORAK C	CODE			COMMENTS		SITE
	127	103111011	HOOK	21011111	,022			001 11 12 11 10		
						•				1401.10
1	120030	11.8S 110.2E	PCN 5	T1.5/1.5			INIT			KGWC
2	120800	12.25 110.6E	PCN 5	T2.5/2.5			INIT	085		PGTW
3	121200	12.65 110.4E	PCN 5							PGTW
4	121600	12.65 I10.4E	PCN 5							PGTW
5	130007	13.25 112.8E	PCN 5		/S0.0/24HR5					KGWC
6	130300	I3.I5 113.7E	PCN 3	T2.0/0.5	/W0.5/24HRS					PGTW
7	131200	13.85 115.5E	PCN 5							PGTW
8	132100	14.15 116.0E	PCN 3							PGTW
9	140300	14.35 116.3E	PCN 5	T3.5/3.5	/D1.5/24HR5					PGTW
10	141200	15.75 115.6E	PCN 5							PGTW
ΙI	141600	14.75 117.3E	PCN 5							PGTW
12	142100	16.15 115.8E	PCN 5							PGTW
13	150300	16.15 117.1E	PCN 3	T2.5/3.5	/W1.0/24HR5					PGTW
14	151600	17.05 117.9E	PCN 5							PGTW
15	152100	I6.85 117.2E	PCN 5							PGTW
16	152100	17.3S 117.7E	PCN 5							PGTW
17	160000	18.05 117.5E	PCN 5							PGTW
18	160300	17.75 I17.0E	PCN 3	T3.5/3.5	/D1.0/24HRS					PGTW
19	161200	18.15 117.0E	PCN 5							PGTW
20	161680	18.35 116.5E	PCN 5							PGTW
21	162100	18.05 116.5E	PCN 5							PGTW
22	170000	18.25 116.2E	PCN 5							PGTW
23	170300	18.05 115.9E	PCN 3	T4.5/4.5	/D1.0/24HRS					PGTW
24	170900	18.25 115.7E	PCN 1							PGTW
25	171600	18.45 115.2E	PCN 1							PGTW
26	172100	18.95 I14.9E	PCN 1							PGTW
27	180000	19.2S 114.7E	PCN 1							PGTW
28	180300	19.15 114.4E	PCN 1	T5.5/5.5	/D1.0/24HR5					PGTW
29	198988	20.IS 113.8E	PCN 5							PGTW
30	181600	20.9S 113.0E	PCN 1							PGTW
31	182100	21.85 112.5E	PCN 1							PGTW
32	190000	22.55 112.3E	PCH 1							PGTW
33	190300	23.15 112.1E	PCN 1	T4.5/5.5	/W1.0/24HR5					PGTW
34	192900	23.85 112.1E	PCN 5							PGTW
35	191200	24.05 112.2E	PCN 5							PGTW
36	191688	24.6S 113.1E	PCN 5							PGTW
37	200000	25.05 111.5F	PCN 5							PGTW
38	200300	25.25 111.0E	PCN 5	T3.0/3.5	-/W1.5/24HRS					PGTW
39	201200	25.5S 110.6E	PCN 5							PGTW
			_							

TC04-81 FIX POSITIONS FOR CYCLONE NO. 4

SATELLITE FIXES

FIX NO.	TIME (Z)	FI: POSIT		ACCRY	DVORAK CODE	COMMENTS	SITE
1 2 3 4 5 6 7 8 9 10 11	150244 151523 151524 160222 161501 161501 170159 170257 171439 180317	11.2S 11.4S 12.0S 13.3S 15.0S 15.3S 15.6S 15.5S 18.1S 17.2S 15.0S	79.1E 79.3E 79.0E 79.7E 79.9E 79.3E 80.0E 80.0E 79.3E 79.3E	5 6 3 4 6 6 4 5 6 6 6 9 PCC 7 7 7 7 PCC 7 7 7 7 PCC 7 7 7 PCC 7 PC	T1.5/1.5 T3.0/3.0 /D1.5/24HRS T2.0/3.0 /U1.0/24HRS	INIT OËS	KGWC KGWC FJDG KGWC KGWC FJDG FJDG KGWC FJDG

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC05-81 FIX POSITIONS FOR CYCLONE NO. 5

SATELLITE FIXES

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DYORAK CODE	COMMENTS	SITE
* 2 3 4 * 5 * 6 * 7 8 9	251200 252100 260000 260300 260300 261600 261600 270000 270000 270300	16.0S 161.4E 17.1S 160.9E 16.5S 163.3E 17.0S 164.3E 17.5S 166.4E 17.6S 167.9E 19.7S 167.5E 19.5S 167.2E 19.1S 166.9E 20.2S 170.7E		T0.5/0.5 T0.5/0.5 /S0.0/24HRS	ULCC AT 21.0 167.8 UL ONLY	PGTW PGTW PGTW PGTW PGTW PGTW PGTW PGTW
11 12	280000 280300	21.8S 169.9E 22.8S 170.4E	PCN 5 PCN 5		SEC LLCC AT 23.0 163.4	PGTW PGTW

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC06-81 FIX POSITIONS FOR CYCLONE NO. 6

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1 2 3 4 4 5 5 6 7 8 9 * 10 12 13 14 15 15 17	280254 281533 290141 290231 300119 300203 301448 301448 310327 310329 311607 311607 010305 010305 011544 011545 010423	11.8S 68.9E 12.4S 70.7E 14.1S 69.8E 13.9S 69.9E 17.4S 69.2E 16.8S 68.2E 18.6S 66.2E 18.7S 63.4E 20.0S 65.0E 20.6S 62.0E 20.6S 65.0E 20.3S 61.0E 21.9S 57.3E 20.0S 57.4E 22.4S 54.3E 24.1S 54.2E 24.0S 51.9E	5 6 5 4 3 4 6 6 4 5 6 6 3 6 6 4 5 6 6 7 6 6 4 5 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 7 6 7	T1.0/1.0 T1.0 T2.0/2.0 /D1.0/24HRS T3.0/3.0 /D1.0/24HRS T1.5/2.5 /W1.5/25HRS T2.0/2.0 /D0.5/24HRS	INIT 08S	KGWC KGWC FJDG KGWC FJDG KGWC FJDG FJDG KGWC FJDG KGWC FJDG KGWC

5YNOPTIC FIXES

FIX NO.	X TIME F1X . (2) P05IT10N		INTENSITY NEAREST ESTIMATE DATA (NM)		COMMENTS
	031200 041200	24.0S 26.0S	 40 20	120 200	

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC08-81 F1X P051T10N5 FOR CYCLONE NO. 8

SATELL ITE FIXES

FIX NO.	T1ME (Z)	FIX PO51T1ON	ACCRY	DYORAK CODE	COMMENTS	51TE
1	080000	8.45 177.7E	PCN 5	T1.0/1.0	IN1T 085	PGTW
2	081200	9.05 175.6E	PCN 5	11.07 1.0		PGTW
3	081600	9.55 174.65	PCN 5			PGTW
4	0B2041	10.5S 172.5E	PCN 5	T1.5/1.5	INIT OBS	KGWC
5	082100	10.6S 172.9E	PCN 5		and the second second	PGTW
6	090000	11.6S 170.1E	PCN 5			PGTW
7	090000	11.45 172.6E	PCN 5			PGTW
8	091200	12.75 170.6E	PCN 5			PGTW PGTW
9	091600	13.45 169.8E	PCN 5	T3.0/3.0 /D1.5/24HRS		KGWC
10 11	032018 092100	13.55 169.2E 13.45 168.4E	PCN 5 PCN 5	13.0/3.0 /DI.3/24nR3		PGTW
12	100000	13.55 168.0E	PCN 5			PGTW
13	100900	13.75 168.2E	PCN 5			PGTW
14	101200	13.75 167.5E	PCN 5			PGTW
15	101600	13.9S 167.3E	PCN 5			PGTW
16	101959	15.2S 169.0E	PCN 5	T3.0/3.0 /S0.0/24HRS		KGWC
17	102100	14.5S 168.1E	PCN 5			PGTW
1B	110000	15.45 168.7E	PCN 5			PGTW
19	110300	16.15 168.6E	PCN 3	T4.0/4.0	INIT OB5	PGTW PGTW
20	110900	16.65 168.3E 16.85 168.3E	PCN 5 PCN 5			PGTW
21 22	111200 111600	17.35 167.8E	PCN 3			PGTW
23	111933	18.15 167.BE	PCN 2	T4.5/4.5 /D1.5/24HR5		KGWC
24	112100	18.35 167.7E	PCN 1	14.07 4.0 1 21.01 241110		PGTW
25	120000	19.0S 167.5E	PCN 1			PGTW
26	120900	20.65 166.4E	PCN 1			PGTW
27	121200	21.05 165.9E	PCN 1			PGTW
28	121600	21.9S 165.4E	PCN 3			PGTW
29	122052	23.25 164.7E	PCN 3	T3.5/3.5 /W1.0/24HRS		KGWC
30	122100	23.2S 164.9E	PCN 5			PGTW PGTW
31	130000	24.45 164.4E	PCN 5	T7 0.77 0	INIT OOS	PGTW
32 33	130600 130900	25.65 161.5E 25.75 160.9E	PCN 5 PCN 5	T3.0/3.0	INIT OBS	PGTW
33 34	131200	25.15 159.9E	PCN 3			PGTW
35	131500	25.65 159.1E	PCN 3			PGTW
36	132100	25.6S 157.8E	PCN 5			PGTW
37	140000	26.25 156.6E	PCN 5	T2.0/3.0 /W1.0/1BHR5		PGTW
38	140300	26.65 155.6E	PCN 5			PGTW
39	140900	25.5S 154.0E	PCN 5		LLCC	PGTW
40	141200	25.35 153.7E	PCN 5			PGTW
41	141600	24.85 153.1E	PCN 3	T1 000 0 411 000 4155		PGTW PGTW
42	150000	25.35 150.2E	PCN 5	T1.0/2.0-/W1.0/24HR5		PGTW
43 44	150300 150900	25.55 148.8E 24.85 145.4E	PCN 5			PGTW
44	120200	24.00 140.4E	LCH 2			

TC09-81 FIX POSITIONS FOR CYCLONE NO. 9

SATELLITE FIXES

FIX	TIME	FIX				
NO.	(2)	POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1	082100	13.2S 149.3E	PCN 5			PGTW
2	090000	13.6S 148.1E	PCN 5			PGTW
3	090600	13.5S 148.4E	PCN 5	T1.0/1.0	INIT D8S	PGTW
4	090900	13.9S 147.5E	PCN 5	17		PGTW
5	091200	14.1S 146.7E	PCN 5			PGTW
6	091600	14.0S 145.9E	PCN 5			PGTW
7	092100	13.6S 144.7E	PCN 5			PGTW
8	092200	14.0S 145.5E	PCN 6	T2.5/2.5	INIT D8S	KGWC
9	100000	13.5S 144.4E	PCN 5			PGTW
10	100600	14.4S 142.9E	PCN 5	TI.5/1.5 /SØ.Ø/24HRS		PGTW '
11	100900	14.9S 142.0E	PCN 5			PGTW
12	101200	15.2S 141.4E	PCN 5			PGTW
13	101600	15.9S 140.6E	PCN 5			PGTW
* 14	102100	15.45 138.6E	PCN 5			PGTW
* 15	102137	15.4S 137.8E	PCN 5	T2.5/2.5 /S0.0/24HRS		KGWC
* 16	110000	15.25 138.1E	PCN 5			PGTW
17	110300	16.4S 138.1E	PCN 3	T3.0/3.0-/D1.5/21HRS		PGTW
18	110900	17.0S 137.7E	PCN 3			PGTW
19	111200	16.9S 135.4E	PCH 3			PGTW
* 20	120000	19.6S I30.7E	PCN 5			PGTW
21	130000	20.5S 127.1E	PCH 5			PGTW
22	140000	21.2S 123.2E	PCN 5			PGTW

SYNOPTIC FIXES

F1X	TIME	FIX	INTENSITY	NEAREST	COMMENTS
NO.	(Z)	POSITION	ESTIMATE	DATA (NM)	
I 2 3 4 5	100000 101200 111200 120000 130000	14.0S 146.0E 15.0S 142.0E 17.0S 136.0E 19.0S 133.0E 21.0S 127.0E 23.5S 121.0E	25 20 25 25 15	100 60 70 75 160 40	

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC10-BI FIX POSITIONS FOR CYCLONE NO. 10

SATELLITE FIXES

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
* 1 * 2 3 4 5 6 7 8 9	150251 160410 170347 171627 180506 181604 190443 191722 200420	13.1S 64.9E 12.8S 55.8E 12.4S 52.0E 12.6S 50.2E 13.1S 47.1E 13.0S 43.7E 15.0S 44.6E 14.4S 44.3E 16.8S 43.5E	PCN 5 3 6 PCN 6 PC	T1.0/1.0 T1.0/1.0 /S0.0/25HRS T2.0/2.0 /D1.0/24HRS T2.0/2.0 /D1.0/12HRS T3.0/3.0 /D1.0/24HRS T3.0/3.0 /S0.0/24HRS T3.0/3.0 /S0.0/24HRS T3.0/3.0 /S0.0/24HRS T3.5/3.5 /D0.5/24HRS	INIT D8S °	KGWC KGWC KGWC KGWC KGWC KGWC KGWC KGWC

TC13-81 FIX POSITIONS FOR CYCLONE NO. 13

SATELLITE FIXES

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DYORAK CODE	COMMENTS	SITE
1 2 3 4	241200 242100 250000 250300	18.9S 116.6E 18.6S 115.6E 18.9S 115.0E 18.4S 114.5E	PCN 5 PCN 5 PCN 5 PCN 5	T1.0/1.0	INIT OOS	PGTW PGTW PGTW PGTW
5 6 7 8	251200 252100 260000 260023	17.8S 113.2E 18.0S 112.2E 17.3S 111.8E 17.6S 112.6E	PCN 5 PCN 5 PCN 5 PCN 5			PGTW PGTW PGTW KGWC
9 10 11 12	260300 261200 261800 270000	17.3S 111.4E 16.4S 110.1E 16.3S 110.0E 15.6S 110.0E	PCN 5 PCN 5 PCN 5 PCN 5	T2.0/2.0 /D1.0/24HRS T2.5/2.5 /D1.0/24HRS		PGTW PGTW PGTW KGWC
13 14 15 16	270300 270900 271200 271800	15.8S 110.3E 16.0S 109.3E 15.8S 108.9E 15.1S 107.8E	PCH 3 PCH 1 PCH 1 PCH 3	T3.5/3.5 /D1.5/24HRS		PGTW PGTW PGTW PGTW
17 18 19 20 21	272100 272338 280000 280600 280900	15.6S 108.3E 15.8S 108.4E 15.6S 108.0E 16.2S 107.3E 16.3S 107.0E	PCN 5 PCN 5 PCN 5 PCN 1 PCN 1	T2.0/2.5 /W0.5/24HRS T5.0/5.0 /D1.5/27HRS		PGTW KGWC PGTW PGTW PGTW
22 23 24 25	281200 281600 282100 282335	16.55 106.8E 16.65 106.3E 16.95 105.8E 16.95 105.8E	PCN 1 PCN 1 PCN 1 PCN 1	T5.0/5.0 /D1.5/24HRS		PGTW PGTW PGTW KGWC
26 27 28 29	010000 010300 010900 011200	16.9S 105.5E 16.9S 105.2E 17.1S 105.0E 17.2S 104.9E	PCH 1 PCH 1 PCH 1 PCH 1	T5.5/5.5 /D0.5/18HRS		PGTW PGTW PGTW PGTW PGTW
30 31 32 33 34	011600 012100 020000 020300 020900	17.1S 104.5E 17.4S 104.5E 17.5S 104.4E 17.4S 104.3E 17.7S 104.5E	PCH 1 PCH 3 PCH 3 PCH 1 PCH 1	T4.5/5.5 /W1.0/27HRS		PGTW PGTW PGTW PGTW
35 36 37 38	021200 021600 021600 022100 030000	17.7S 104.4E 17.6S 104.6E 17.9S 104.4E 18.1S 104.5E	PCN 1 PCN 1 PCN 1 PCN 1			PGTW PGTW PGTW PGTW
39 40 41 42 43 44	030011 030300 030900 031200 031600 032100	18.0S 104.8E 18.1S 104.8E 18.2S 105.3E 18.4S 105.7E 18.3S 106.0E 19.2S 106.0E	PCN 1 PCN 3 PCN 3 PCN 3 PCN 3	T4.0/4.0 /S0.0/24HRS T4.0/5.0 /W0.5/24HRS		KGWC PGTW PGTW PGTW PGTW PGTW
* 45 46 47 48	032328 040000 040300 040900	18.25 106.4E 19.15 106.2E 19.25 106.3E 19.25 106.6E	PCN 3 PCN 5 PCN 5 PCN 5	T2.0/3.0 /W2.0/24HRS T4.5/4.5-/D0.5/24HRS		KGWC PGTW PGTW PGTW PGTW
49 50 51 52 53	041200 041600 042100 042326 050000	19.75 107.6E 20.35 108.7E 20.75 109.2C 20.95 109.3E 21.15 109.8E	PCN 5 PCN 5 PCN 5 PCN 3 PCN 5	T3.0/3.0 /D1.0/24HRS		PGTW PGTW KGWC PGTW
54 55 56 57	050300 050900 051200 051600	21.65 110.6E 22.55 112.3E 22.95 113.0E 22.45 115.2E	PCN 3 PCN 5 PCN 5 PCN 5	T5.0/5.0-/D0.5/24HRS		PGTW PGTW PGTW PGTW

TC14-81 FIX POSITIONS FOR CYCLONE NO. 14

SATELLITE FIXES

F1X NO.	TIME (Z)	F1X POS1T10N	ACCRY	DYORAK CODE	COMMENTS	SITE
	051000					
1 2 3 4 5	251200 260000 260300 261200 262100	14.65 143.5E 15.15 144.8E 15.85 145.3E 16.85 146.9E 16.55 148.9E	PCH 5 PCH 5 PCH 5 PCH 5 PCH 5	T1.0/1.0	INIT D8S	PGTW PGTW PGTW PGTW PGTW
6 7 8 9	270000 270300 270900 271200 272100	17.1S 149.8E 18.0S 150.3E 19.0S 151.6E 19.2S 153.0E 20.4S 152.1E	PCN 5 PCN 5 PCN 5 PCN 5	T3.0/3.0+/D2.0/24HRS		PGTW PGTW PGTW PGTW
11 12 * 13	280000 280900 281200 281600	21.05 153.2E 21.95 155.4E 23.25 156.9E 22.75 157.3E	PCN 3 PCN 3 PCN 3 PCN 5	T4.0/4.0 /D1.0/21HRS		PGTW PGTW PGTW PGTW PGTW
15 16 * 17	010000 010300 010900	22.25 156.1E 22.45 156.2E 24.45 157.2E	PCN 3 PCN 3 PCN 5	T2.5/3.5 /W1.5/24HRS	ULCC	PGTW PGTW PGTW
18 19 20	011200 011600 020000	22.15 156.3E 21.6S 156.7E 21.2S 157.0E	PCN 5 PCN 5 PCN 3	T3.0/3.0-/D0.5/24HRS	LLCC	PGTW PGTW PGTW
	020300 020900 021200 021600	21.1S 157.1E 19.7S 157.0E 20.0S 157.7E 20.0S 157.9E	PCH 3 PCH 5 PCH 5 PCH 5			PGTW PGTW PGTW PGTW
25 26 27 28 29	022100 030000 030300 030900 031200	20.55 158.8E 19.15 158.8E 18.8S 159.3E 17.9S 159.SE 17.8S 159.4E	PCN 5 PCN 5 PCN 5 PCN 5 PCN 5	T2.5/3.0 /D0.5/24HRS		PGTW PGTW PGTW PGTW PGTW
30 31 32 33 34	031500 032100 040000 040300 040300	17.7S 159.7E 17.8S 160.0E 17.8S 160.6E 17.8S 160.9E 17.9S 161.4E	PCN 5 PCN 5 PCN 5 PCN 3 PCN 3	T3.5/3.5-/D1.0/24HRS		PGTW PGTW PGTW PGTW
35 36 37 38	041200 041600 042100 050000	17.7S 161.5E 17.8S 161.7E 17.8S 161.8E 17.9S 162.2E	PCN 5 PCN 3 PCN 5 PCN 5	T4.0/4.0-/D0.5/24HRS		PGTW PGTW PGTW PGTW PGTW
39 40 41 42	050300 050900 051200 0S1600	18.0S 162.4E 18.1S 162.1E 18.4S 162.2E 18.5S 162.9E	PCH 5 PCH 5 PCH 5 PCH 3			PGTW PGTW PGTW PGTW
43 44 45 46	060000 060300 060900 061200	19.35 163.2E 19.65 163.5E 20.55 164.1E 21.45 165.0E	PCH 1 PCH 1 PCH 1 PCH 3	T4.0/4.0 /S0.0/24HRS		PGTW PGTW PGTW PGTW
47 48 49 50 51	051500 052100 070000 070300 071200	21.39 164.5E 22.99 164.7E 23.59 165.3E 23.79 165.4E 27.69 167.1E	PCN 3 PCN 5 PCN 3 PCN 5	T3.0/4.0 /W1.0/24HRS		PGTW PGTW PGTW PGTW
* 52 53 54	071600 080000 080300	28.85 166.3E 29.65 166.3E 30.85 166.6E	PCN 5 PCN 3 PCN 3	T3.0/3.0-/S0.0/24HRS		PGTW PGTW PGTW PGTW

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC15-81 F1X POS1T10NS FOR CYCLONE NO. 15

SATELLITE FIXES

F1X ND.	TIME (Z)	F1X POS1T1ON	ACCRY	DYORAK CODE	COMMENTS	SITE
1 2 3 4 5 6 7	011600 011800 020000 020300 020300 020900 021200 021600	7.8S 177.1E 9.2S 177.0E 10.6S 179.9W 10.SS 179.1W 11.5S 175.2W 11.SS 174.4W 11.6S 173.6W	PCN 5 PCN 5 PCN 5 PCN 5 PCN 5 PCN 5 PCN 5	T2.8/2.8	1N1T D8S PS8L MULT1PLE CNTRS	PGTW PGTW PGTW PGTW PGTW PGTW PGTW

TC16-81 FIX POSITIONS FOR CYCLONE NO. 16

SATELLITE FIXES

FIX NO.	TIME (Z)	F1 POSIT		ACCRY	DVORAK CODE	COMMENTS	SITE
1	040333	17.75	S1.4E	PCH 5	T1.5/1.5	1H1T DBS	KGWC
2	050312	18.25	53.8E	PCH 3	T2.0/2.0 /D0.5/24HRS		KGWC
3	ØS1527	19.75	54.2E	PCH 6			KGWC
4	060407	21.35	57.1E	PCH 3	T3.0/3.0 /D1.0/25HRS		KGWC
S	061646	23.45	S8.6E	PCH 6			KGWC
6	070344	25.0s	61.7E	PCH 1	T4.5/4.5 /D1.5/24HRS		KGWC
7	071623	26.15	65.2E	PCH 6			KGWC
8	080321	27.7S	67.9E	PCN 3	T3.5/4.5 /W1.8/24HRS		KGWC
9	081600	27.95	69.8E	PCH 6			KGWC
10	090258	28.35	69.8E	PCH 4	T1.0/2.0 /W2.S/24HRS		KGWC
I 1	100236	30.25	69.7E	PCH 4	T0.0/1.0 /W1.0/24HRS		KGWC

SYNOPTIC FIXES

FIX	TIME	FIX		INTENSITY	NEAREST	COMMENTS
NO.	(Z)	POSITION		ESTIMATE	DATA (NM)	
1	011200	22.05	47.0E	10	30	
2	021200	20.55	47.SE	15	60	
3	031200	19.55	50.0E	15	70	
4	041200	17.05	53.0E	25	60	
5	060000	20.55	56.0E	20	30	
6	061200	22.05	58.0E	30	150	

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC17-81 FIX POSITIONS FOR CYCLONE NO. 17

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1	860000	11.8S 132.5E	PCN 5	T1.5/1.5	INIT OBS	PGT₩
2	070000	11.7S 133.9E	PCN S	T2.0/2.0 /D0.5/24HRS		PGTW
3	072100	I1.9S 132.6E	PCN S			PGTW
4	080000	11.7S 132.7E	PCN 5	T1.0/2.0 /W1.0/24HRS	ULCC	PGTW
S	091200	11.6S 133.0E	PCN S			PGTW
6	100600	11.SS 133.6E	PCH S			PGT₩
7	101200	11.7S 134.6E	PCH S			PGTW
8	110000	11.6S 132.9E	PCN S	T2.S/2.S	INIT OBS	PGTW
. 9	110300	11.45 132.6E	PCH S			PGTW
10	110900	11.95 132.1E	PCN S			PGT₩
1 1	11!200	11.6S 131.9E	PCN S			PGT₩
12	111600	11.7S 131.3E	PCN 5			PGTW
13	112100	12.8S 130.7E	PCN 5			PGTW
14	120000	12.SS 130.4E	PCH S			PGTW
15	120600	12.85 129.SE	PCN 5	T3.5/3.5 /D1.0/30HRS		PGTW
16	120900	12.85 129.3E	PCN 5			PGTW
17	121200	12.75 128.8E	PCN S			PGTW
18	121600	12.05 128.3E	PCN S			PGTW
19	122100	12.85 127.3E	PCN S			PGTW
28	130000	12.95 127.1E	PCN 5	T4 0 44 0 00 F 0 4100		PGTW
21	130600	12.6S 12S.9E	PCN S	T4.0/4.0 /D0.5/24HRS		PGTW
22	130900	12.65 125.4E	PCN 5			PGTW
23 24	131200	12.65 125.2E	PCN 5			PGTW
25	131600 132100	12.35 124.7E 12.45 123.6E	PCN S			PGTW
26	140300	12.45 123.6E	PCN 5	T5.0/5.0 /D1.0/21HRS		PGTW
27	141600	12.25 121.2E	PCN S	13.0/3.0 /DI.0/21ARS		PGTW
28	142100	12.75 119.6E	PCN S			PGTW PGTW
29	150300	12.6S 118.5E	PCN 1	T5.5/5.5 /DØ.5/24HRS		PGTW
30	150900	12.75 117.6E	PCN S	13.3/3.3 / 20.3/24/183		PGTW
31	151600	12.75 116.SE	PCN 5			PGTW
32	152100	12.9S 115.7E	PCN 5			PGTW
33	152100	12.7S 117.2E	PCN S			PGTW
34	160300	13.85 114.7E	PCN 5	T4.5/5.5 /W1.0/24HRS		PGTW
35	160900	14.75 113.8E	FCN S			PGTW
36	161200	15.3S 114.0E	PCN S			PGTW
37	161600	15.25 114.3E	PCN S			PGTW

38 39	162100 170000	15.2S 114.4E 14.7S 114.1E	PCN 3 PCN 5			PGTW PGTW
40	170600	15.2S 112.3E	PCN 5	T3.0/4.0 /W1.5/27HRS		PGTW
41	170900	15.55 I11.8E	PCN 5	, , , , , , , , , , , , , , , , , , , ,		PGT⊍
42	171200	15.9S I11.2E	PCN 5			PGT₩
43	171600	16.25 110.5E	PCN 5			PGTW
44	172100	16.1S 107.0E	PCN 5			PGTW
45	172334	15.9S 106.6E	PCN 5	T2.0	LLCC	KGWC
46	180000	16.25 106.4E	PCN 5		LLCC	PGTW
47	180000	17.8S 108.2E	PCN 5		ULCC	PGT₩
48	180600	16.5S 104.4E	PCN 5	T3.0/3.0-/S0.0/24HRS		PGTW
49	181200	16.0S 102.4E	PCN 5			PGT₩
50	181600	16.6S 101.6E	PCN 5			PGT₩
51	190052	17.15 98.1E	PCN 3	T0.0/1.0 /W2.0/24HRS	LLCC	KGWC

TC2I-81 FIX POSITIONS FOR CYCLONE NO. 21

SATELLITE FIXES

FIX NO.	TIME (Z)	F1X POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1	290413	7.05 56	.8E PCN-6	T2.5/2.5+/D1.5/25HRS		Kelle
2	281511	B.2S 56	.BE PCN 6	1200, 210 1, 2110, 20110		KGWC KGWC
3	290350 291629		.4E PCN 5	T2.0/2.0 /S0.0/24HRS		KGWC
5	300327	11.98 53	.ØE PCN 5	T1.5/2.0 /W0.5/24HRS		KGWC KGWC
6 7	300336 301606		.5E PCN 5		EXPOSED LLCC	FJDG KGWC
8 9	310305 311544		.7E PCN 6	T2.0/2.0 /D0.5/24HRS		KGWC
10	011702	15.95 52	.2E PCN 6		PSBL LLCC	KGWC KGWC
I 1 I 2	020309 020400		.5E PCN 6	T4.0/4.0 /D1.0/24HRS		FJDG
13	021639	17.15 48.	.4E PCN 6	14.074.0 /DI.0/24HR5		KGWC KGW C
14 15	030337 031616		.1E PCN 5	T3.0/3.5 /W1.0/24HRS	APRNT LLCC	KGWC
16	031617	23.65 44	.3E PCN 5			KGWC FJDG
17 18	040314 041554		.6E PCN 6	T2.0/3.0 /W1.0/24HRS		KGWC KGWC
19	050252		.2E PCN 6	TI.0/2.0 /WI.0/24HRS	EXPOSED LLCC	KGWC

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC22-81 FIX POSITIONS FOR CYCLONE NO. 22

FI>		FIX POSITION	ACCRY	DVORAK CODE	COMMENTS	CITE
110.	(6)	F031110N	HUURT	DYURAK CUDE	COLUMENTS	SITE
1	040133	6.25 94.05	PCN 6	T1.0/1.0	INIT OBS	KGWC
* 2		4.5S 92.9E		1110, 110	11111 000	PGTW
3		6.0S 91.6E				KGWC
4	050110	6.6S 92.7E		T2.0/2.0 /D1.0/24HRS		KGWC
5	050300	7.3S 92.1E		TI.0/1.0	INIT OBS	PGTW
* 6	051350	8.7S 93.6E	PCN 6			KGWC
7	052160	8.4S 93.4E	PCN 5			PGTW
* 8	060048	8.0S 91.1E	PCN 6	T2.0/2.0 /S0.0/24HRS		KGWC
9	060600	9.5S 92.6E	PCN 6	T1.0/1.0 /S0.0/27HRS		PGTW
10	062100	9.2S 92.3E	PCN 5			PGT₩
1 1	070000	9.3S 93.0E				PG TW
* 12		8.2S 95.0E		T3.0/3.0 /D1.0/24HRS		KGWC
* 13		10.2S 92.6E				PGTW
* 14	071200	9.9S 92.9E				PGT₩
15		8.0S 93.2E				KGWC
16		9.5S 92.5E				PGT₩
17		9.2S 92.5E				PGTW
* 18		9.5S 94.3E		T2.5 D1.0		FJDG
19	080143	8.8S 92.6E		T5.0/5.0 /D2.0/24HRS		KGWC
20 21	080600 081423	9.4S 92.4E 9.8S 90.9E		T3.0/3.0	INIT OBS	PGTW
22		10.7S 90.8E			EXTRAP LLCC	KGWC ×
23		10.7S 90.7E				PGTW
20	020000	10.13 30.16	PCN 5			PGTW

245 226 227 289 331 334 336 339 441 447	090030 090120 090600 090900 091400 091400 100000 100000 101200 101337 102100 110000 110216 110600 110216	11.05 10.15 11.05 11.05 11.35 11.35 11.95 12.65 12.65 13.75 14.45 15.35 16.85 17.05 17.45 19.35 19.75	91.3E 99.8E 90.2E 90.7E 90.7E 89.8E 89.5E 89.4E 89.4E 89.2E 89.7E 87.7E 87.6E 86.5E 86.5E	# # # # # # # # # # # # # # # # # # #	T2.5 T6.0/6.0 /D1.0/24HRS T4.0/4.0 /D1.0/24HRS T6.0/6.0 /S0.0/24HRS TS.S/5.5-/D1.5/24HRS T5.5/6.0 /U0.S/25HRS T5.0/S.5-/U0.S/24HRS	EXTRAP LLCC	FJBG KGHU PGTU KGHOG FGTU KGHOG PGTU PGGU
44 45	120000	21.95	87.7E 87.1E	PCN 5 PCN 3	T7 C (4 C 4 D 0 C 4 UPC		PGTW FJDG
46 47 48 49 50 51	120153 120300 120900 121200 121432 122100	21.8S 22.4S 23.3S 23.6S 25.0S 26.9S	87.8E 87.7E 88.SE 89.4E 88.2E 90.9E	PCN 4 PCN S PCN S PCN 4 PCN S	T3.5/4.5 /W2.0/24HRS T4.0/4.5-/W1.0/21HRS	TTCC	KGWC PGTW PGTW PGTW KGWC PGTW
52 53 54 55 56 57	130130 130300 130300 130600 130900 131410	27.7S 20.6S 28.6S 28.8S 28.8S 28.3S	91.9E 92.1E 92.1E 94.0E 95.7E 96.6E	PCN 6 PCN 5 PCN 5 PCN 5 PCN 5 PCN 6	T2.5/3.S /W1.0/24HRS T3.0/3.5-/W1.0/27HRS	LLCC	KGWC PGTW FJDG PGTW PGTW KGWC
J1	.51710	20.55	JU. 0E				

TC23-81 FIX POSITIONS FOR CYCLONE NO. 23

SATELLITE FIXES

FIX NO.	TIME (Z)	FIX POSITIO		ACCRY	DVORAK (CODE	com	MENTS	SITE
1 2	060410 061508		59.3E 62.SE	PCN 6 PCN 6	T1.S/1.5		INIT OB	IS	KGWC KGWC
3	070347 071627	16.15	65.9E	PCN 6		/D1.0/24HRS	+		KGWC KGWC
S 6 7	080234 080321 080324	16.95	63.1E 60.3E 62.6E	PCN S PCN 6 PCN 6		D1.0 /D1.5/24HRS /W1.0/24HRS	SNDY 14	1.8S 062.8E	FJDG KGWC KGWC
8 9	081604 081604	17.55 8	60.SE 56.6E	PCN 6 PCN 4	11.3,2.0	,			KGWC FJDG
10 11 12	090212 090302 091541	16.75	54.9E 56.7E S4.SE	PCN 3 PCN S PCN 6	T2.0 T2.5/2.5	/D1.0/24HRS			KGMC KGMC Ł1DG
13	091541 100420	20.25	54.1E SS.6E	PCN 4 PCN 3	T2.S/2.S	/S0.0/25HRS			FJDG KGWC
15 16	1016S9 1103S7	18.25	S6.4E S8.7E	PCN 6 PCN 5	T2.0/2.5	/W0.5/24HRS			KGMC KGMC
17 18 19	111637 120334 121614	18.25	59.1E 59.7E 60.2E	PCN 6 PCN 4 PCN 6	T2.5/2.5	/D0.5/24HRS			KGMC KGMC
20 21	130312 131551	17.0S S	S8.8E S8.2E	PCN 6		/S0.0/24HRS			KGMC KGMC
22 23 * 24	140249 141528 150407	16.15	S9.7E S9.5E 56.2E	PCN 6 PCN 6 PCN 6		/W1.0/24HRS	LLCC		KGWC KGWC KGWC
2S 26	151646 160344	15.55	S6.0E S6.1E	PCN 6 PCN 3		/W0.5/24HRS	LLCC		KGMC KGMC

TC24-81 F1X POSITIONS FOR CYCLONE NO. 24

SATELLITE FIXES

FIX	TIME	F1>	<				
NO.	(Z)	POSITI	NO	ACCRY	DVORAK CODE	COMMENTS	SITE
1	220148	8.25	91.0E	PCN 6	T1.0/1.0	INIT OBS	KGWC
2	221427	8.15	89.9E	PCN 6			KGWC
3	230125	7.05	90.7E	PCN 6	T1.0/1.0 /S0.0/24HRS		KGWC
4	240102	6.75	89.1E	PCN 6	T1.0/1.0 /S0.0/24HRS		KGWC
5	241341		89.6E	PCN 6			KGWC
* 6	250039		93.5E	PCN 6	T1.5/1.5 /D0.5/24HRS		KGWC
7	250300		91.0E	PCN 5	T1.5/1.5	INIT OBS	PGTW
* 8	251200		92.7E	PCN 5			PGTW
9	251318		91.5E	PCN 6			KGWC
10	260000		91.82	PCN 5			PGTW
11	260157		91.7E	PCN 4	T2.5/2.5 /D1.0/24HRS		KGWC
12	260300		91.8E	PCN 5	T2.0/2.0 /D0.5/24HRS		PGTW
13	260600		92.1E	PCN 5			PGTW
14	261255	12.75	91.6E	PCN 6			KGUC
15	270134		91.5E	PCN 4	T2.5/2.5 /S0.0/24HRS		KGWC
16	270300	12.95	90.9E	PCN 5	T2.5/2.5-/D0.5/24HRS		PGTU
17	270600	13.25	91.3E	PCN 5			PGTW PGTW
18	270900	13.45	91.6E	PCN 5			PGTW
19	271200	13.65	92.1E	PCN 5			KGWC
20	271414	13.95	92.7E	PCN 6			PGTW
21	271600	13.65	92.4E	PCN 5			PGTW
22	272100	14.05	92.3E	PCN 5	TO E O E O O O O O O O O O O O O O O O O		KGWC
23	280111	13.95	92.3E	PCN 4	T2.5/2.5-/S0.0/24HRS T2.0/2.5 /W0.5/24HRS		PGTW
24	280300 280600	14.15	92.7E	PCN 5 PCN 5	12.0/2.3 /W0.3/24HR5		PGTW
25 26	280900	14.75	93.0E	PCN 5			PGTW
27	281351	15.85	92.8E	PCN 6			KGWC
* 28	282100	13.85	93.2E	PCN 5			PGTW
29	290049	15.75	93.4E	PCN 4	T0.5/0.5-/W2.0/24HRS		KGWC
30	290300	15.65	93.6E	PCN 3	T1.0/2.0 /W1.0/24HRS		PGTW
31	290600	15.55	93.8E	PCN 3			PGTW
32	301208	17.85	95.9E	PCN 3			PGTW
	32.230						

2. 1981-82 TROPICAL CYCLONE FIX DATA

TC25-81
FIX POSITIONS FOR CYCLONE NO. 25

SATELLITE FIXES

FIX	TIME (Z)	F1X POSITIO		ACCRY	DVORAK C	ODE	ı	COMMENTS	SITE
1	250300	9.85	89.3E	PCN 5	T1.0/1.0		INIT	085	PGTW
2	250916	12.15	86.4E	PCN 6	T1.0/1.0		IN1T	CBS	KGWC
3	260905	10.65	85.7E	PCN 3	T2.0/2.0	/D1.0/24HRS			KGWC
* 4	261200	10.95	84.BE	PCN 5					PGTW
* 5	261451	10.85	83.9E	PCN 6			•	•	KGWC
6	262008	10.55	84.BE	PCN 6					KGWC
* 7	262100	11.05	83.2E	PCN 5					PGTW
8	270149	10.25	85.7E	PCN 4	T2.0/2.0	/S0.0/17HRS			KGWC
* 9	270300	11.45	02.6E	PCN 5					PGTW
10	279600	10.65	€4.5E	PCN 3	T1.5/1.5		INIT	085	PGTW
1 1	270853	10.75	85.1E	PCN 4	T1.5/2.0	/W0.5/07HRS			KGWC
* 12	270900	11.85	64.2E	PCN 5					PGTW
13	271428	11.25	84.9E	PCN 6					KGWC
* 14	272108	12.35	83.1E	PCN 5					PGTW
15	280126	11.35	04.0E	PCN 6	T1.5/1.5	/S0.0/18HRS			KGUC
16	289399	11.65	84.6E	PCH 3	T1.0/1.5	/W0.5/21HRS	EXP		PGTW
17	200842	12.35	84.8E	PCN 4			EXP	LLCC	KGWC
18	281405	12.25	84.7E	PCN 6	T0.0/0.5	/W1.5/12HRS	EXP	LLCC	KGWC

TC26-81 FIX POSITIONS FOR CYCLONE NO. 26

SATELLITE FIXES

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DYORAK CODE	COMMENTS	SITE
1 2 3 4	190131 191410 200249 201347	6.7S 82.6 6.9S 84.8 7.4S 84.6 8.8S 84.8	E PCN 6	T1.5/1.5 T2.0/2.0 /D0.5/25HRS	INIT OBS	KGWC KGWC KGWC
5 6 7 8 9	292100 210225 210922 211323 211600 212026	8.7S 85.9 7.8S 85.3 8.1S 85.0 8.1S 84.3 9.3S 84.1 8.1S 84.2	PCN 6 PCN 3 PCN 6 PCN 5 PCN 6	T2.5/2.5 /D0.5/24HRS		PGTW KGWC KGWC PGTW KGWC PGTW
11 12 13 14 15 16	212100 220202 220600 220911 221441 221600 222014	8.55 83.7 8.65 83.4 8.85 85.2 8.95 85.2 10.35 85.7 9.85 84.4 11.35 85.4	PCN 6 PCN 5 PCN 5 PCN 6 PCN 6	T2.5/2.5 T4.0/4.0 /D0.5/24HRS	INIT OBS	KGWC PGTW KGWC KGWC PGTW KGWC
18 19 20 * 21 22 23	222100 230600 230859 230859 230900 231418	11.0S 85.3 12.0S 85.4 12.4S 85.9 11.2S 84.4 12.4S 84.6 13.8S 85.3	E PCN 5 E PCN 5 E PCN 5 E PCN 5 E PCN 6	T3.0/3.0 /D0.5/24HRS T3.5/3.5 /W0.5/24HRS T3.5/3.5	INIT OBS	PGTW PGTW KGWC KGWC PGTW KGWC
24 25 26 27 28 29	231600 231800 232002 232100 240116 240600	12.95 85.1 13.45 05.3 14.15 85.0 14.55 85.3 14.35 84.8 14.75 84.2	E PCN 5 E PCN 6 E PCN 6			PGTW PGTW KGWC PGTW KGWC PGTW
30 31 32 33 34 35	240847 240848 240900 241200 241355 241600	14.55 84.0 16.85 84.6 14.75 83.4 15.05 84.3 14.75 84.1 15.45 84.0	E PCH 5 E PCH 5 E PCH 6	T4.5/4.5 /D1.0/24HRS		KGWC FJDG PGTW PGTW KGWC PGTW
* 36 37 38 39 40 41	241859 242100 242133 250041 250234 250300	17.09 84.5 15.79 84.1 15.49 84.0 15.89 84.1 16.09 84.1 16.19 83.7	E PCH 5 E PCH 6 E PCH 6			PGTW FGWC KGWC FJDG FJDG
42 43 44 45 46 47	250836 250900 251200 251332 251600 252121	16.0S 83.4 16.3S 83.7 16.4S 83.4 16.1S 83.3 16.8S 83.1	E PCN 2 E PCN 3 E PCN 5 E PCN 2 E PCN 5	T4.0/4.0 /D0.5/24HRS		KGWC PGTW PGTW KGWC PGTW KGWC
48 49 50 51 52	252130 260000 260210 260600 261006	17.3S 84.0 17.8S 83.1 17.5S 82.9 18.1S 82.6 18.9S 82.8	E PCH 6 E PCH 5 E PCH 5 E PCH 5	T2.5/3.5 /W1.5/26HRS		FJDG PGTW KGWC PGTW KGWC
55 56 * 57 * 58	261200 261200 261449 261609 261800	18.35 82.1 21.55 82.1 19.95 82.6 19.45 82.4 20.75 82.1 21.45 82.8	E PCN 5 E PCN 6 E PCN 6 E PCN 5			FJDG PGTW PGTW KGWC PGTW KGWC
* 59 60 61 62 * 63	270147 270954 271426	20.65 81.3 19.25 81.1 20.05 80.3 20.65 78.4 20.45 80.7	E PCN 5 E PCN 5 E PCN 4	T1.5/2.5 /W1.0/24HRS	EXP LLCC EXP LLCC	KGMC KGMC KGMC

F1X NO.	TIME (Z)	F1 POSIT		ACCRY	DVORAK CODE	COMMENTS	51TE
* 1	030046	7.35	95.4C	PCN 5	T1.5/1.5	1N1T 085	KGWC
* 3	030600 031325	7.45 7.55	92.7E 94.1E	PCN 5 PCN 6	T1.5/1.5	1N1T 085 ULAC 7.55 93.5E	PGTW KGWC
4	031600	8.55	91.8E	PCN 5		0210 1100 20102	PGTW
5	031936	9.15	93.2E	PCN 6		ULAC 9.55 92.5E	KGWC
6 7	032100 040017	8.6S 8.35	91.4E 91.8E	PCN 5 PCN 6			PGTW KGWC
8	040203	8.75	91.9E	PCN 6	T3.0/3.0 /D1.5/26HRS		KGWC
9	040300	8.95	92.1E	PCN 5	T2.5/2.5 /D1.0/21HR5		PGTW
10 11	040600 040821	9.3S 9.55	91.5E 90.0E	PCN 5 PCN 6			PGTW KGWC
12	040990	9.55	91.0E	PCN 5			PGTW
* 13	041200	9.55	89.4E	PCN 5			PGTW
14 15	041442 041600	10.05	89.9E 91.0E	PCN 6 PCN 5			KGWC PGTW
16	042100	11.25	90.8E	PCN 5			PGTW
* 17	042106	10.85	88.0E	PCN 6	TO 0.7 0 44 0.04005	ULAC 11.3S 90.1E	KGWC
18 19	050140 050600	10.59 10.65	89.7E 89.3E	PCN 6 PCN 5	T2.0/3.0 /W1.0/24HR5 T1.5/2.5 /W1.0/27HR5	P58L MULTI CNTR	KGUC PGTW
20	050809	10.85	80.9E	PCN 6			KGWC
21	050900	11.05	88.8E	PCN 5			PGTW
22 23	.051419 .052054	10.85 11.25	80.3E 87.5E	PCN 6			KGWC KGWC
24	052100	12.05	88.2E	PCN 5			PGTW
25	060117	11.35	88.2E	PCN 6	T1.5/2.0 /W0.5/24HRS		KGWC PGTW
26 27	969699 969999	11.65	87.5E 87.3E	PCN 5 PCN 5	T1.5/2.0-/S0.0/24HRS		PGTW
28	060948	11.25	07.9E	PCN 5			KGWC
29	061356	11.15	86.8E	PCN 6		ULAC 11.05 83.5E	KGWC PGTW
30 31	061609 062043	11.45	86.4E 86.5E	PCN 5 PCN 6		ULHC 11.85 83.5E	KGWC
32	062100	11.95	86.2E	PCN 5			PGTW
33 34	070050	11.95 12.59	86.2E 85.7E	PCN 6	T2.5/2.5 /D1.0/25HR5		KGWC KGWC
35	070235 070600	12.75	86.2E	PCN 5	T2.5/2.5 /D1.8/24HRS		PGTW
36	070900	12.65	85.7E	PCN 5			PGTW
* 37 38	070928 071333	13.5S 13.15	85.0E 84.8E	PCN 6 PCN 6			KGWC KGWC
39	071600	12.95	85.3E	PCN 5			PGTW
48	072031	13.25	85.1E	PCN 6			KGWC
41 * 42	072100 080212	13.39 13.35	85.0E 85.2E	PCN 5 PCN 5	T3.5/3.5+/D1.0/24HRS		PG1W KGWC
43	080212	13.15	85.5E	PCN 5	T3.5/3.5 /D0.5/24HRS		FJDG
* 44	080300	13.35	84.5E	PCN 5	T2.5/2.5 /S0.0/21HR5		PGTU
* 45 * 46	080900 080916	13.49 13.35	84.3F 04.6E	PCN 5 PCN 6			PGTW KGWC
* 47	080917	14.05	85.0E	PCN 5			FJDG
* 48 49	081451	13.5S 13.3S	84.6E	PCN 5			KGWC PSTU
* 50	0 016 00 001920	14.75	84.1E 83.7E	PCI 5			FJDG
51	082019	11.35	84.2E	PCH 6			KGWC
52 * 53	090148 090600	11.55	84.45 82.25	PCN 5	T3.5/3.5 /50.0/24HR5 T2.5/2.5 /D1.0/27HR5		KGWC PijTW
54		11.65	84.0E	PCN 5	1213/213 / 2110/211113	SEVERAL SECHDRY LLCC	KGWC
55	091427	11.25	83.8C	PCN 6		ECCNID EVE 13 GE GA BE	KGWC
* 56 57	091428 092158	10.00	81.4E 83.6E	PCH 6		SECND 5Y5 12.05 84.05	KGMC ETIE
* 58	100125	11.55	82.7E	PCH 5	T2.5/3.5 /W1.0/24HRS		KGWL
59	199693	11.65	81.3E	PCN 5	T2.5/3.5 /J1.0/24HR5	5ECNDRY LLCC 10.85 82.15	PGTW KGWC
60 61	100853 101404	11.65	02.0E	PCN 5 PCN 6		SECHART ELEC 10.05 02.12	KGWC
* 62	102138	12.05	79.3E	PCN 6			KGWC
63	110243	11.55	80.10	PCN 5	T3.5/3.5+/D1.0/24HR5		KGWC PGTW
* 64 65	119398 119841	10.8S	79.1E 79.8E	PCM 5	T3.5/3.5 /D1.0/21HR5		FUNC
66	110126	10.79	79.2E	PUII 4			KGWC
67 68	120037 120220	10.7S	77.3E	PCN 6	T4.5/4.5 /D1.0/24HRS		KGWC KGWC
69	121011	11.15	77.35	PCN 6	17.0/4.3 /DI.0/240K3		KSNC
* 79	121459	11.45	75.4E	PCN G			KGWC
71 72	122115 139106	11.25	76.3E	PCN 6	T4.5/4.5 '/98.5		KGWC
73	150156	11.25	76.6E	PCH 2	T6.0/6.0 /D1.5/24HRS		KGMC
74	130156	11.29	76.0E	PCH 2	T6.0/6.0 /D1.5/24HR5		FJDG
75 76	131090 131090	11.7S 11.2S	75.60 75.60	PCH 2			KGHC FJDG
77	131435	11.90	75.5E	PCN 2			Kenc
78 79	131436 132012	11.85 12.15	74.8E 75.3E	PCN G			FJDG FJDG
, ,							

88	132103	11.75	75.2E	PCN 2					KGWC
* 81	149314	12.59	75.2E	PCH 1	T6.0/6.0 /S0.0/25HRS				KGWC
82	140948	12.65	74.3E	PCH 2					KGWC
83	140948	12.43	74.4E	PCN 5					FJDG
84	141412	12.79	73.0E	PCH 2					KGUC
85	142000	13.25	73.3E	PCH 6					FJDG
65	142051	12.75	73.3E ·	PCN 2					KGWC
87	150251	13.15	73.7E	PCN 2	T4.5/5.5 /W1.5/24HR5				KGWC
88	150251	13.09	73.3E	PCH 5					FJDG
89	150936	13.79	73.1E	PCH 4					KGWC
98	150937	13.38	72.4E	PCN 6	T5.5/6.0-/W0.5/24HRS				FJDG
* 91	151530	14.75	73.3E	PCN 4		*			KGWC
92	151530	14.25	72.1E	PCN 6					FJDG
* 93	151948	14.85	73.2E	PCN 6					FJDG
* 94	152039	15.38	73.8E	PCH 4					KIGWC
95	160137	14.39	71.2E	PCH G		EXP I	LLCC		FJDG
96	160228	14.05	71.85	PCN 4	T3.0/4.0 /W1.5/24HRS	EXP I	LLCC		KGWC
97	160024	14.85	71.2E	PCN 6					KGWC
98	161506	13.85	70.3E	PCN 4		EXP	LLCC		KGWC
99	161507	14.95	70.0E	PCN 6					FJDG
100	162210	13.55	68.9F	PCH 4		EXP I	1.00		KGWC
101	178204	13.85	69.1E	PCN 6	T2.0/3.0 /W1.0/24HR5	EXP 1		*	KGWC
102	170206	13.85	68.6E	PCN 4	72.073.0 7 WI 107 E-11110	EXP I			KGWC
103	171055	13.75	66.9E	PCN 4		EXP I			KGWC
104	171443	13.05	66.65	PCN 4		EXP I			KGUC
105	172158	13.65	65.3F	PCN 4		EXP			KGWC
105	180322	13.75	64.5E	PCN 4	T1.0/2.0 /W1.0/25HRS	EXP I			KGWC
107	181043	13.75	63.3E	PCN 4	11.0/2.0 /WI.0/25HRS	EXP I			KGLIC
101	101049	13,95	03.JE	run 4		EAF			

TC30-81 F1X POSITIONS FOR CYCLONE NO. 30

SATELLITE FIXES

F	ΙX	TIME	FIX				
١	10.	(Z)	PO5ITION	ACCRY	DVORAK CODE	COMMENTS	SITE
				5			DOTAL
*	1	021800	13.5S 128.3E	PCN 5			PGTW
*	2	031600	11.8S 128.1E	PCN 5			PGTW
*	3	050541	12.8S 123.9E	PCN 5	T1.5/1.5	1N1T 08S	KGWC
*	4	050600	13.35 122.4E	PCN 5	T2.0/2.0	INIT 085	PGTW
ж	5	051105	13.6S 122.1E	PCN 6			KGWC
*	6	051600	13.45 120.8E	PCN 5			PGTW
*	7	051826	14.3S 121.4E	PCN 6			KGWC
	8	052100	13.5S 121.2E	PCN 5		ULCC FIX LLCC NOT EVIDENT	PGTW
*	9	052344	13.9S 120.0E	PCN 5	T2.5/2.5 /D1.0/18HR5	ULAC 12.8S 119.7E	KGWC
	_				12.3/2.3 /UI.0/10HKJ	OLMC 12.65 115.75	PGTW
*		060000	14.15 119.2E	PCN 5			
*		060600	16.6S 119.2E	PCH 5	T3.0/3.0 /D1.0/24HRS		PGTW
*	12	060711	15.6S 119.4E	PCN 5		ULAC 16.5S 120.1E	KGWC
*	13	361223	17.93 119.25	PCN 6			KUWC
*	14	061600	19.0S 118.3E	PCN 5		ULCC	PGTW
*	15	061814	19.4S 118.7E	PCN 6			KGWC
	16	062321	18.25 118.0E	PCH 3	T2.5/2.5-/S0.0/24HR5		KGUC
*	17	670000	19.65 117.8E	PCN 5	12.0.2.0 . 00.0.2		PGTIJ
~	18	070600	19.65 116.9E	PCN 5	T2.0/3.0 /W1.0/24HRS		PGTW
					12.0/3.0 /WI.0/24RKS	EVB 11 CC	KGWC
	15	070700	18.9S 117.2E	PCN 3		EXP LLCC	KGWC

SYNOPTIC FIXES

F1X NO.	T1ME (Z)	F1X POSITION	1NTENS1TY EST1MATE		COMMENTS
------------	-------------	-----------------	-----------------------	--	----------

1 062100 17.5S 118.6E 25 20

TC32-81 FIX POSITIONS FOR CYCLONE NO. 32

SATELLITE FIXES

FIX	TIME	FIX	000011		2012 71170	0.177
NO.	(Z)	POS1TION	ACCRY	DVORAK CODE	COMMENTS	SITE
1	171300	8.1S 171.0E	PCN S			PGTW
2	181800	9.8S 170.9E	PCN S			PGTIJ
3	190300	9.43 170.7E	PCN S	T2.0/2.0	INIT OBS	PGTW
4	191600	11.25 168.4E	PCN 5			PGTW
5	191958	12.5S 167.6E	PCN 6	T2.5/2.5	1N1T 08S	KGWC
6	192100	13.0S 167.6E	PCN S			PGT₩
7	200000	12.6S 167.2E	PCH S			PGTW
8	200300	13.15 165.7E	PCN S	T3.0/3.0 /D1.0/24HRS		PGTW
9	200600	13.75 IG6.IE	PCN S			PGTU
10	200837	13.5S 165.7E	PCN 6			KGWC
11 12	201200 201529	14.15 165.2E 14.35 164.5E	PCN S PCN 6			PGTW KGWC
13	201529	14.55 164.5E	PCN S			PGTW
14	202100	14.85 164.0E	PCN 5			PGTW
15	202116	15.1S 164.SE	PCH 1	T4.5/4.5 /D2.0/2SHRS		KGL/C
	210000	15.45 163.9E	PCN S	7 11 0 11 0 1 22 10 125 1110		PGTU
17	210414	15.85 163.0E	PCN 1			KGWC
18	210600	16.05 163.2E	PCN 1	T4.5/4.S /D1.S/27HRS		PGTW
* 19	211200	16.85 162.8E	PCH 1			PGTW
20	211517	16.7S 1G2.4E	PCN 2			KGWC
21	211600	16.8S 162.5E	PCH I	•		PGTW
22	211800	16.65 162.4E	PCN 2			PGTU
23	212052	16.9S 162.4E	PCN 1	T6.0/6.0 /D1.S/24HRS		KGWC
24 25	228800 228388	17.25 162.2E 17.55 162.2E	PCH 1 PCH 1	T5.0/S.0 /D0.S/18HRS		PGTW PGTW
26	220300	17.85 162.2E	PCN 1			PGTW
27	220931	18.25 161.8E	PCN 2		ULAC 17.95 162.2E	KGWC
28	221200	18.3\$ 162.2E	PCN I		02110 11:33 102:22	PGTW
29	221600	18.7S 162.1E	PCN I			PGTW
30	221800	18.9S 162.2E	PCN 3			PGTW
31	222029	18.95 162.2E	PCN 3	T4.5/5.S /W1.S/24HRS	ULAC 18.6S 162.4E	KGWC
32	230000	19.15 162.6E	PCN 1	T6.0/6.0 /D1.0/24HRS		PGTW
33	230300	19.SS 162.8E	PCH 1			PGTW
34	230600	19.7S 163.1E	PCH I			PGTW
35	230900	19.9S 163.3E	PCH I			PGTW
36	230908	19.5S 163.3E	PCN 2		EYE 10MM DIAMETER	KGWC
37 38	231200 231600	20.3S 163.8E 20.8S 164.1E	PCN 1 PCN 3			PGTW PGTW
* 39	232805	20.35 163.6E	PCN 6	T3.0/4.0 /W1.5/24HRS	ULAC 20.75 164.7E	KGWC
48	240000	21.0S 165.3E	PCN S	T5.0/6.0 /W1.0/24HRS	OLAC 28:13 104:12	PGTW
* 41	240500	21.6S 166.6E	PCN S	10.07 0.0 7 0.107 E-1110		PGTW
* 42	240900	21.5S 167.3E	PCN 5			PGTW
* 43	241600	22.15 167.0E	PCN 5			PGTW
44	250300	22.2S 165.2E	PCN 3	T3.S/4.S+/W1.S/27HRS	EXP LLCC	PSTU
45	250600	22.0S 165.4E	PCN 3			PGTW
46	250900	21.9S 165.6E	PCN 3			PGTW
47	251600	22.2S 166.2E	PCN 5			PGTW
48	260300	22.15 165.2E	PCN 3	T2.0/3.0 /W1.S/24HRS	EXP LLCC	PGTW
49	260609	22.45 165.45	PCN 5		in oc 22 ac 178 cf	PGTW
SØ	261600	22.SS 164.4E	PCN 5		ÚLAC 22.0S 170.SE	PGTW PGTW
S 1	270306	23.19 163.9E	PCH S			لداناتان

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC33-81 F1X POSITIONS FOR CYCLONE NO. 33

F1X NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1 2 3 4 5 6 7 8 9	1703S3 180329 181608 1903U6 190324 191126 191S45 192229 203424	9.4S 60.4E 11.3S 56.SE 10.9S 53.9E 10.3S 53.4E 10.0S 53.2E 11.2S S1.1E 11.2S 50.0E 11.3S 40.7E 11.6S 47.7E	PC	T1.5/1.S T2.0/2.0 /D0.5/24HRS T3.0/3.0 /D1.0/24HRS T3.5/3.S+/D0.5/25HRS	1NIT 08S ULAC 10.2S 61.3E ULAC 11.SS 58.6E ULAC 11.SS 55.1E ULAC 11.2S 53.3E ULAC 11.0S 53.3E ULAC 12.0S 52.0E ULAC 11.SS 51.0E ULAC 12.0S 49.3E ULAC 12.0S 49.3E ULAC 12.0S 49.0E	KGWC KGWC KGWC KGWC KGWC KGWC KGWC KGWC
10 I 1	201114 201703	13.45 47.2E 14.39 46.8E	PCH 1 PCH 2		PARTIAL EYE WALL	KUMC

12 13 14 15 16	202359 210400 211102 211639 212347 220518	13.45 13.95 14.35 14.05 15.35 15.65	46.0E 44.9E 44.4E 44.1E 43.3E	PCN 5 PCN 6 PCN 6 PCN 5		/DØ.5/24HRS			KGWC KGWC KGWC KGWC KGWC
18 19 20 21 22	221232 221616 221757 222335 230333	16.25 16.35 16.45 17.15 17.35	43.3E 42.0E 41.5E 41.4E 40.8E 43.2E	PCN 1 PCN 2 PCN 2 PCN 2 PCN 2	14.0/4.0	/S0.0/25HRS	EYE DIAMETER EYE DIAMETER EYE DIAMETER	12HM	KGWC KGWC KGWC KGWC KGWC
23 24 25 26 27 28	230455 231221 231743 232324 240431 241209	17.55 17.55 17.55 18.35 18.25 17.95	40.2E 30.9E 38.7E 38.1E 37.2E 36.5E	PCH 1 PCH 1 PCH 2 PCH 6 PCH 1 PCH 5		/DØ.5/24HRS /WØ.5/24HRS	EYE DIAMETER EYE DIAMETER		KGMC KGMC KGMC KGMC KGMC

TC01-82 FIX POSITIONS FOR CYCLONE NO. 1

SATELLITE FIXES

F1X NO.	TIME (Z)	FI POSIT		ACCRY	DVORAK CODE	COMMENTS	SITE
1	290100	9.45	78.6E	PCN 6	T1.5/1.5	1NIT 085 ULAC 9.35 78.1E	
2	290200	9.85	79.0E	PCH 5	T1.5/1.5	INIT 085 ULAC 9.35 78.3E	KGWC
3	290900	9.55	70.9E	PCN 6			KGWC
4	291500	9.98	78.4E	PCN 6			KGWC
	292000	9.85	78.3E	PCN 6		ULAC 10.65 78.6E	KGWC
6	300200	10.05	77.6E	PCN 6	T1.5/1.5 /S0.0/24HRS	ULAC FIX LLCC 10.85 78.7E	KGWC
7	301400	11.65	77.9E	PCN 6		ULAC FIX LLCC 10.7S 77.9E	KGWC
	310100	10.25	78.1E	PCH 6	T2.5/2.5 /D1.0/24HRS	ULAC 11.25 77.4E	KGWC
9	310900	11.55	77.9E	PCN S		ULAC 12.65 77.3E	KGWC
10	311400	12.45	77.7E	PCN 6			KGWC
11		12.88	77.7E	PCN 6		ULAC FIX ULAC 13.35 /7.4E INIT 08S ULAC 14.45 77.0E	KGWC
12		13.25	77.7E	PCN 6	T3.5/3.5 /D1.0/25HRS	ULAC 13.3S 77.4E	KGUC
13	010310	15.05	78.2E	PCN 6	T2.5/2.5	INIT 085	FJDG
14	010352	14.35	77.5E	PCN 5		ULAC 14.4S 77.0E	KGUC
		15.75	76.5E	PCN 6			KGUC
16	012137	16.03	75.6E	PCN 6			KGI/IC
17	020125	14.35	77.1E	PCN 4	T4.5/4.5 /D1.0/22HRS	BREAKS CONTINUITY	KGWC
18		14.55	77.3E	PCN 5	T4.5/4.5 /D1.0/24HRS		KGWC
19			77.3E	PCH 6	T3.0/3.0 /D0.5/24HRS		FJDG
20	021022	15.55	77.2E	PCN 6			KGWC
21	021023		77.0E	PCN 6	T3.0/4.0 /W1.0/24HRS		FJDG
22	021521		78.8E	PCN 6		ULAC FIX	KGUC
23	021521	17.25	79.75	PCH 6			FJDG
* 24	022135	18.83	BO.5E	FCH 6		ULAC FIX LLCC 15.6S 77.5E	KGWC
* 25	022125	18.25	BU.GE	PCN 6			F.IIIG
26	030102		76.7E	PCM 4		EXP LLCC	KGIJE
27	030218		77.3E	PCN 4	T2.0/3.0 /W2.5/24HRS	EXP LLCC	KGWC
28	031011		77.5E	PCN 4		EXP LLCC	KGWC
29	031011		77.4E	PCH 6	T2.0/3.0 /W0.5/24HRS	EVE 11.00	FJDG
30	031457	14.25	77.3E	PCH 4		EXP LLCC	KĞUC
31	032114	14.29	77.4E	PCH 4		EXP LLCC	Kehe
32	049155	14.05	76.5E	PCN 4	T2.0/2.0 /S0.0/24HRS	EXP LLCC	KGIJO
33	041434	14.13	75.95	PUN 6			KGWC FJDG
34	042210	16.75	75.3E	PCN 5		CVD LLCC	KGWC
35	050157		74.15	PCN 6	TO 8 40 8 400 8 400 1100	EXP LLCC	KGWC
36	050313		74.3E	PCN G	T2.0/2.0 /S0.0/2SHRS	EXP LLCC '	KGWC
37	060249	15.75	69.3E	PCH 6	T3.0/3.0 /D1.0/24HRS	III OS ETV	KUHC
38	061528	16.25	69.3E	PCN 6	70 F 4 F 4 B F 6 4 B 6	ULAC FIX	KGUC
39	070226	16.59	65.SE	PCH 4	TU.5/1.5 /W2.5/24HRS	EXP LLCC	راياها،٢

TC02-82 F1X P051T10NS FOR CYCLONE NO. 2

F1X NØ.		FIX POSITION	ACCRY		COMMENTS	51TE
* 2	031316	13.15 107.3E 13.2S 106.0E 12.5S 102.0E	PCN 5 PCN 6	T1.0/1.0	IN1T 08S ULAC 14.5S 108.7E 1N1T 005 ULAC F1X ULAC F1X ULAC 13.25 99.2E 1N1T 00S ULAC 13.7S 98.1E ULAC F1X	KGWC KGWC KGWC
4	061347	12.95 101.BE	PCN 6	11.5/1.5	ULAC F1X	KGWC
	070045 070300	13.15 100.4E 13.55 95.5E	PCN 3	T2.5/2.5 /D1.0/24HRS T1.5/1.5	ULAC 13.25 99.2E	KG₩C PGTW
7	070741	13.35 98.6E	PCH 5	11.07 1.0	ULAC 13.75 98.1E	KGWC
		13.75 97.6E 13.65 96.7E	PCN 6		ULAC F1X	KGWC PGTW
10	971800	13.75 96.3E	PCN 5			Pla U.i
		13.95 95.4E 13.5S 95.1E	PCN 6 PCN 5	T3.0/3.0-/D0.5/24HRS	ULAC 14.35 95.8E	KGWC KGWC
13	080300	14.15 94.8E	PCN 5			PGTW
		13.85 94.0E 13.7S 93.9E	PCN 5 PCN 5			₽GTW KGWC
16	081300	13.4S 93.4E	PCN 6		ULAC F1X	KGWC
		13.95 92.4E 14.15 92.1E	PCN 5		ULCC F1X ULCC F1X	PGTW PGTW
19	082014	12.98 91.50	PCN 6	T4 0 44 0 4 04 0 0 0 0 0 0 0 0 0 0 0 0 0		KGWC
		13.45 90.6E 13.7S 90.7E	PCN 5 PCN 5	T4.0/4.0+/D1.0/25HRS T3.5/3.5 /D1.0/24HR5		KGWC PGTW
22	090600	13.7S 90.1E	PCN 5		FVE DIO CHM	PGTW KG₩C
		13.6S 88.8E 12.75 89.8C	PCN 1 PCN 5		EYE DIA 6NM	FJDG
		13.65 89.4E	PCN 5			PGTW KGUC
		13.3S 88.0E 12.9S 88.9E	PCN 6 PCN 5			FJDG
		13.25 87.4E 13.15 86.8E	PCH 5 PCH 1		ULCC F1X EYE HA5 DVLPD	PGTW PGTW
		12.95 86.7E	PCH 2		ETE RMS DVEFD	KGWC
		12.75 85.7E 12.58 85.6E	PCN 1 PCN 1	TE 0/6 0 /D2 0/2/UP5	EVE DIG 12NM	PGTW KGWC
33	100300	12.6S 85.2E	PCH 1	T4.5/4.5 /D1.0/24HR5	EYE DIA 12NM	PGTW
34 35		12.65 84.7E 12.65 84.7E	PCH 1 PCH 1			PGTW KGWC
36	100900	12.65 84.1E	PCH 1			PGT₩
		12.55 83.8E 12.65 83.7E	PCN 1 PCN 2			PGTW KGWC
3 9	101800	12.5S 82.7E	PCH 1		WELL ORGNZD WITH EYE	PGTW
		12.35 82.2E 12.35 81.9E	PCN 2 PCN 1		EYE DIA 12NM	KGWC PGTW
42	110233	12.35 82.8E 12.2S 83.3E	PCH 1 PCH 5	T6.0/6.0 /50.0/25HRS		KG∭C FJDG
44		12.35 81.4E	PCN 1			PGTW
45		12.55 81.4E 12.35 80.3E	PCN 2 PCN 2			KGWC
47		13.39 78.9E 12.55 80.1E	PCN 2		EYE DIA 18NM	KGWC
	112121 120058	12.55 80.1E 13.25 76.2E	PCN 6 PCN 2		FYE DIA 20NM	FJDG KGWC
50	120210	13.15 70.1E	PCN 1		EYE DIA 20HM EYE DIA 18HM	KGWC
51 52		13.15 78.4E 13.85 76.4E	PCN 2 PCN 2	T6.0/G.0 /D0.5/24HR5		FJDG KGWC
53	121006	14.49 76.1E	PCN 5			FJDG
54 55		14.25 75.8E 14.1S 75.6E	PCN 2		EYE DIA 12NM	KGWC FJDG
56	122103	15.08 74.8E	PCN 6			FJDG
57 58	130056	15.1S 74.5E 15.3S 74.2E	PCN 2 PCN 6		EYE DIA 12NM	KGWC FJDG
59	130146	15.25 73.3E	PCH 2	T5.5/6.5 /W1.0/24HR5		KGWC KGWC
* 61	130954 130955	15.85 72.1E 16.05 71.0E	PCN 2 PCN 6	T4.5/5.5 /W1.5/24HR5		FJDG
	131425 132057	16.35 71.2E 17.05 79.4E	PCN 2 PCN 2		EYE DIA 18NM EYE DIA 24NM	KGWC KGWC
	132227	17.55 78.2E	PCN 6			FJDG
65 66	140153 140304	16.8S 69.3E 17.25 69.4E	PCN 2	T6.5/6.5 /D1.0/25HR5	EYE DIA 2011M EYE DIA 30MM	KGWC KGWC
67	140305	16.75 68.9E	PCN 6	T5.0/5.0 /U0.5/24HR5	EYE DIA 15NM EYE DIA 33HM	FJDG
	140942 140943	17.75 68.4E 17.2S 68.2E	PCN 2 PCN 6		EYE DIA 33HM EYE F1LL1NG	KGWC FJDG
70	141543	18.3S 67.7E	PCN 2		EYE DIA 30MM	KGWC
71 72	142227 142227	18.7S 66.5E 17.55 70.2E	PCN 2		EYE DIA 27HM	KGWC FJDG
73	150130	18.45 66.0E	PCN 2			KGWC
		18.75 66.3C 18.25 66.0E	PCH 2 PCH 6	T6.5/6.5 /S0.0/24HR5	EYE DIA 30NM	KGWC KGWC
76	151112	19.05 65.5E	PCH 1		EYE DIA 24NM	KGWC FJDG
		19.15 66.1E 19.09 65.30	PCN 6 PCN 2		EYE D1A 24H11	KGWC

79 80 81 82 83 84 85 86 87 88 89 90	152124 152215 160217 161101 161456 162203 170225 170335 171049 171614 172152 180202	19.25 19.35 19.45 19.53 19.75 19.85 19.05 18.85 20.25 15.95 21.05 20.35	65.8E 65.0E 64.8E 63.9E 62.4E 61.7E 60.6E 60.0E 59.2E	PC 2 6 2 6 PC 2 6 PC 2 7 PC 2	T4.0/5.0 /W2.5/24HRS T3.5/4.0 /W0.5/25HRS		FJDG KGWC KGWC KGWC KGWC KGWC KGWC KGWC KGW
91 92 93 94 95	180221 180311 101037 101037 181550	21.85 20.55 21.85 21.25 22.25	58.5E 59.2E 59.2E 59.5E 59.4E	PCN 5 PCN 6 PCN 4 PCN 5 PCN 2	T3.0/3.5 /W0.5/24HRS		FJDG KGWC KGWC FJDG KGWC
96 97 98 99 100	182140 190248 191025 191527 192128	22.9S 23.3S 23.9S 24.6S 25.2S	59.8E 59.6E 59.2E 50.2E 58.6E	PCN 4 PCN 3 PCN 5 PCN 6 PCN 6	T2.0/2.5 /W1.0/24HRS		KGWC KGWC KGWC KGWC
101 102 103 104	200406 201645 202258 210234	25.6S 26.6S 27.8S 28.6S	58.7E 57.9E 57.8E 58.4E	PCH 5 PCH 6 PCH 6 PCH 3	T2.8/2.0 /S0.0/25HRS T1.8/1.5 /W1.8/23HRS	ULAC 25.75 58.4E EXP LLCC	KGWC KGWC KGWC

TC03-82 FIX POSITIONS FOR CYCLONE NO. 3

SATELLITE FIXES

FIX	TIME	FIX	×				
ND.	(Z)	POS1T		ACCRY	DVORAK CODE	COMMENTS	SITE
							SIIC
1	110836	7.95	93.6E	PCN 6	T1.5/1.5	INIT OOC	
2	111800		93.7E	PCN 5	11.3/1.3	INIT 08S	KGWC
3	111939		94.2E	PCH 6		III OC ETV	PGTW
4	120300	7.75	94.1E	PCN 5	T2.8/2.8	ULAC FIX INIT 08S	KGWC
5	120824	8.65	94.9E	PCN 5	T2.5/2.5 /D1.0/24HRS	1411 082	PGTW
6	121800		94.5E	PCN 5	12.3/2.3 /DI.0/24HR5		KGWC
7	121927		94.8E	PCN 6		ULOC ETV	PGTW
8	122100		94.5E	PCN 5		ULAC FIX	KGWC
9	130146		95.2E	PCN 6	T3.5/3.5+/D1.0/17HRS	BASED ON CONTINUITY	PGT₩
10	130300		94.2E	PCN 5	T3.0/3.0 /D1.0/24HRS		KGMC
11	130812		94.4E	PCN 5	13.0/3.0 /DI.0/24HRS		PGTW
* 12	131200		94.0E	PCN 5			KGNC
* 13	131244		94.1E	PCN 6		ULCC FIX	PGTU
* 14	131600		93.4E			ULAC 9.5S 94.6E	KGMC
* 15	131800			PCN 5		ULCC FIX	PGTW
* 16	132057		93.1E	PCN 5		ULCC FIX	PGTW
* 17			94.1E	PCH 6		ULAC 10.0S 94.7E	KGWC
10	132100		94.20	PCH 5		ULCC FIX BREAKS CONTINUITY	PGTU
	140123		95.5E	PCH 3	T2.5/3.5 /W1.0/24HRS		KGWC
19	140300		95.4E	PCN 3	T1.5/2.0 /W1.5/24HRS		reiw
20	148690		96.1E	PCH 3			rgrw
21	149800		96.2E	PCN 3		ULAC 8.7S 92.7E	KGUIC
22	140900		96.4E	PCN 5			PGTW
23	141402		92.7E	PCN G		ULAC F1X	KRMC
24	150059	11.25	96.9E	PCH 4	T0.5/1.5 /W2.0/24HRS	EXP LLCC	KGWC

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC04-82 FIX POSITIONS FOR CYCLONE NO. 4

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1 2 3 4 5	130000 130005 130300 131200 131244	12.5S 113.7E 13.2S 114.9E 12.8S 114.3E 13.3S 113.5C 13.6S 113.2E		T1.5/1.5 T1.5/1.5	INIT OBS ULAC 12.6S 113.5E INIT OBS BASED ON CONTINUITY ULAC FIX	PGTW KGWC PGTW PGTW KGWC

6	131600	13.4S 112.9E	PCN 5			PGTW
* 7	131800	13.5S 112.3E	PCN 5			PGTW
* 8	132100	13.7S 111.9E	PCN 5			PGTW
9	132342	12.95 113.4E	PCH 5	T2.5/2.5 /D1.0/24HRS	ULAC 12.2S 112.5E	KGWC
* 10	140000	13.5S 111.9E	PCN 5			PGTW
11	140300	13.2S 113.3E	PCN 3	T2.5/2.5 /D1.0/24HRS		PGTW
12	140800	13.75 112.9E	PCN 5	*	ULAC 13.15 112.0E	KGWC
13	140900	13.35 113.0E	PCN 5			PGTW
14	141221	14.05 112.4E	PCN 6		ULAC 13.6S 111.6E	KGWC
15	141600	13.65 112.3E	PCN 5			PGTW
16	141903	14.39 111.7E	PCN 6		ULAC 14.05 111.3E	KGWC
* 17	142318	14.65 111.2E	PCN 5	T3.5/3.5 /D1.0/24HRS		KGWC
18	150000	13.9S 111.8E	PCN 5		· ·	PGTW
19	150300	13.85 112.6E	PCN 5	T3.0/3.0 /D0.5/24HRS		PGTW
20	150600	14.6S 111.9E	PCN 5	7010-010 - 2010- 241110		PGTW
21	150748	14.15 111.5E	PCN 5		BASED ON EXTRAP	KGWC
* 22	151157	14.05 109.1E	PCN 6		ULAC FIX	KGWC
23	151000	14.8S 111.7E	PCN 5		OLHC FIX	PGTW
24	151851	14.5S 112.1E	PCN 6		ULAC F1X LLCC 14.9S 112.6E	KGWC
* 25	160036	14.2S 112.1E	PCN 6	T3.5/3.5 /S0.0/25HRS		KGWC
26	160300	15.3S 113.3E	PCN 5	T3.0/3.0 /S0.0/24HRS	CHOLD OH EXIKH	PGTW
27	160600	15.7S 113.3E	PCN 5	1010, 010 , 0010, 241113		PGTW
28	160737	15.2S 112.8E	PCN 5		BASED ON EXTRAP	KGWC
* 29	161134	14.75 112.8E	PCN 6		BASED ON CONTINUITY	
30	161200	15.9S 113.4E	PCN 5		· BASED ON CONTINUITY	KGWC PGTW
31	161600	16.03 113.8E	PCN 5			PGTW
	161839	15.8S 109.0E	PCN 6		ULAC FIX	KGWC
33	170012	16.15 113.6E	PCN 5	T2.5/3.5 /W1.0/24HRS		
34	170390	16.6S 112.8E	PCN 5	T2.0/3.0 /W1.0/24HRS	SVD 1100	PGTW
35	170600	16.3S !13.5E	PCN 5	12:0/0:0 / WI:0/24:1K3	EN LLCC	PGTW
36	170725	16.6S 113.6E	PCN 5		BUCEL ON EALBOD	KGUIC
37	171251	15.8S 114.4E	PCN 6		EVO LICE	KGWC
38	171600	16.5S 114.0E	PCN 5		EAF LLCC	PGTU
* 39	171828	15.48 113.5E	PCN 6		III OF EIV	KCI IZ
* 40	172100	16.95 114.0E	PCN 5		ULAC 14.85 111.0E EXP LLCC EXP LLCC BNSED ON EXTRAP EXP LLCC ULAC F1X ULAC 15.7S 113.5E	KGWC
* 41	172349	15.4S 114.3E	PCN 5	T3.0/3.0 /D0.5/24HRS	ULAC 15 78 117 55	PGTW
42	180300	16.0S 115.4E	PCN 5	T1.5/2.5 /W0.5/24HRS		
43	180713	17.05 116.7E	PCN 3	11.3/2.3 /WO.3/24MK5	EXP LLCC	PGTW
44	181317	17.2S 116.2E	PCN 6		EAF LLUL	KGUC
	101317	11.23 110.25	LCH P			KGWC

TC05-82 FIX POSITIONS FOR CYCLONE NO. 5

SATELLITE FIXES

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE	COMMENTS .	SITE
1	141600	11.7S 133.5E	PCN 5			PGTW
2	151800	14.15 130.5E	PCN 5			PGTW
3	160300	15.1S 128.6E	PCN 5	T1.0/1.0-	INIT DBS	PGTW
4	160600	15.2S 128.2E	PCN 5		20	PGTW
5	161200	15.2S 127.0E	PCN 5			PGTW
6	161600	15.7S 126.2E	PCN 5			PGTW
7	170300	17.2S 124.4E	PCN 5	T1.0/1.0+/S0.0/24HRS		PGTW
8	170600	17.7S 124.1E	PCN 5			PGTW
9	171600	19.5S 122.0E	PCN 5			PGTU

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC06-82 FIX POSITIONS FOR CYCLONE NO. 6

SATELLITE FIXES

FIX NO.	TIME (Z)	F1X POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1	190300	21.2S J15.3E	PCN 5			PGTW
2	190500	21,15 116.0E	PCN 5	T1.0/1.0	INIT 08S	PGTW
3	191688	22.0S 116.0E	PCN 5			PGTW
4	191900	21.25 114.45	PCH 5		BREAKS CONTINUITY	PGTW
5	192100	22.3S 114.1E	PCH 5		ULCC FIX	PGTW
6	299590	23.39 113.6E	PCN 5	T2.0/2.0-/D1.0/21HRS		PGTW
7	201600	25.8S 112.8E	FCN 5		ULCC FIX	PGTW
8	210300	29.5S 114.0E	PCN 5	T1.0/2.0 /W1.0/24HRS		PGTW

TC07-82 FIX POSITIONS FOR CYCLONE NO. 7

SATELLITE FIXES

FIX NO.	TIME (Z)	FIX				
110.	(2)	POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1 2	251600 260300	17.6\$ 173.3E 17.3\$ 173.2E	PCN 5	70.0.0.0		PGTW
3	260600	17.95 173.2E	PCN 5	T2.0/2.0	INIT 08S	PGTW
4	260900	17.9S 172.9E	PCN 5			PGTU
5	251200	17.5S 173.5E	PCN 5			PGTW
6	261600	17.7S 173.7E	PCN 5			PGTW
7	261800	17.99 173.8E	PCN 5			PGTW PGTW
8	270300	I8.4S 173.7E	PCN 5		ULCC FIX	PGTW
9	270600	10.5S 173.5E	PCN 5	T3.0/3.0 /DI.0/27HRS		PGTW
10	270900 271600	18.55 174.0E 18.45 174.5E	PCN 5			PGTW
12	271800	18.65 174.8E	PCN 5			PGTW
13	271954	18.6S 174.8E	PCN 1	T4.8/4.8 /DI.5/24HRS		PGTW
14	280000	18.7S 174.9E	PCN 1	14.074.0 /DI.3/24RS	EYE HAS DVLPD	KGWC
15	28033?	19.0S 175.2E	PCN 2		ETE MHS DYEFY	PGTW
16	280680	18.73 175.2E	PCH I	T4.0/4.0 /DI.0/24HRS		KGWC PG TW
17	280900	18.65 175.3E	PCH 1			PGTW
18	281200	18.65 175.5E	PCH I			PGTW
19 20	281600 281800	18.65 I75.5E	PCN 1			PGTW
21	261931	18.7S 175.2E IO.6S 175.5E	PCN 3 PCN 3	77 5 44 0 410 5 410 5		PGTW
22	282100	18.8S 175.6E	PCN 3	T3.5/4.0 /W0.5/24HRS		KGWC
23	290000	18.75 175.6E	PCN 3			PGTW
24	290600	18.3S 175.5E	PCN 3	T3.5/4.0 /W0.5/24HRS		PGTW
25	291200	10.6S 175.6E	PCN 5			PGTW PGTW
26	291600	19.1S 175.7E	PCN 5			PGTW
27	300000	19.65 176.3E	PCN 5			PGTW
28 29	300300	19.49 175.8E	PCN 3	T3.0/3.5 /W0.5/21HRS		PGTW
30	301600	19.7S 175.8E 20.3S 176.4E	PCN 5			PGTW
31	301800	20.9S 176.4E	PCN 5 PCN 5			-PGTW
32	316000	22.85 177.3E	PCN 5		COSED BY STORE	PGTW
33	310300	23.4S 177.5E	PCN 5	T3.0/3.0 /S0.0/24HRS	BASED ON EXTRAP	PGTU
34	310600	23.8S 177.7E	PCH 5	212.010.00.0.24183		PGTW PGTW
35	311200	24.15 178.3E	PCN 5			PGTU
36	311600	24.95 178.4E	PCN 5			PGTW
37 38	010000	27.IS 178.5E	PCN 5			PGTW
30	010300	27.95 178.5E	PCN 5	T2.0/2.5 /WI.0/24HRS		PGTW

HOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC08-82 FIX POSITIONS FOR CYCLONE NO. 8

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DYORAK CODE		
		103111011	HCCK 1	DAOWHY CORE	COMMENTS	SITE
1	251600	I7.4S 154.9E	PCN 5			PGTW
2	260300	19.6S 155.4E	PCN 3	T1.5/1.5	INIT OBS	PGTW
3	260600	I9.9S 155.4E	PCN 3			PGTW
4	261600	19.6S 157.6E	PCH 5	•	ULCC FIX	PGTW
5	261800	19.95 158.0E	PCN 5			PGTW
6	270300	20.3S 158.9E	PCN 5		ULCC FIX LLCC 20S 157E	PGTW
7	270600	20.7S I59.GE	PCN 5	T2.5/2.5 /DI.0/27HRS		PGTW
8	270900	20.9S I59.5E	PCN 5			PGTW
9	271600	21.0S 159.9E	PCN 5			PGTW
10	271800	20.9S 160.1E	PCN 5			FGTW
1 I	280000	21.5S 159.9E	PCN 5			PGTW
12	280600	22.1S 159.5E	PCN 5	T2.5/2.5+/S0.0/24HRS		PGTW
13	280900	22.0S 159.2E	PCN 5			PGTW
14	281600	22.0S 159.2E	PCN 5			PGTW
15	201000	22.0S 159.0E	PCH 5		•	PGTW
16	282100	21.95 158.6E	PCN 5			PGTW
17	282112	21.8S 158.7E	PCN 5	T2.5/2.5 /S0.0/24HRS		PGTW
18	290000	22.2S 158.6E	PCN 5			PGTW
19	290600	21.5S 157.4E	PCN 5	T2.5/2.5 /S0.0/24HRS		PGTW
20	291200	20.3S 157.1E	PCN 5			PGTW
21	291600	20.15 156.3E	PCN 5			PGTW
22	291800	19.8S 156.0E	PCN 5			PGTW
						—

2	3 30000	19.15	157.2E	PCN 5						PGT₩
2	4 30030	19.55	157.1E	PCN 5	T2.0/2.5	/W8.5/2IHR5				PGTW
2	5 30060	19.85	156.6E	PCN 5						PGTW
	6 30160		156.3E	PCN 5						PGTW
2			156.0E	PCN 5						PGTW
	8 31000		156.5E	PCN 5				EXP LLCC		PGTW
	9 31030		156.6E	PCN 3	T2.0/2.0	/S0.0/24HRS		EXP LLCC		PGTU
	0 31060		157.0E	PCN 5				EXP LLCC		PGTW
	1 31120		157.7E	PCN 5						PGTW
3	2 31168		158.2E	PCN 5						PGTW
	3 01000		158.6E	PCN 5						PGTW
	4 01030		159.0E	PCN 5	T3.0/3.0	/D1.0/24HR5				PGTIJ
3	5 01060		159.6E	PCN 3						PGTW
	6 01090		160.1E	PCN 5				ULCC FIX		PGT⊎
	7 01160		181.3E	PCN 5						PGT₩
	8 02000		161.5E	PCN 5						PGTW
3	9 02030	18.85	161.8E	PCN 6	T2.5/3.0	/W0.5/24HR9				PGTW
4	0 02060	0 19.25	161.9E	PCN 3						PGTW
4	1 02090	0 19.55	162.0E	PCN 5						PGTW
4	2 02120		162.0E	PCN 3						PGTW
4	3 02160	0 20.33	162.2E	PCN 3						PGTW
4	4 82180	0 20.65	162.1E	PCN 3						PGTW
4	5 03000	0 21.35	162.1E	PCN 1				BANDING TYPE !	YE	PGTW
4	6 03030	0 21.75	162.2E	PCN 1	T3.5/3.5	/D1.0/24HRS	i	RAGGED EYE		PGT₩
4	7 03060	0 22.35	162.3E	PCN 1						PGTW
4	8 03090	0 22.75	162.2E	PCH 1						PGTW
4	9 03120	0 22.95	162.4E	PCN 1				EYE DIA 10NM		PGTW
5	0 03160	0 23.55	162.6F.	PCN 3						PGTW
5	1 03180	0 23.89	162.6E	PCN 3						PGT₩
5	2 04000	0 24.25	163.1E	PCN 5						PGTW
5	3 04030	0 25.09	163.2E	PCN 5	T2.5/3.5	/W1.0/24HR5	i			PGTW
5	4 04060	0 25.55	163.7E	PCN 5						PGTW
5	5 04120	0 26.25	164.9E	PCN 5						PRTW
* 5	6 04190	0 27.25	165.4E	PCN 5						PGTW
* 5	7 05030		166.7E							PGTIJ
5	8 05060		167.2E		T1.5/2.5	/W1.0/27HR5	i			PGTW
5	9 05120	0 25.75	168.3E							PGT₩
6	05160		169.4E							PGTW
6	1 06000	0 23.69	171.7E	PCN 3						PGTW
6	2 06030	0 23.55	172.9E	PCN 3	T0.5/1.5	/W1.0/21HR5	i			PGTW

TC09-82 FIX POSITIONS FOR CYCLONE NO. 9

SATELLITE FIXES

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE	COMMENTS	51TE
* 1 2 3 4	011600 280600 280900 281600	22.65 115.8E 17.15 122.8E 17.25 122.6E 17.48 121.7E	PCN 5 PCN 5 PCN 5 PCN 5	T1.5/1.5	1N1T 085	PGTW PGTW PGTW PGTW
5	282253 299600	17.75 122.9E 17.8S 124.2E	PCN 5	T1.5/1.5 T1.5/1.5 /\$0.0/24HRS	1NIT 085 ULAC 17.5S 122.7E	KGWC PGTW
7 8	300300	19.15 124.1E 19.55 121.0E	PCN 3 PCN 5	T1.0/1.0 /W0.5/21HRS T1.5/1.5 /D0.5/24HR5	EXP LLCC	PGTW PGTU
9	310600 311600	19.25 120.7E 19.65 119.6E	PCN 5 PCN 5			PGTW PGTW
11 12	010000 010300	20.4S 118.5E 20.7S 118.4E	PCN 5 PCN 5	T1.0/1.5 /W0.5/24HRS		PGTW PGTW
13 14	010600 020300	20.95 110.2F 23.35 114.5E	PCN 5 PCN 6	T1.0/1.0 /S0.0/24HR5		PGTIJ PGTIJ

TC10-82 FIX POSITIONS FOR CYCLONE NO. 10

SATELLITE FIXES

FIX	TIME	FIX				
NO.	(Z)	P05ITION	ACCRY	DVORAK CODE	COMMENTS	SITE
1	380333	14.98 64	1.8E PCN 6	T1.0/1.0		1400.00
ż	301612		2.9E PCH 6	11.8/1.0		KGWC
3	310310			TO 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		KGWC
	311549			T2.0/2.0 /D1.0/24HRS	BASED ON EXTRAP	KGMC
4			.BE PCN 6		ULCC FIX	KGWC
5	010246		SE PCN 5	T2.5/2.5 /D0.5/24HR5	BASED ON EXTRAP	KGWC
6	011115		.9E PCN 5		BASED ON EXTRAP	KGWC
7	011707		1.6E PCH €			KG₩C
8	012218		3.9E PCN-6		BASED ON EXTRAP	KGWC
9	020404		3.1E PCN 5	T3.0/3.0 /D0.5/25HR5	ULAC 10.75 53.0E	KGWC
10	021103		.5E PCN 6		BASED ON EXTRAP	KGWC
1 1	021643	19.25 50	1.9E PCN 6		BASED ON EXTRAP	KGIJC
12	022348	18.79 50	1.1E ' PCN 6		8A5ED ON EXTRAP	KGUC
13	030341	18.35 49	.5E PCN 5	T3.5/3.5 /DG.5/24HR5	BASED ON EXTRAP	KGWC
14	@31210	17.15 46	.2E PCM 6			KGWC
15	031620	17.55 44	1.7E PCN 6		BASED ON EXTRAP	KGWC
16	040450	17.55 43	.5E PCN 5	T3.0/3.5 /WC.5/25HRS		KGWC
17	041221	18.15 42	.6E PCN 5		BASED ON EXTRAP	KGWC
18	041737	17.95 42	.2E PCN 6		ULAC 17.25 41.6E	KGWC
19	842324		.9E PCN 5		ULAC 17.25 40.5E	KGWC
20	058435		.3E PCN 5	T2.5/3.0 /W0.5/24HR5	ULAC 16.95 39.5E	KGUC
21	051714		.1E PCN 6	.2.0, 0.0 . 60.0, 241113	GENC 10.33 33.3E	- KGWC
22	052312		.7E PCN 6		ULAC FIX	
			I Cit o		OLMC FIX	KGWC

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR 8EST TRACK PURPOSES.

TC11-82 FIX POSITIONS FOR CYCLONE NO. 11

SATELLITE FIXES

FIX	TIME	FIX				
NO.	(Z)	P05ITION	ACCRY	DVORAK CODE	COMMENTS	5ITE
	4.40700	** 50 *** **				
1	140300	I1.5S 107.9E	PCN 3	T1.5/1.5	INIT 085	PGTW
. 2	148688	11.5S 107.9E	PCN 5			PGT₩
* 3	141800	12.35 107.5E	PCN 5			PGTW
4	150300	12.45 110.3E	PCN 3	T1.5/1.5 /S0.0/24HR5		PGTW
5	158646	12.53 110.6E	PCN 5		ULAC 12.55 109.GE	KGWC
6	151319	13.0S 110.7E	PCN 6			KGWC
7	151931	13.15 110.8E	PCN 6		BASED ON EXTRAP	KGWC
В	160016	13.95 111.7E	PCN 5	T2.0/2.0 /D0.5/24HR5	ULAC 13.25 111.0E	KGWC
9	160300	13.65 111.4E	PCH 3	T1.5/1.5 /S0.0/24HRS	EXP LLCC	PGTW
19	160634	13.75 111.7E	PCN 4		EXP LLCC	KGWS
* 11	161255	13.85 112.3E	PCN 6			KGINC
* 12	161600	I3.88 112.5E	PCN 5			PGTW
* 13	161919	13.79 111.9E	PCN 6		ULAC 14.0S 110.9E	KGHC
14	102353	13.43 111.0E	PCH 5	T3.0/3.0 /D1.0/24HR5	ULAC 12.85 109.9E	KIRWO
15	170600	14.4S 110.3L	PCH 5	T2.5/2.5 /D1.0/27HR5	BASED ON EXTRAP	HGTU
16	176004	14.15 110.5E	PCN 5		DASED OH EXTRUP	KOMO
17	171232	14.5S 109.8E	PCII 6		ULAC 14.35 188.5E	KUUC
18	171600	14.35 109.2E	PCN 5			PGTW
19	171907	13.95 109.3E	PCN 6		ULAC 14.75 105.1E	KGWC
* 28	172329	13.49 109.9E	PCN 3	T2.0/2.5 /W1.0/24HRS	EXP LLCC	KGUC
21	160800	13.8S 110.8E	PCH 3		EXP LLCC	PGTU
22	100700	13.95 110.3E	PCH 3	T1.5/2.5 /W1.0/21HR5	EXP LLCC	PGTIJ
23	100752	13.98 109.65	PCH 3		EXP LLCC	RGUC
24	181200	14.25 110.4E	FILH G		EXP LLCC	KGUC
* 25	101600	14.5S 110.7E	PCN 5			PG'TW
× 26	181055	14.55 110.8E	FCH 4		EXP LLCC	KGWC
27	198947	14.05 118.5E	PCN 3	T1.0/2.0 /U1.0/25HRS	EXP LLCC	KGWC

TC12-82 FIX POSITIONS FOR CYCLONE NO. 12

SATELLITE FIXES

F1X NO.	T1ME (Z)	F1 POS1T		ACCRY	DYORAK CODE	COMMENTS	SITE
1	221211	22.65	36.1E	PCN S	T1.S/1.S	INIT OBS	KGWC
2	221719	23.75	35.9E	PCN 6		ULAC 22.75 36.3E	KGWC
3	230417	24.05	38.SE	PCN S		ULAC 23.75 38.4E	KGWC
4	231655	26.05	42.BE	PCN 6			KGWC
S	240353	27.05	42.9E	PCN S	T3.0/3.0-/D2.S/40HRS		KGLIC
6	241147	29.05	44.0E	PCN 5		BASED ON EXTRAP	KGWC
7	242250	30.95	46.2E	PCN 4	T1.0/2.0 /W2.0/19HRS	EXP LLCC	KGWC
В	251135	33.55	48.8E	PCH 4	TO.5/1.0 /W0.S/12HRS	EXP LLCC	KGWC

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC13-82 F1X POS1T1ONS FOR CYCLONE NO. 13

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DVORAK CODE	COMMENTS	SITE
2	261223	17.3S 112.9E 16.8S 110.2E	PCN S PCN 6	T1.5/1.S	1NIT 08S ULAC 17.1S 109.7E.	KGWC KGWC
		16.55 111.4E 16.65 111.8E	PCN S	T2.0/2.0 /D0.5/24HRS	ULAC 17.15 109.7E.	KGWC PGTW
S	278300	16.9S 111.6E	PCN 3	T1.S/1.S	1N1T 08S	PGTW
		16.53 111.6E 16.3S 111.7E	PCN 6		BASED ON EXTRAP	KGWC KGWC
В	280000	17.2S 111.6E	PCN S	TT 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0		PGTW
		17.1S 111.9E		T3.0/3.0 /D1.0/2SHRS T2.5/2.5 /D1.0/24HRS		KGWC PGTW
11	280600	17.SS 112.1E	PCN S		DOOFD BY EVERAGE	PG1W
		17.9S 112.8E 19.SS 113.4E	PCN S FCN 6		BASED ON EXTRAP BASED ON EXTRAP	KGWC KGWC
14	281800					PGTW
		19.0S 115.0E 18.2S 117.2E	PCN 5	T3.S/3.S /D0.S/24HRS	BASED UN EXTRAP	KGWC KGWC
17	010300	19.1S 117.6E	PCN S	T3.0/3.0 /D0.5/24HRS		PGTW
		19.0S 117.9E 10.4S 118.9E	PCN S PCN S			PGTW KGWC
		19.05 118.0E	PCN 6 PCN 5		BASED ON EXTRAP	KGWC PGTU
		18.8S 119.3E 18.9S 119.0E	PCN S			PGTW
		18.03 119.9E 18.3S 121.4E	PCN 6 FCN 5	T2.0/3.0-/J1.5/24HRS	BASED ON EXTRAP	KGWC KGWC
25	020300	17.8S 120.9E	PCII S	T1.S/2.0 /J1.S/24HRS		PGTIJ
		17.53 121.2E 17.45 121.7E	PCN S			PGTW KGWC
28	021230	17.35 121.9E	PCN S		ULAC F1X ULAC 16.55 121.9E	KGWC
		17.6S 121.9E 17.0S 121.3E	PCN 5 FCN 5		ULAC F1X	KGWC
31	022327	17.1S 122.2E	PCN 5	T2.5/2.5 /D0.5/24HRS	ULAC 16.55 121.9E	KGWC PGTW
	030300	16.8S 122.0E	PCN 5 PCN 5	T2.S/2.S-/D1.0/24HRS		PGTU
	030659	16.7S 122.1E 17.0S 122.3E	PCN 5 PCN S			PGTIJ KGWC
36	031206	17.0S 122.CE	PCN 6		ULAC FIX	KGWC
		17.95 122.00 17.45 122.20	PCH S		ULAC F1X	PGTW KCMC
39	032304	17.62 120.6E	PCN S	T3.0/3.0 /DO.S/24HRS	ULAC FIX ULAC F1X ULAC 17.25 120.3E	KGUC
				T3.0/3.0 /D0.S/24HRS		PGTW PGTW
	040600	18.15 119.7E	PCN S PCN 5	•		PG TW KGIJC
* 44	841143	17.9S 119.3E 10.8S 117.2E	PCN 6		ULAC FIX	KGUC
		10.6S 118.8E 18.9S 118.0E	PCN S			PGTU PGTU
* 47	041750	18.2S 117.4E	PCN 6		ULAC 18.45 117.1E BASED ON CONTINUITY	KGUC
		19.0S 118.4E 19.4S 117.2E	PCN S		BASED ON CONTINUITY	PGTW PGTW
SØ	050021	10.35 116.95	PCH 6	T3.5/3.5 /D0.5/2SHRS	ULAC 18.8S 117.3E	KGUC
			PCM 5	14.0/4.0 /D1.0/25HRS		PETIJ
		19.65 115.25	PCH 5		ULAC 19.95 115.1E	KGUC

54 55 56 57	050900 051300 051600 051800	20.0S 115.3E 19.5S 114.5E 20.4S 114.3E 20.6S 114.IE	PCN 5 PCN 6 PCN 5 PCN 5		BASED ON EXTRAP	PGTW KGWC PGTW
5B	051920	20.75 114.1E	PCN 6		ULAC FIX	PGTW KGWC
59	052100	20.7S 113.8E	PCN 5			PGTW
60	052358	20.5S 114.2E	PCN 6	T2.5/3.5 /W1.0/24HRS		KGWC
61	060400	21.BS 114.IE	PCN 5	T2.5/3.5 /W1.5/24HRS		PGTW
62	060600	22.3S 113.9E	PCN 5		BASED ON EXTRAP	PGTW
63	060806	21.9S 113.5E	PCH 5		BASED ON EXTRAP	KGUC
64	061237	23.2S 113.4E	PCN 6		BASED ON EXTRAP	KGWC
65	061600	23.1S 113.6E	PCN 5			PGTW
66	061909	24.5S 1I3.9E	PCN 6		BASED ON EXTRAP	KG₩C
67	062334	23.7S 114.3E	PCN 3	T2.0/2.5 /U0.5/24HRS	EXP LLCC	KGWC
6B	070860	24.0S 114.1E	PCH 5			PGTW
69	070400	25.0S 114.3E	PCH 5	T1.5/2.5 /W1.0/24HRS		PGTW
70	070600	25.6S 114.6E	PCH 5			PGTW

TC15-B2 F1X POSITIONS FOR CYCLONE NO. 15

SATELLITE FIXES

FIX	TIME	FI					
но.	(2)	POSIT	IUN	ACCRY	DVORAK CODE	COMMENTS	SITE
1	161112	12.45	54.2E	PCN 5	T1.5/1.5	INIT OBS	KGWC
2	162215	12.75	53.3E	PCN 6		BASED ON EXTRAP	KGWC
3	171100	13.35	52.7E	PCH 2	T2.5/2.5 /D1.0/24HRS	BANDING EYE	KGWC
4	172345	13.15	51.BE	PCN 2	1210 210 12110 2 mms	EYE DIA 10NM	KGWC
5	180341	13, 45	51.3E	PCH 1		EYE DIA 13NM	KGWC
6	18104B	14.15	50.9E	PCN 2	T4.5/4.5 /D2.0/24HRS		KGWC
7	181620	13.98	50.1E	PCN 2		EYE DIA BNM	KGWC
В	182333	13.75	49.2E	PCH 4		EXP MLCC	KGWC
9	190459	14.BS	4B.5E	PCH 5		BASED ON EXTRAP	KGWC
10	1912IB	15.05	46.5E	PCH 5	T3.0/4.0+/W1.5/25HRS		KGWC
1 I	191737	15.48	44.7E	PCH 5		BASED ON EXTRAP	KGWC
* 12	192321	14.75	43.5E	PCH 5		ULAC FIX	KGWC
13	200435	16.15	43.6E	PCN 5		EYE DEVELOPING	KGWC
14	201206	16.BS	42.5E	PCN 5	T3.5/3.5 /D0.5/24HRS	BASED ON EXTRAP	KGWC
15	202309	16.BS	42.0E	PCN 6			KGWC
16	211154	17.55	40.0E	PCH I	T4.0/4.0 /D0.5/24HRS		KGWC
17	212257	17.45	39.2E	PCH 1			KGliC
18	221142	17.45	39.BE	PCH 1	T4.5/4.5 /D0.5/24HRS		KGWC
19	230027	18.05	33.2E	PCH 2		EYE DIA IBNM	KGWC
20	231130	18.15	3B.5E	PCH 1	T4.0/4.5 /U0.5/23HRS		KGWC
21	231312	18.35	30.BE	PCH 5		BASED ON EXTRAP	KGWC
22	240015	19.35	39.4E	PCN 2			KGWC
23	241300	21.35	40.9E	FCN 5	T3.5/4.0 /W0.5/26HRS	BASCD ON EXTRAP	KGWC
24	250003 251240	23.25	43.2E	PCN 6	TO 5 47 5 414 0 40 4150	DASED OH EXTRAP	KGWC
25 26	252351	26.15	44.7E	PCN 5	T2.5/3.5 /U1.0/24HRS	BASED ON EXTROP	KGIJC
27	261236	28.98	44.4E	PCN 3	T1 0 0 0 41 F 0 110	EXP LLCC	KGUC
* 2B	262339	31.45	42.40	PCH 5	T1.0/2.0 /W1.5/24HRS	BASED ON EXTRAP	KGIJC
29	271224	33.35	41.3E 40.BE	FCH 5 PCH 3	TO E 41 E 410 E 427UDC	BASED ON EXTRAP	KGUC
23	21 1224	33.35	40.85	FUN 3	T0.5/I.5 /W0.5/23HRS	EXP LLCC	KGWC

NOTICE - THE ASTERISKS (*) INDICATE FIXES UNREPRESENTATIVE AND NOT USED FOR BEST TRACK PURPOSES.

TC16-B2 FIX POSITIONS FOR CYCLONE NO. 16

F !		TIME (Z)	FI POSIT		ACCRY	DVORAK CODE	COMMENTS	SITE
	1 2	150800 151890	10.55	96.3E 95.8E	PCN 5 PCN 5	T1.5/1.5	INIT OBS ULAC FIX	KGWC PGTW
	3	152045	11.95	95.BE	PCN 6		ULAC FIX	KGWC
	4	160000	11.88	95.4E	PCN 5		ULCC F1X	PGTW
*	5	160300	11.65	93.7E	PCN 5	T1.0/1.0	INIT OOS BASED ON EXTRAP	FGTW
*	6	16074B	14.65	94.3E	PCH 6	T1.5/1.5 /S0.0/24HRS	BASED ON EXTRAP	KGIJC
	7	162033	13.65	92.7E	PCH 6		BASED ON EXTRAP	I: GIJC
*	В	170300	12.55	34.85	PCH 5	T1.0/I.0 /S0.0/24HRS		PGTU
	9	17091B	14.55	92.76	PCH 6	T1.0/I.5 /W0.5/25HRS	BASED OH EXTRAP	KGUC

							00711
10	171600	15.55	91.7E	PCN 5			PGTW
11	172021	15.95	91.2E	PCI1 6		ULAC FIX	KGIJC
12	172100	15.48	90.7E	PCN 5			PGTW
13	180000	15.98	91.0E	PCN 5			PGTW
14	180200	16.45	91.6E	PCN 6		ULAC 17.0S 091.2E	KGWC
15	180600	16.85	91.1E	PCN 5	T3.0/3.0-/D2.0/27HRS		PGTU
16	180900	17.15	91.2E	PCN 5			PGTW
17	180906	17.85	91.1E	PCN 6	T2.5/2.5 /D1.5/24HRS	BASED ON EXTRAP	KGUC
18	181257	18.75	91.6E	PCN 6		BASED ON EXTRAP	KGUC
19	181800	19.15	91.3E	PCN 5			PGTW
20	182009	20.25	92.1E	PCN 6			KGWC
* 2I	102100	21.35	92.2E	PCN 5			PGTW
22	190136	20.05	90.9E	PCN 6		ULAC 21.0S 093.1E	KGWC
* 23	190600	19.75	89.0E	PCN 5	T1.0/2.0 /W2.0/24HRS	SRKS CONTINUITY EXP LLCC	PGTW
24	190854	20.25	90.6E	PCN 6	T1.5/2.5 /W1.0/24HR5	EXP LLCC	KGWC
* 25	191415	21.05	89.6E	PCN 6	· · · · · ·	EXP LLCC	KGWC
26	200113	19.85	90.1E	PCN 4			KGWC
27	200600	20.25	89.8E	PCN 3	T0.5/1.0 /W0.5/24HRS		PGTW
	200000	20.20	05.00	10110	1010-110 - wold- E-IIII		

TC17-92 F1X POS1TIONS FOR CYCLONE NO. 17

FIX NO.	TIME (Z)	FIX POSITION	ACCRY	DYORAK CODE	COMMENTS	SITE
110.	(2)	F031710H	HCCK I	DYDRAK CODE	COLUENTS	3116
* I	311800	3.6S 16I.4E 4.6S 158.1E	PCN 5 PCN 6	T1 E /1 E	INIT ODS	PGTW KGWC
3	312030 010600	5.5S 158.2E	PCN 5	T1.5/1.5 T1.5/1.5	INIT OBS	PGTU
4	010727	5.03 158.3E	PCN 6	11.371.3	1111 003	KGWC
5	010900	5.5S I57.5E	PCN 5			PGT⊍
6	011200	5.7S 157.4E	PCN 5			PGTW
7	011539	6.25 159.5E	PCN 6			KGWC
	011800	6.2S 150.2E	PCN 5			PG™
* 9	012147	8.6S 156.8E	PCN 6	T2.5/2.5 /D1.0/25HR5	ULAC FIX	KGWC
* 10	020000	6.7S 157.7E	PCN 5		ULCC FIX	PGTW
I 1	020300	9.2S 159.IE 8.7S 155.7E	PCN 5	T2.0/2.0 /D0.5/2IHRS	BRKS CONTINUITY	PGTW KGWC
* I2 I3	020424 020600	8.8S 158.GE	PCN 6 PCN 5		ULAC FIX	PGTU
	020045	8.75 158.3E	PCN 6		ULAC FIX	KGWC
	020990	8.7S 158.4E	PCH 5			PGTU
	021200	8.75 157.9E	PCN 5			Prittle
17	021527	9.8S 158.8E	PCN 6		ULAC FIX	KGIJC:
	021600	10.15 158.2E	PCN 5			PGTW
19	021800	IO.15 158.0E	PCN 5			PG TW
20	022100	10.4S 158.8E	PCN 5	T7 0 /7 0 /00 F /04/00	DACED ON EVENOR	PGTW
21	022124 030000	10.69 159.2E 11.25 158.0E	PCN 6 PCN 5	T3.0/3.0 /D0.5/24HRS	BASED ON EXTRAP	KGNC PGTW
23	030300	11.25 150.6E	PCH 5	T2.5/2.5 /D0.5/24HRS		PGTU
	030412	10.7S 157.2E	PCN 5	1213/213 / 2010/2-41110		KGUC
* 25	030600	11.3N 157.1E	PCH 5			PGTIJ
* 26	030900	11.4S 156.8E	PCH 5			PGTIJ
27	031002	10.35 157.8E	PCN 6		BASED ON EXTRAP	KGNC
28	031200	11.0S I50.4E	PCN 5		DOCED OU SYTDON	PGTU
	031515 031600	10.4S I57.6E 11.95 IS8.6E	PCH 6 PCH 5		BASED ON EXTRAP	KGIA. PG I J
	031800	12.25 I50.0E	PCN 5			PGTU
32	032100	12.BS 157.3E	PCN 5			PGTU
33	032100	12.1S 157.6E	PCN 3	T3.5/3.5 /D0.5/24HRS		KGWC
34		12.25 157.4E	PCN 5		ULCC FIX	PGTW
35	040300	12.9S 157.4E	PCN 5	T3.5/3.5 /D1.0/24HRS		PGTM
36 37	040609	13.33 156.9E	PCH 3		ELLIPTICAL EYE	PGTU KGUC
38	040939 041200	13.68 157.2E 14.68 156.5E	PCH 3		ELLIPTICHE ETE	PGTW
39		15.6S 156.7E	PCH 3			PGTW
40	041645	15.0S 156.9E	PCII 2			K.GUC
41	042036	15.7S 156.2E	PCH 1	T4.5/4.5 /D1.0/24HRS		KGWC
42	050000	16.3S 156.1E	PCH 1			PG TW
43	050300	I7.15 156.2E	PCH I	T4.5/4.5 /D1.0/24HR5		PGTU
44	050348	17.IS 156.5E	PCH 1			KCMC
45 46	050600 050915	17.7S 156.5E 18.25 156.4E	PCH 1 PCH 2			PGTU KGMC
46	051200	10.85 156.9E	PCH 1		EYE DIA 55NM	PGTW
48	051600	19.7S 157.4E	PCI 1		2.2 2 95	PGTW
49	051633	19.28 157.5E	FCII 2			KGUC
50	051890	19.38 157.5E	PCH 1			PGTW
51	052013	19.88 157.6E	PCH 2	T5.0/5.0 /D0.5/23HRS	ENE DIO EGUM	KGIJC
52	952190	20.05 157.6E	PCH 1		EYE DIA 50NM	PGTIJ

53	060000	20.25 158.0E	PCN 1	T7 F (4 G 41) 0 (0 4) 0 C		PGTU
S4	060300	20.7S 1S8.3E	PCN 1	T3.5/4.0 /W1.0/24HRS		PGTW KGWC
* 55	060336 060600	20.6S 159.1E	PCH 1			PGTW
56 67	061200	21.0S 1S9.0E 22.0S 1S9.8E	PCN 1			PGTW
S7			PCN 1			PGTW
S8	051600	22.35 160.6E	PCN 3		EYE DIA 15NM	KGUS
* 59	961621	21.9S 160.3E	PCN 2		ETE DIN 15MH	PGTU
60	961800	22.6S 160.8E	PCN 1	T4 F /F /8 / 4 /9 F /0 / 11/00		KGWC
* 61	061949	22.25 160.SE	PCN 1	T4.5/5.0 /W0.5/24HRS		PGTW
62	070000	23.2S 161.6E	PCH 1	T4 0 44 0 400 0 0 0 41100		PGTW
63	070300	23.75 162.3E	PCN 3	T4.0/4.0 /D0.S/24HRS	COCED BU EVEROR	
64	070324	23.35 162.4E	PCN 5		BASED ON EXTRAP	KGUC
65	070500	24.25 162.8E	PCN 3			PGTW
66	070328	24.3S 163.1E	PCN 6			KGWC
67	071200	25.7S 165.1E	PCN S			PGTW
* 68	071600	26.1S 155.8E	PCN S			PGTW
* 69	071800	26.SS 168.2E	PCN S		ULCC FIX	PGTW
70	071926	26.0S 167.0E	PCN 5	T3.0/4.0 /W1.S/23HRS		KGIJC
71	080000	27.0S 166.5E	PCN S			PGTU
72	080300	27.25 167.7E	PCN 5	T2.5/3.5 /W1.S/24HRS		PG1IJ
73	080312	26.93 167.9E	PCN S		EXP LLCC	KGWC
74	080600	28.0S 169.CE	PCN S			PGTU
75	080900	28.9S 169.9E	PCH S			PGTU
76	081200	29.3S 171.0E	PCN 5			PGTU
77	081600	30.15 173.0E	PCN 5			PGTW
* 78	690000	33.8S 177.4E	PCH S			PGTW

TC18-82 FIX POSITIONS FOR CYCLONE NO. 1B

F1X	TIME	F1X				
NO.	(Z)	POS1T10N	ACCRY	DVORAK CODE	COMMENTS	SITE
				•		
1	941699	11.3S 138.5E	PCN 5			PGTW
2	041643	11.6S 138.9E	PCN 6			KGWC
* 3	042218	11.7S 139.SE	PCH S	T2.0/2.0 /D0.S/17HRS		KGWC
4	050300	11.1S 138.8E	PCN S	T1.S/1.S	INIT OBS	PGTU
S	059530	10.9S 138.5E	PCN S		ULAC F1X	KGWC
6	051056	11.2S 139.8E	PCN 6		ULAC F1X	KGWC
7	051200	11.BS 139.3E	PCN 5			PGTW
8	0S1600	11.9S 139.2E	PCN S			PGTU
9	051633	11.3S 139.1E	PCN 4			KGUC
19	051800	11.8S 139.4E	PCN 5			PGTIJ
11	052100	11.7S 139.4E	PCN 5			PGTW
12	052154	11.43 139.2E	PCN S	T3.5/3.5 /D1.5/24HRS	ULAC 11.7S 139.7E	KG⊍C
13	060300	12.25 139.1E	PCN S	T3.0/3.0 /D1.5/24HRS		PGTW
14	060518	12.3S 139.8E	PCN S		BASED ON EXTRAP	KGUC
15	060900	12.9S 138.8E	PCH S			PGTW
16	061200	13.35 139.8E	PCN 3		POSSIBLE BANDING EYE	FGTU
17	061621	13.1S 139.6E	PCN 6		BASED ON EXTRAP	KGNC
18	961809	13.58 139.9E	PCN 3			PETW
19	062100	14.0S 149.2E	PCII 3		POSSIBLE DANDING EYE	PGIW
28	062130	13.15 139.95	PCN 5	T4.5/4.5 /D1.0/23HRS		KCHC
21	670000	13.95 140.0E	PUH 1			PGIW
22	070300	13.9S 140.SE	PCH 1	T4.5/4.5-/D1.5/24HRS		ratu
23	070506	14.15 140.8E	PCN 1			KGWC
24	070600	14.35 140.7E	PCH 1			FIGTU
25	076900	14.75 141.1E	PCN 1			PG 11J
26	971009	14.65 141.10	PCN 2			KGW
27	971290	14.95 141.5E	PCH 3			PGTIJ
28	071600	15.0S 141.9E	PCH 3			PETH
29	971899	15.1S 142.3E	PCH S			PGTU
30	072100	15.35 142.6E	PCN S			PGTM
.31	Ø721Ø7	15.1S 142.1E	PCH 5	T3.0/4.0 /W1.S/24HRS		KGIJC
32	989999	15.65 143.2E	PCN 5			FGTIJ
33	888388	15.65 143.4E	PCH 5	T2.S/3.5-/W2.0/24HRS		PGTH.
34	080454	15.8S 143.9E	PCH 5		BASED ON EXTRAP	1355/2
35	080600	14.98 143.2E	PCN 5			PGTW
36	080900	16.3S 144.5E	PCN S			PGTU
37	081557	15.25 145.2E	PCN 5		ULAC FIX	Klaiste
38	001600	15.7S 14S.4E	PCN 5			UTITU
39	981890	15.63 146.25	PCN S			POTM
40	002100	15.25 1-iō.3E	PCH 5			PGTIV
41	082224	14.45 147.0E	PCN 5	T1.5/2.5 /W1.5/25HRS	BASED ON EXTRAP	KGHO
42	090000	14.65 146.0E	PCH 5			FIGTH
43	690300	14.95 147.5E	PCII S	T2.5/2.5 /30.0/24HRS		PGTM
* 44	090442	15.25 146.4E	PCH 3		EXP LLCC	KGUC
45	090600	15.3S 147.7E	PCH 5			POTH
46	090900	15.45 140.3E	PCN 5			PGTIJ
47	090922	15.90 147.0E	PCN S			KONC
40	091200	15.59 140.5E	PCII 5		BASED ON EXTRAP	PG TU
			•			

* 49	091545	15.95 150.2E	PCN 5		ULAC FIX	KGWC
50	091800	15.15 149.6E	PCN 5"			PGTW
51	092100	15.15 ISO.1E	PCN S			PGTW
52	992201	14.45 151.3E	PCN S	T2.5/2.5 /D1.0/24HRS	BASED ON EXTRAP	KGIJC
S 3	100000	14.25 150.2E	PCN 3	- A		PGTW
54	100300	14.25 150.8E	PCN 3	T3.0/3.0 /D0.5/24HRS		PGTW
SS	100430	15.0S 151.1E	PCN 3		EXP LLCC	KGUC
56	100600	14.85 151.SE	PCN S			PGTW
* 57	100058	14.25 152.2E	PCN 6			KGWC
58	100900	14.8S 151.SE	PCN S			PGTW
59	181299	14.55 151.6E	PCN 5			PGTU
60	101533	14.SS 151.7E	PCN 6		BASED ON EXTRAP	KGWC
61	101600	14.65 151.8E	PCN S			PGTU
62	101800	14.SS 1S2.2E	PCN S			PGTW
63	102100	14.35 152.3E	PCN 5			PGTW
64	102137	14.15 151.9E	PCN 3	T2.5/2.5 /S0.0/24HRS		KGWC
€S	110000	14.35 152.4E	PCN S			PGT₩
66	110300	14.55 152.7E	PCH S	T2.5/3.0 /W0.5/24HRS	BASED ON EXTRAP	PGTU
67	110418	13.95 152.75	PCH S		BASED UN EXTRAP	KGWC
68	110600	14.45 152.8E	PCN S			FGTIJ
69	110900	14.35 152.9E	PCN S			PGTW
78	111016	14.35 152.70	PCN 6			KGWC
71	111280	14.15 153.1E	PCN S			PSTW
72	111600	14.55 153.0E	PCH S			PGTW
73	111703	14.15 132.95	PCN 6			KGUC
74	112100	14.65 152.95	PCN S			rg1 w
* 7S	112113	14.43 151.7C	PCN S	T3.0/3.0 /D0.S/24HRS	BASED ON EXTRAP	KGUC
76	120000	14.65 152.2E	PCN S		BASED ON EXTRAP	PGTW
77	120380	14.78 151.95	PCH 3	T2.0/2.5 /W0.5/24HRS		PGTW
78	120406	14.65 152.2E	PCN S		BASED ON CXTRAP	Kuric
79	120600	14.8S 152.0E	PCN 3			PGTU
89	120900	14.63 152.0E	PCN 5			PGTIJ
81	121200	15.85 152.7E	PCN S			FGTW
* 82	121600	15.15 152.4E	PCN S			PGTIJ
83	121651	16.25 152.SE	PCN S		ULAC FIX	KGWC
04	121000	15.55 152.1E	PCN S			PUTU
* 85	122100	16.15 152.4E	PCN S			PG HJ
36	130000	16.95 150.8E	PCN 3			PGHI
07	130300	17.45 150.6E	PCN 5	T1.0/1.5 /W1.0/24HRS	BASED ON EXTRAP	PGTU
83	130536	17.60 149.7E	PCN 5	T1.0/1.0 /W2.0/32HRS	BASED ON EXTRAP	KGUC
89	130600	18.15 149.7E	PCN S			PGTW
90	130906	18.4S 149.6E	PCN 5			PGTW
* 91	131639	16.25 146.8E	PCN 5			KGWC

TC19-82 F1X POSITIONS FOR CYCLONE NO. 19

FIX NO.	TIME (Z)	FIX FOS1T1		ACCRY	DVORAK CODE	COMMENTS	SITE
1	230500		05.5E	PCH S	T1.0/1.0	INIT ODS	PETIJ
2	230842		84.2E	PCN 6 PCN 5	T1.0/1.0	INIT OBS ULAC FIX	KGWC
4	231800 232127		82.6E	PCN 5		ULCC F1X ULAC F1X	KGPIC KGPIC
S	240237		31.5E	PCH S	T1.0/1.0 /S0.0/18HRS	ULAC FIX	KEUC
* 6	242115		80.30	PUN 6	11.0/1.0 /50.0/16HE5	ULAC FIX	Kend
7 0	251000		77.4E	PCN 5	T3.0/3.0 /D1.5/24HRS	ULAC 7.95 76.7E	MEUC
8	252103		76.7E	PCN 6	13.0/3.8 /D1.3/24/1K3	BASED ON EXTRAP	KEME
	250150		76.3E	PCN 5		BASED ON EXTRAP	KGUC
10	260948		75.8E	PCN 1	T3.5/3.5 /D0.5/24HRS	PARTIAL EYE WALL	KGUS
11	260948		75.4E	PCN 6	T4.0/4.0 /D1.0/24HRS	THE THE ETE WHEE	FJIG
12	261429		75.2E	PCN 6	, , , , , , , , , , , , , , , , , , , ,	ULAC 8.05 75.GE	KGLIC
13	261429		74.9E	PCH 6			FJDG
* 14	252000		74.1E	PCH 5			FJEG
15	202051	8.99	75.6E	PCH 6		BASED ON EXTRAP	KUPIC
16	270307	9.45	75.3E	PCH 3		EYE D1A 9NI1	KGUC
17	279930	9.25	75.5C	PCH 6	T4.0/4.0 /D0.5/24HRS		F.496
* 18	270936	10.45	75.2E	PCH 2	T4.5/4.5 /D1.0/24HRS		KGWC
* 19	271435	10.25	74.BE	PCN 4			KGUC
* 20	271485		75.2E	PCH 6			FJDG
21	272839		75.SE	PCH 2			K(2)10
22	272221		75.4E	PCII 2		BAHDING EYE	KGUS
23	280224		75.7C	PCII 3		EYE D1A 9NM	REUC
24	200245		76.4E	PCH 6	T4.5/4.5 /D1.0/17HRS		FJDG
25	280924		7G.3E	PCN 2	T4.5/4.5 /S0.0/23HRS		K(rit.
26	281522		77.1C	PCII 2		DANDING EYE	KGGC
27	281522		77.DE	PCH 6			FJ9G
28	232118	12.85	77.SE	PCH 6			EJIBR

29	282209	11.45	77.3E	PCN 2			KGWC
30	290220	11.45	78.IE	PCN 4			KGWC
31	290912	II.75	78.2E	PCH 2	T5.5/5.5-/D1.0/24HR5	EYE DIA 27NM	KGUC
32	290912	11.25	78.2E	PCH 6	T4.5/4.5 /S0.0/30HRS		FJDG
33	291459	12.25	78.8E	PCN 4			KGWU
34	291459	11.35	78.0E	PCN 6			FJDG
35	292156	12.83	79.4E	PCN 2			KGUC
36	300156	12.95	79.9E	PCN 4			KUUC
37	300900	13.75	80.9E	PCN 2	T5.5/5.5-/50.0/24HRS	EYE DIA 15NM	KGMC
38	300900	13.25	80.55	PCH 6	T4.5/4.5-/DI.0/24HRS		FJDG
39	301435	13.85	81.5E	PCI 4	7-11-01 - 11-01 - 11-11-11-11-11-11-11-11-11-11-11-11-	EYE DIA 12NM	KGWC
40	301435	13.75	80.9E	PCN 6			FJDG
41	302144	14.95	82.2E	PCN 6		ULAC F1X	KGUC
* 42	302145	16.05	82.5C	PCN 6		OLIIO I IN	FJDG
43	010133	14.85	82.IE	PCN 6		BASED ON EXTRAP	KGUC
44	010848	15.95	82.4E	PCN 6	T3.0/4.0 /U2.5/24HRS	BASED ON EXTRAP	KGUC
					13.0/4.0 /WZ.3/24MK5		KGUC
45	011412	17.65	83.5E	PCN 6		ULAC FIX	
* 46	011950	19.65	05.1E	PCH 6		ULAC FIX	KGVC
47	012132	16.35	83.4E	PCN 6		EXP LLCC	KGUC
48	020109	18.55	83.5E	PCH 4		EXP LLCC	KGUC
* 49	020300	18.99	83.6E	PCN 5		EXP LLCC	PGTW
50	020836	19.25	B4.4E	PCN 4	T1.5/2.5 /W1.5/24HRS	EXP LLCC	KIRLIC
51	030227	22.85	02.2E	PCN 6	T0.0/I.0 /WI.5/I8HR5	EXP LLCC	KGWC

TC21-B2 F1X PO5ITIONS FOR CYCLONE NO. 21

SATELLITE FIXES

FIX NO.	TIME (Z)	F1X POSITION	ACCRY	DVORAK CODE	COMMENTS	5ITE
* 23 4 5 6	141600 142100 150000 150300 150600 150900	13.29 157.3E 13.35 158.3E 14.25 158.2E 14.65 157.9E 14.05 157.7E 14.15 157.9E	PCN 5 PCN 5 PCN 5 PCN 5 PCN 5 PCN 5	T3.0/3.0	ULAC F1X 1N1T DBS	PGTW PGTW PGTW PGTW PGTW PGTW
. 7 8 9 10 11 * I2 * 13 * 14 I5	151200 151600 151800 152100 160000 160600 160600 160900 161600	14.68 !50.2E 14.75 !50.6E 14.85 !58.8E 14.95 !59.0E 15.0S !59.3E 15.25 !59.5E 15.55 !60.0E 15.35 !60.2E 15.35 !60.4E	PCN 5 5 PCN	T1.5/2.5 /W1.5/27HR5	ULCC FIX ULCC FIX ULCC FIX ULCC FIX	PGTW PGTW PGTW PGTW PGTW PGTW PGTW PGTW

APPENDIX C

CONTRACTIONS

ACCRY	Accuracy	NEDN	Naval Environmental Data Network
APT	Automatic Picture Transmission	NEDS	Naval Environmental
AVG	Average		Display Station
BRG	Bearing	NESS	National Environmental Satellite Service
CDO	Central Dense Overcast	NM	Nautical Mile(s)
CI	Current Intensity	N/O	Not Observed
CLD	Cloud	NOAA	National Oceanic and
CLSD	Closed		Atmospheric Administration
CNTR	Center	OBS	Observation(s)
DEG	Degree(s)	PCN	Position Code Number
DIAM	Diameter	PSBL	Possible
DIR	Direction	PTLY	Partly
DMSP	Defense Meteorological Satellite Program	QUAD	Quadrant
HGT		RECON .	Reconnaissance
	Height	RNG	Range
HPAC	Mean of XTRP and Climatology	SAT	Satellite
HR	Hour(s)	SFC	Surface
HVY	Heavy	SLP (MSLP)	Sea Level Pressure
ICAO	International Civil Aviation Organization		(Minimum Sea Level Pressure)
IR	Infrared	STNRY	Stationary
KM	Kilometer(s)	SST	Sea Surface Temperature
КT	Knot(s)	TC	Tropical Cyclone
LLCC	Low-Level Circulation Center	TCFA	Tropical Cyclone Formation Alert
LVL	Level	TD	Tropical Depression
М	Meter(s)	TIROS	Television Infrared
M/SEC	Meters per Second	TIROD	Observation Satellite
MAX	Maximum	TS	Tropical Storm
MB	Millibar(s)	TY	Typhoon
MET	Meteorological	VEL .	Velocity
MIN .	Minimum	VIS .	Visual
		VSBL	Visible
		WMO	World Meteorological Organization
		WND	Wind
		XTRP	Extrapolation
		Z	Zulu Time (Greenwich mean
			time)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM					
I. REPORT NUMBER 2. GOVT ACCESSION NO.	. 3. RECIPIENT'S CATALOG NUMBER					
NAVOCEANCOMCEN/JTWC TECH NOTE 82-1						
4. TITLE (and Subtitle)	S. TYPE OF REPORT & PERIOD COVERED					
FORECAST VERIFICATION AND RECONNAISSANCE DATA FOR SOUTHERN HEMISPHERE TROPICAL CYCLONES (JULY 1980						
THROUGH JUNE 1982)	6. PERFORMING ORG. REPORT NUMBER					
7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(s)					
J. W. DIERCKS, COL, USAF						
R. C. WEIR, LT, USN						
M. K. KOPPER, ENS, USN 9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT PROJECT TASK					
U.S. Naval Oceanography Command Center/Joint Typhoon Warning Center (NAVOCEANCOMCEN/JTWC)	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS					
FPO San Francisco 96630						
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE					
U.S. Naval Oceanography Command Center/Joint	September 1982					
Typhoon Warning Center (NAVOCEANCOMCEN/JTWC) FPO San Francisco 96630	13. NUMBER OF PAGES					
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	1S. SECURITY CLASS. (of this report)					
	Unclassified					
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE					
16. DISTRIBUTION STATEMENT (of this Report)						
·	2					
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)						
17. DISTRIBUTION STATEMENT (OF the abstract entered in block 20, if different from Keport)						
The second secon	0					
18. SUPPLEMENTARY NOTES						
A						
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)					
Tropical cyclone Typhoon						
Tropical cyclone forecasting Tropical sto						
· ·	clone warning					
Meteorological satellite Typhoon Fore						
Hurricane Fo 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)						
The Joint Typhoon Warning Center (JTWC) area of responsibility includes the						

Southern Hemisphere, from 180° longitude westward to the east coast of Africa. This technical note documents forecast verification and reconnaissance data for those Southern Hemisphere tropical cyclones that occurred between 1 July 1980 and 30 June 1982.